

1 This is my thought of what it might look like. I am using a
2 procedure to explain my case and in no way be limited to
just a procedure.

3
4

5 Fully Collapsed

```
6 [+] dcl-proc rInstate ;
```

7

8 Expanding The Procedure - Step by Step

9

10

11 Step 1

```
12 [-] dcl-proc rInstate ;  
13 |     LastEntryRei = %lookup (' ':dsReinstate(* .rname) ;  
14 |     LoopRei = LastEntryRei - 1 ;  
15 [+]     if LastEntryRei > 0 ;  
16 L     end-proc rInstate ;
```

17

18 Step 2

```
19 [-] dcl-proc rInstate ;  
20 |     LastEntryRei = %lookup (' ':dsReinstate(*).rname) ;  
21 |     LoopRei = LastEntryRei - 1 ;  
22 [-]     if LastEntryRei > 0 ;  
23 [+]         If RptType <> 'D' ;  
24 |         Endif ;  
25 L     end-proc rInstate ;
```

26

27 Step 3

```
28 [-] dcl-proc rInstate ;  
29 |     LastEntryRei = %lookup (' ':dsReinstate(*).rname) ;  
30 |     LoopRei = LastEntryRei - 1 ;  
31 [-]     if LastEntryRei > 0 ;  
32 [-]         If RptType <> 'D' ;  
33 |             Chain (MMonth:MDay:MYear) CtpMst02 ;  
34 [+]                 Dow %Found(CtpMst02) ;  
35 |             Endif ;  
36 |         Endif ;  
37 L     end-proc rInstate ;
```

38

39 Step 4

```
40 [-] dcl-proc rInstate ;  
41 |     LastEntryRei = %lookup (' ':dsReinstate(*).rname) ;  
42 |     LoopRei = LastEntryRei - 1 ;  
43 [-]     if LastEntryRei > 0 ;  
44 [-]         If RptType <> 'D' ;  
45 |             Chain (MMonth:MDay:MYear) CtpMst02 ;  
46 [-]                 Dow %Found (CtpMst02) ;
```

```

47 |             LX(1) = 0 ;
48 [+|             If Month = CtpMo and Day = CtpDa and
Year = CtpYr ;
49 |             Read CtpMst02 ;
50 |             Enddo ;
51 |             Endif ;
52 |             Endif ;
53 L         end-proc rInstate ;
54
55 Step 5
56 [-|         dcl-proc rInstate ;
57 |             LastEntryRei = %lookup(' ':dsReinstate(*) .rname) ;
58 |             LoopRei = LastEntryRei - 1 ;
59 [-|             if LastEntryRei > 0 ;
60 [-|             If RptType <> 'D' ;
61 |             Chain (MMonth:MDay:MYear) CtpMst02 ;
62 [-|             Dow %Found(CtpMst02) ;
63 |             LX(1) = 0 ;
64 [-|             If Month = CtpMo and Day = CtpDa and
Year = CtpYr ;
65 |             If CtpSt1 = *Blank ;
66 [+|             If CtpSt2 = *Blank ;
67 [+|             If CtpSt3 = *Blank ;
68 [+|             If CtpSt4 = *Blank ;
69 [+|             If CtpSt5 = *Blank ;
70 [+|             If CtpCCTot > 0 ;
71 |             TstTot = LX(1) + CTPPresFee ;
72 |             LX(12) = LX(1) + CtpCCTot +
CTPPresFee ;
73 |             TL(12) = TL(12) + LX(12) ;
74 |             FL(12) = FL(12) + LX(12) ;
75 |             CCfpg = CCfpg + CtpCCTot ;
76 |             CCftot = CCftot + CtpCCTot ;
77 |             CTPFee = (LX(1) *.025) ;
78 |             CTPRev = (LX(1) - CTPFee) ;
79 |             CTPFeepg = CTPFeepg + CTPFee ;
80 |             CTPRevpg = CTPRevpg + CTPRev ;
81 |             TOTCTPFee = TOTCTPFee + CTPFee ;
82 |             TOTCTPRev = TOTCTPRev + CTPRev ;
83 |             RFPFg = RFPFg + CTPPresFee ;
84 |             RFPFg1 = RFPFg ;
85 |             RPFTot = RPFTot + CTPPresFee ;
86 |             RPFTot1 = RPFTot ;
87 |             *In27 = *On ;
88 |             Endif ;
89 |             Enddo ;
90 |             Endif ;

```

```

91      |           Endif ;
92      L           end-proc rInstate ;
93
94      Step 1
95      [-]         dcl-proc rInstate ;
96      |           LastEntryRei = %lookup(' ':dsReinstate(*) .rname) ;
97      |           LoopRei = LastEntryRei - 1 ;
98      [-]         if LastEntryRei > 0 ;
99      [-]           If RptType <> 'D' ;
100     |           Chain (MMonth:MDay:MYear) CtpMst02 ;
101     [-]           Dow %Found(CtpMst02) ;
102     |           LX(1) = 0 ;
103     [-]           If Month = CtpMo and Day = CtpDa and
Year = CtpYr ;
104     [-]           If CtpSt1 = *Blank ;
105     |             LX(1) = LX(1) + CtpAmt1 ;
106     |           Endif ;
107     [-]           If CtpSt2 = *Blank ;
108     |             LX(1) = LX(1) + CtpAmt1 ;
109     |           Endif ;
110     [-]           If CtpSt3 = *Blank ;
111     |             LX(1) = LX(1) + CtpAmt1 ;
112     |           Endif ;
113     [-]           If CtpSt4 = *Blank ;
114     |             LX(1) = LX(1) + CtpAmt1 ;
115     |           Endif ;
116     [-]           If CtpSt5 = *Blank ;
117     |             LX(1) = LX(1) + CtpAmt1 ;
118     |           Endif ;
119     [-]           If CtpCCTot > 0 ;
120     |             *In34 = *On ;
121     |           Else ;
122     |             *In34 = *Off ;
123     |           Endif ;
124     |           TstTot = LX(1) + CTPPresFee ;
125     |           LX(12) = LX(1) + CtpCCTot +
CTPPresFee ;
126     |           TL(12) = TL(12) + LX(12) ;
127     |           FL(12) = FL(12) + LX(12) ;
128     |           CCfpg = CCfpg + CtpCCTot ;
129     |           CCftot = CCftot + CtpCCTot ;
130     |           CTPFee = (LX(1) *.025) ;
131     |           CTPRev = (LX(1) - CTPFee) ;
132     |           CTPFeePg = CTPFeePg + CTPFee ;
133     |           CTPRevPg = CTPRevPg + CTPRev ;
134     |           TOTCTPFee = TOTCTPFee + CTPFee ;
135     |           TOTCTPRev = TOTCTPRev + CTPRev ;

```

```
136         RFPg = RFPg + CTPPresFee ;
137         RFPg1 = RFPg ;
138         RFTot = RFTot + CTPPresFee ;
139         RFTot1 = RFTot ;
140         *In27 = *On ;
141     Endif ;
142     Enddo ;
143 Endif ;
144 Endif ;
145 L end-proc rInstate ;
146
```