We are so sorry but RFE#91465 does not what we want.

To explain what we need, please read the following steps:

The Colors show the different column headings.


Create a test-view based on QIWS.QCUSTCDT

```
CREATE OR REPLACE VIEW TEST. TEST VIEW
(CUSNUM, LSTNAM, INIT, STREET, CITY, STATE, ZIPCOD, CDTLMT, CHGCOD, BALDUE, CDTDUE)
   AS SELECT *
         FROM QIWS.QCUSTCDT
   RCDFMT TEST_VIEW;
LABEL ON TABLE TEST.TEST VIEW IS 'Test View';
LABEL ON COLUMN TEST.TEST VIEW
    (CUSNUM IS 'Text Kundennummer',
    LSTNAM IS 'Text Nachname',
    INIT IS 'Text Vornameninitialen',
    STREET IS 'Text Straße',
    CITY IS 'Text Wohnort',
    STATE IS 'Text Bundesland',
     ZIPCOD IS 'Text Postleitzahl',
    CDTLMT IS 'Text Kreditgrenze',
    CHGCOD IS 'Text Kreditcode',
     BALDUE IS 'Text Endsumme',
     CDTDUE IS 'Text Kredit' );
 LABEL ON COLUMN TEST. TEST VIEW
    (CUSNUM TEXT IS 'Feld Kundennummer',
    LSTNAM TEXT IS 'Feld Nachname',
     INIT TEXT IS 'Feld Vornameninitialen',
     STREET TEXT IS 'Feld Straße',
     CITY TEXT IS 'Feld Wohnort',
     STATE TEXT IS 'Feld Bundesland',
     ZIPCOD TEXT IS 'Feld Postleitzahl',
     CDTLMT TEXT IS 'Feld Kreditgrenze'
     CHGCOD TEXT IS 'Feld Kreditcode',
     BALDUE TEXT IS 'Feld Endsumme',
     CDTDUE TEXT IS 'Feld Kredit' );
```


As you can see there are three sort of text.

Column-text1 (Fieldname): colour; Column-text2: colour; Column-text3: colour

The definition for the first Column in iNav show the following:




"Run SQL" show the following result:



What we need is an option to show all three headings in one view without change the jdbc settings.

The information should be available in the systemtables.



Instead of only one line for the heading it should be possible to show all three at the same time.

The first column could show as following:

Heading 1	Text Kundennummer
Heading 2	Feld Kundennummer
Heading 3	CUSNUM
(fieldname)	
DATA	