

```
[0000489B:0000000000000209][09-08-17 18:16:14.824224]
ENTER: CLI Trace set ON.
Version: 7.1.0
-
[0000489B:0000000000000209][09-08-17 18:16:14.827648]
ENTER: SQLFreeStmt
  SQLHSTMT      0
  SQLSMALLINT    1 (SQL_DROP)
-
[0000489B:0000000000000209][09-08-17 18:16:14.827760](0.000112)
EXIT:  SQLFreeStmt with return code -2 (SQL_INVALID_HANDLE)
  SQLHSTMT      0
  SQLSMALLINT    1 (SQL_DROP)
-
[0000489B:0000000000000209][09-08-17 18:16:14.839656]
ENTER: SQLAllocEnv
  SQLHENV*      8000000000000000FE4467CEE212B80
-
[0000489B:0000000000000209][09-08-17 18:16:14.840696](0.001040)
EXIT:  SQLAllocEnv with return code 0 (SQL_SUCCESS)
  SQLHENV*      8000000000000000FE4467CEE212B80 (1)
-
[0000489B:0000000000000209][09-08-17 18:16:14.840784]
ENTER: SQLAllocConnect
  SQLHENV        1
  SQLHDBC*      8000000000000000FE4467CEE212B84
-
[0000489B:0000000000000209][09-08-17 18:16:14.847520](0.006736)
EXIT:  SQLAllocConnect with return code 0 (SQL_SUCCESS)
  SQLHENV        1
  SQLHDBC*      8000000000000000FE4467CEE212B84 (2)
-
[0000489B:0000000000000209][09-08-17 18:16:14.847600]
ENTER: SQLSetConnectAttr
  SQLHDBC        2
  SQLINTEGER     10020 (SQL_ATTR_DATE_FMT)
  SQLPOINTER     8000000000000000FE4467CEE212BB0 (10)
  SQLINTEGER      0
-
[0000489B:0000000000000209][09-08-17 18:16:14.847688](0.000088)
EXIT:  SQLSetConnectAttr with return code 0 (SQL_SUCCESS)
  SQLHDBC        2
  SQLINTEGER     10020 (SQL_ATTR_DATE_FMT)
  SQLPOINTER     8000000000000000FE4467CEE212BB0 (10)
  SQLINTEGER      0
-
[0000489B:0000000000000209][09-08-17 18:16:14.847776]
ENTER: SQLSetConnectAttr
  SQLHDBC        2
  SQLINTEGER     10021 (SQL_ATTR_DATE_SEP)
  SQLPOINTER     8000000000000000FE4467CEE212BB4 (7)
  SQLINTEGER      0
-
[0000489B:0000000000000209][09-08-17 18:16:14.847864](0.000088)
EXIT:  SQLSetConnectAttr with return code 0 (SQL_SUCCESS)
```

```
SQLHDBC      2
SQLINTEGER    10021 (SQL_ATTR_DATE_SEP)
SQLPOINTER    8000000000000000FE4467CEE212BB4 (7)
SQLINTEGER    0
-
[0000489B:0000000000000209][09-08-17 18:16:14.848008]
ENTER: SQLSetConnectAttr
SQLHDBC      2
SQLINTEGER    10004 (SQL_ATTR_DBC_SYS_NAMING)
SQLPOINTER    8000000000000000FE4467CEE212B94 (1) (SQL_TRUE)
SQLINTEGER    0
-
[0000489B:0000000000000209][09-08-17 18:16:14.848096](0.000088)
EXIT:  SQLSetConnectAttr with return code 0 (SQL_SUCCESS)
SQLHDBC      2
SQLINTEGER    10004 (SQL_ATTR_DBC_SYS_NAMING)
SQLPOINTER    8000000000000000FE4467CEE212B94 (1) (SQL_TRUE)
SQLINTEGER    0
-
[0000489B:0000000000000209][09-08-17 18:16:14.848192]
ENTER: SQLSetConnectAttr
SQLHDBC      2
SQLINTEGER    10027 (SQL_ATTR_2ND_LEVEL_TEXT)
SQLPOINTER    8000000000000000FE4467CEE212B94 (1) (SQL_TRUE)
SQLINTEGER    0
-
[0000489B:0000000000000209][09-08-17 18:16:14.848280](0.000088)
EXIT:  SQLSetConnectAttr with return code 0 (SQL_SUCCESS)
SQLHDBC      2
SQLINTEGER    10027 (SQL_ATTR_2ND_LEVEL_TEXT)
SQLPOINTER    8000000000000000FE4467CEE212B94 (1) (SQL_TRUE)
SQLINTEGER    0
-
[0000489B:0000000000000209][09-08-17 18:16:14.848360]
ENTER: SQLSetConnectAttr
SQLHDBC      2
SQLINTEGER    10045 (SQL_ATTR_QUERY_OPTIMIZE_GOAL)
SQLPOINTER    8000000000000000FE4467CEE212BA4 (1)
SQLINTEGER    0
-
[0000489B:0000000000000209][09-08-17 18:16:14.848448](0.000088)
EXIT:  SQLSetConnectAttr with return code 0 (SQL_SUCCESS)
SQLHDBC      2
SQLINTEGER    10045 (SQL_ATTR_QUERY_OPTIMIZE_GOAL)
SQLPOINTER    8000000000000000FE4467CEE212BA4 (1)
SQLINTEGER    0
-
[0000489B:0000000000000209][09-08-17 18:16:14.848536]
ENTER: SQLSetConnectAttr
SQLHDBC      2
SQLINTEGER    0 (SQL_ATTR_COMMIT)
SQLPOINTER    8000000000000000FE4467CEE212BAC (1) (SQL_TXN_NO_COMMIT)
SQLINTEGER    0
-
[0000489B:0000000000000209][09-08-17 18:16:14.848656](0.000120)
```

EXIT: SQLSetConnectAttr with return code 0 (SQL_SUCCESS)
SQLHDBC 2
SQLINTEGER 0 (SQL_ATTR_COMMIT)
SQLPOINTER 8000000000000000FE4467CEE212BAC (1) (SQL_TXN_NO_COMMIT)
SQLINTEGER 0

-
[0000489B:0000000000000209][09-08-17 18:16:14.875448]

ENTER: SQLConnect
SQLHDBC 2
SQLCHAR* 00000000000000000000000000000000
SQLSMALLINT -3
SQLCHAR* 00000000000000000000000000000000
SQLSMALLINT -3
SQLCHAR* 00000000000000000000000000000000
SQLSMALLINT -3

-
[0000489B:0000000000000209][09-08-17 18:16:14.889224](0.013776)

EXIT: SQLConnect with return code 0 (SQL_SUCCESS)
SQLHDBC 2
SQLCHAR* 00000000000000000000000000000000
SQLSMALLINT -3
SQLCHAR* 00000000000000000000000000000000
SQLSMALLINT -3
SQLCHAR* 00000000000000000000000000000000
SQLSMALLINT -3

-
[0000489B:0000000000000209][09-08-17 18:16:14.889328]

ENTER: SQLAllocStmt
SQLHDBC 2
SQLHSTMT* 8000000000000000FE4467CEE212BC4

-
[0000489B:0000000000000209][09-08-17 18:16:14.889440](0.000112)

EXIT: SQLAllocStmt with return code 0 (SQL_SUCCESS)
SQLHDBC 2
SQLHSTMT* 8000000000000000FE4467CEE212BC4 (3)

-
[0000489B:0000000000000209][09-08-17 18:16:14.889520]

ENTER: SQLSetStmtAttr
SQLHSTMT 3
SQLINTEGER 10015 (SQL_ATTR_CURSOR_SCROLLABLE)
SQLPOINTER 8000000000000000FE4467CEE212B94 (1)
SQLINTEGER 0

-
[0000489B:0000000000000209][09-08-17 18:16:14.889608](0.000088)

EXIT: SQLSetStmtAttr with return code 0 (SQL_SUCCESS)
SQLHSTMT 3
SQLINTEGER 10015 (SQL_ATTR_CURSOR_SCROLLABLE)
SQLPOINTER 8000000000000000FE4467CEE212B94 (1)
SQLINTEGER 0

-
[0000489B:0000000000000209][09-08-17 18:16:14.889696]

ENTER: SQLSetStmtAttr
SQLHSTMT 3
SQLINTEGER 10014 (SQL_ATTR_CONCURRENCY)
SQLPOINTER 8000000000000000FE4467CEE212B94 (1)

```
-
SQLINTEGER      0
-
[0000489B:0000000000000209][09-08-17 18:16:14.889824](0.000128)
EXIT:  SQLSetStmtAttr with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
SQLINTEGER       10014 (SQL_ATTR_CONCURRENCY)
SQLPOINTER       8000000000000000FE4467CEE212B94 (1)
SQLINTEGER       0
-
[0000489B:0000000000000209][09-08-17 18:16:14.889912]
ENTER:  SQLExecDirect
SQLHSTMT        3
SQLCHAR*         8000000000000000E114822989007040
                  "select * from PR930DTA/@000001H00 order by"
                  " lxiv1,lxiv2,lxiv3,lxiv4,lxiv5,lxiv6,lxiv7,lxiv8,ldxnam,lxseq"
SQLINTEGER       -3
-
[0000489B:0000000000000209][09-08-17 18:16:15.036560](0.146648)
EXIT:  SQLExecDirect with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
SQLCHAR*         8000000000000000E114822989007040
                  "select * from PR930DTA/@000001H00 order by"
                  " lxiv1,lxiv2,lxiv3,lxiv4,lxiv5,lxiv6,lxiv7,lxiv8,ldxnam,lxseq"
SQLINTEGER       -3
-
[0000489B:0000000000000209][09-08-17 18:16:15.036688]
ENTER:  SQLFetchScroll
SQLHSTMT        3
SQLSMALLINT      1 (SQL_FETCH_NEXT)
SQLINTEGER       0
-
[0000489B:0000000000000209][09-08-17 18:16:15.036944](0.000256)
EXIT:  SQLFetchScroll with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
SQLSMALLINT      1 (SQL_FETCH_NEXT)
SQLINTEGER       0
-
[0000489B:0000000000000209][09-08-17 18:16:15.037032]
ENTER:  SQLGetCol
SQLHSTMT        3
SQLSMALLINT      1
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE212FC0
SQLINTEGER       10
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:0000000000000209][09-08-17 18:16:15.037128](0.000096)
EXIT:  SQLGetCol with return code 1 (SQL_SUCCESS_WITH_INFO)
SQLHSTMT        3
SQLSMALLINT      1
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE212FC0
SQLINTEGER       10
SQLINTEGER*      8000000000000000FE4467CEE212B90 (11)
-
```

```
[0000489B:00000000000000209][09-08-17 18:16:15.037288]
ENTER: SQLGetCol
SQLHSTMT      3
SQLSMALLINT   2
SQLSMALLINT   3 (SQL_DECIMAL)
SQLPOINTER    8000000000000000FE4467CEE212FCA
SQLINTEGER    2304
SQLINTEGER*   8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.037384](0.000096)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT      3
SQLSMALLINT   2
SQLSMALLINT   3 (SQL_DECIMAL)
SQLPOINTER    8000000000000000FE4467CEE212FCA
SQLINTEGER    2304
SQLINTEGER*   8000000000000000FE4467CEE212B90 (0)
-
[0000489B:00000000000000209][09-08-17 18:16:15.116784]
ENTER: SQLGetCol
SQLHSTMT      3
SQLSMALLINT   3
SQLSMALLINT   1 (SQL_CHAR)
SQLPOINTER    8000000000000000FE4467CEE212FCF
SQLINTEGER    99
SQLINTEGER*   8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.116896](0.000112)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT      3
SQLSMALLINT   3
SQLSMALLINT   1 (SQL_CHAR)
SQLPOINTER    8000000000000000FE4467CEE212FCF
SQLINTEGER    99
SQLINTEGER*   8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.116992]
ENTER: SQLGetCol
SQLHSTMT      3
SQLSMALLINT   4
SQLSMALLINT   1 (SQL_CHAR)
SQLPOINTER    8000000000000000FE4467CEE213032
SQLINTEGER    99
SQLINTEGER*   8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.117080](0.000088)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT      3
SQLSMALLINT   4
SQLSMALLINT   1 (SQL_CHAR)
SQLPOINTER    8000000000000000FE4467CEE213032
SQLINTEGER    99
SQLINTEGER*   8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.117224]
```

```
ENTER: SQLGetCol
SQLHSTMT      3
SQLSMALLINT   5
SQLSMALLINT   1 (SQL_CHAR)
SQLPOINTER    8000000000000000FE4467CEE213095
SQLINTEGER    99
SQLINTEGER*   8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.117320](0.000096)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT      3
SQLSMALLINT   5
SQLSMALLINT   1 (SQL_CHAR)
SQLPOINTER    8000000000000000FE4467CEE213095
SQLINTEGER    99
SQLINTEGER*   8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.117416]
ENTER: SQLGetCol
SQLHSTMT      3
SQLSMALLINT   6
SQLSMALLINT   1 (SQL_CHAR)
SQLPOINTER    8000000000000000FE4467CEE2130F8
SQLINTEGER    99
SQLINTEGER*   8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.117520](0.000104)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT      3
SQLSMALLINT   6
SQLSMALLINT   1 (SQL_CHAR)
SQLPOINTER    8000000000000000FE4467CEE2130F8
SQLINTEGER    99
SQLINTEGER*   8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.117624]
ENTER: SQLGetCol
SQLHSTMT      3
SQLSMALLINT   7
SQLSMALLINT   1 (SQL_CHAR)
SQLPOINTER    8000000000000000FE4467CEE21315B
SQLINTEGER    99
SQLINTEGER*   8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.117712](0.000088)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT      3
SQLSMALLINT   7
SQLSMALLINT   1 (SQL_CHAR)
SQLPOINTER    8000000000000000FE4467CEE21315B
SQLINTEGER    99
SQLINTEGER*   8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.117816]
ENTER: SQLGetCol
```

```
SQLHSTMT      3
SQLSMALLINT    8
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE2131BE
SQLINTEGER     99
SQLINTEGER*    8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.117944](0.000128)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT      3
SQLSMALLINT    8
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE2131BE
SQLINTEGER     99
SQLINTEGER*    8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.118048]
ENTER: SQLGetCol
SQLHSTMT      3
SQLSMALLINT    9
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE213221
SQLINTEGER     99
SQLINTEGER*    8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.118144](0.000096)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT      3
SQLSMALLINT    9
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE213221
SQLINTEGER     99
SQLINTEGER*    8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.118296]
ENTER: SQLGetCol
SQLHSTMT      3
SQLSMALLINT    10
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE213284
SQLINTEGER     8
SQLINTEGER*    8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.118384](0.000088)
EXIT:  SQLGetCol with return code 1 (SQL_SUCCESS_WITH_INFO)
SQLHSTMT      3
SQLSMALLINT    10
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE213284
SQLINTEGER     8
SQLINTEGER*    8000000000000000FE4467CEE212B90 (9)
-
[0000489B:00000000000000209][09-08-17 18:16:15.118480]
ENTER: SQLGetCol
SQLHSTMT      3
```

```
SQLSMALLINT      11
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE21328C
SQLINTEGER       1
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.118616](0.000136)
EXIT:  SQLGetCol with return code 1 (SQL_SUCCESS_WITH_INFO)
SQLHSTMT        3
SQLSMALLINT      11
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE21328C
SQLINTEGER       1
SQLINTEGER*      8000000000000000FE4467CEE212B90 (2)
-
[0000489B:00000000000000209][09-08-17 18:16:15.118720]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT      12
SQLSMALLINT      3 (SQL_DECIMAL)
SQLPOINTER       8000000000000000FE4467CEE21328D
SQLINTEGER       2304
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.118816](0.000096)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
SQLSMALLINT      12
SQLSMALLINT      3 (SQL_DECIMAL)
SQLPOINTER       8000000000000000FE4467CEE21328D
SQLINTEGER       2304
SQLINTEGER*      8000000000000000FE4467CEE212B90 (0)
-
[0000489B:00000000000000209][09-08-17 18:16:15.118920]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT      13
SQLSMALLINT      3 (SQL_DECIMAL)
SQLPOINTER       8000000000000000FE4467CEE213292
SQLINTEGER       2304
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.119016](0.000096)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
SQLSMALLINT      13
SQLSMALLINT      3 (SQL_DECIMAL)
SQLPOINTER       8000000000000000FE4467CEE213292
SQLINTEGER       2304
SQLINTEGER*      8000000000000000FE4467CEE212B90 (0)
-
[0000489B:00000000000000209][09-08-17 18:16:15.265952]
ENTER: SQLFetchScroll
SQLHSTMT        3
SQLSMALLINT      1 (SQL_FETCH_NEXT)
```



```
SQLINTEGER      0
-
[0000489B:0000000000000209][09-08-17 18:16:15.270336](0.004384)
EXIT:  SQLFetchScroll with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
SQLSMALLINT      1 (SQL_FETCH_NEXT)
SQLINTEGER       0
-
[0000489B:0000000000000209][09-08-17 18:16:15.270424]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT      1
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE212FC0
SQLINTEGER       10
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:0000000000000209][09-08-17 18:16:15.270520](0.000096)
EXIT:  SQLGetCol with return code 1 (SQL_SUCCESS_WITH_INFO)
SQLHSTMT        3
SQLSMALLINT      1
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE212FC0
SQLINTEGER       10
SQLINTEGER*      8000000000000000FE4467CEE212B90 (11)
-
[0000489B:0000000000000209][09-08-17 18:16:15.270624]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT      2
SQLSMALLINT      3 (SQL_DECIMAL)
SQLPOINTER       8000000000000000FE4467CEE212FCA
SQLINTEGER       2304
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:0000000000000209][09-08-17 18:16:15.270712](0.000088)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
SQLSMALLINT      2
SQLSMALLINT      3 (SQL_DECIMAL)
SQLPOINTER       8000000000000000FE4467CEE212FCA
SQLINTEGER       2304
SQLINTEGER*      8000000000000000FE4467CEE212B90 (0)
-
[0000489B:0000000000000209][09-08-17 18:16:15.316200]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT      3
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE212FCF
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:0000000000000209][09-08-17 18:16:15.316304](0.000104)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
```

```
SQLHSTMT      3
SQLSMALLINT    3
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE212FCF
SQLINTEGER     99
SQLINTEGER*    8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.316448]
ENTER: SQLGetCol
SQLHSTMT      3
SQLSMALLINT    4
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE213032
SQLINTEGER     99
SQLINTEGER*    8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.316544](0.000096)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT      3
SQLSMALLINT    4
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE213032
SQLINTEGER     99
SQLINTEGER*    8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.316648]
ENTER: SQLGetCol
SQLHSTMT      3
SQLSMALLINT    5
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE213095
SQLINTEGER     99
SQLINTEGER*    8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.316736](0.000088)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT      3
SQLSMALLINT    5
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE213095
SQLINTEGER     99
SQLINTEGER*    8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.316840]
ENTER: SQLGetCol
SQLHSTMT      3
SQLSMALLINT    6
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE2130F8
SQLINTEGER     99
SQLINTEGER*    8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.316936](0.000096)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT      3
```

```
SQLSMALLINT      6
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE2130F8
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.317072]
ENTER: SQLGetCol
SQLHSTMT         3
SQLSMALLINT      7
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE21315B
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.317168](0.000096)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT         3
SQLSMALLINT      7
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE21315B
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.317272]
ENTER: SQLGetCol
SQLHSTMT         3
SQLSMALLINT      8
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE2131BE
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.317360](0.000088)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT         3
SQLSMALLINT      8
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE2131BE
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.317464]
ENTER: SQLGetCol
SQLHSTMT         3
SQLSMALLINT      9
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE213221
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.317552](0.000088)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT         3
SQLSMALLINT      9
```

```
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE213221
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.317728]
ENTER: SQLGetCol
SQLHSTMT         3
SQLSMALLINT      10
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE213284
SQLINTEGER       8
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.317824](0.000096)
EXIT:  SQLGetCol with return code 1 (SQL_SUCCESS_WITH_INFO)
SQLHSTMT         3
SQLSMALLINT      10
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE213284
SQLINTEGER       8
SQLINTEGER*      8000000000000000FE4467CEE212B90 (9)
-
[0000489B:00000000000000209][09-08-17 18:16:15.317928]
ENTER: SQLGetCol
SQLHSTMT         3
SQLSMALLINT      11
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE21328C
SQLINTEGER       1
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.318024](0.000096)
EXIT:  SQLGetCol with return code 1 (SQL_SUCCESS_WITH_INFO)
SQLHSTMT         3
SQLSMALLINT      11
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE21328C
SQLINTEGER       1
SQLINTEGER*      8000000000000000FE4467CEE212B90 (2)
-
[0000489B:00000000000000209][09-08-17 18:16:15.318136]
ENTER: SQLGetCol
SQLHSTMT         3
SQLSMALLINT      12
SQLSMALLINT      3 (SQL_DECIMAL)
SQLPOINTER       8000000000000000FE4467CEE21328D
SQLINTEGER       2304
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.318232](0.000096)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT         3
SQLSMALLINT      12
SQLSMALLINT      3 (SQL_DECIMAL)
```

```
SQLPOINTER      8000000000000000FE4467CEE21328D
SQLINTEGER       2304
SQLINTEGER*      8000000000000000FE4467CEE212B90 (0)
-
[0000489B:00000000000000209][09-08-17 18:16:15.318376]
ENTER: SQLGetCol
SQLHSTMT         3
SQLSMALLINT      13
SQLSMALLINT      3 (SQL_DECIMAL)
SQLPOINTER       8000000000000000FE4467CEE213292
SQLINTEGER       2304
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.318472](0.000096)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT         3
SQLSMALLINT      13
SQLSMALLINT      3 (SQL_DECIMAL)
SQLPOINTER       8000000000000000FE4467CEE213292
SQLINTEGER       2304
SQLINTEGER*      8000000000000000FE4467CEE212B90 (0)
-
[0000489B:00000000000000209][09-08-17 18:16:15.318800]
ENTER: SQLFetchScroll
SQLHSTMT         3
SQLSMALLINT      1 (SQL_FETCH_NEXT)
SQLINTEGER       0
-
[0000489B:00000000000000209][09-08-17 18:16:15.318944](0.000144)
EXIT:  SQLFetchScroll with return code 0 (SQL_SUCCESS)
SQLHSTMT         3
SQLSMALLINT      1 (SQL_FETCH_NEXT)
SQLINTEGER       0
-
[0000489B:00000000000000209][09-08-17 18:16:15.319024]
ENTER: SQLGetCol
SQLHSTMT         3
SQLSMALLINT      1
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE212FC0
SQLINTEGER       10
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.319120](0.000096)
EXIT:  SQLGetCol with return code 1 (SQL_SUCCESS_WITH_INFO)
SQLHSTMT         3
SQLSMALLINT      1
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE212FC0
SQLINTEGER       10
SQLINTEGER*      8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.319224]
ENTER: SQLGetCol
SQLHSTMT         3
```

```
SQLSMALLINT      2
SQLSMALLINT      3 (SQL_DECIMAL)
SQLPOINTER       8000000000000000FE4467CEE212FCA
SQLINTEGER       2304
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.319368](0.000144)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT         3
SQLSMALLINT       2
SQLSMALLINT       3 (SQL_DECIMAL)
SQLPOINTER       8000000000000000FE4467CEE212FCA
SQLINTEGER       2304
SQLINTEGER*      8000000000000000FE4467CEE212B90 (0)
-
[0000489B:00000000000000209][09-08-17 18:16:15.327560]
ENTER: SQLGetCol
SQLHSTMT         3
SQLSMALLINT       3
SQLSMALLINT       1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE212FCF
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.375968](0.048408)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT         3
SQLSMALLINT       3
SQLSMALLINT       1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE212FCF
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.376080]
ENTER: SQLGetCol
SQLHSTMT         3
SQLSMALLINT       4
SQLSMALLINT       1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE213032
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.376168](0.000088)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT         3
SQLSMALLINT       4
SQLSMALLINT       1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE213032
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.376264]
ENTER: SQLGetCol
SQLHSTMT         3
SQLSMALLINT       5
```

```
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE213095
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.376416](0.000152)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
SQLSMALLINT      5
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE213095
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.376512]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT      6
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE2130F8
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.376616](0.000104)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
SQLSMALLINT      6
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE2130F8
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.376712]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT      7
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE21315B
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.376816](0.000104)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
SQLSMALLINT      7
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE21315B
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.376920]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT      8
SQLSMALLINT      1 (SQL_CHAR)
```

```
SQLPOINTER      8000000000000000FE4467CEE2131BE
SQLINTEGER      99
SQLINTEGER*     8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.377064](0.000144)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
SQLSMALLINT     8
SQLSMALLINT     1 (SQL_CHAR)
SQLPOINTER      8000000000000000FE4467CEE2131BE
SQLINTEGER      99
SQLINTEGER*     8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.377168]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT     9
SQLSMALLINT     1 (SQL_CHAR)
SQLPOINTER      8000000000000000FE4467CEE213221
SQLINTEGER      99
SQLINTEGER*     8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.377256](0.000088)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
SQLSMALLINT     9
SQLSMALLINT     1 (SQL_CHAR)
SQLPOINTER      8000000000000000FE4467CEE213221
SQLINTEGER      99
SQLINTEGER*     8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.377360]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT     10
SQLSMALLINT     1 (SQL_CHAR)
SQLPOINTER      8000000000000000FE4467CEE213284
SQLINTEGER      8
SQLINTEGER*     8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.377504](0.000144)
EXIT:  SQLGetCol with return code 1 (SQL_SUCCESS_WITH_INFO)
SQLHSTMT        3
SQLSMALLINT     10
SQLSMALLINT     1 (SQL_CHAR)
SQLPOINTER      8000000000000000FE4467CEE213284
SQLINTEGER      8
SQLINTEGER*     8000000000000000FE4467CEE212B90 (9)
-
[0000489B:00000000000000209][09-08-17 18:16:15.377600]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT     11
SQLSMALLINT     1 (SQL_CHAR)
SQLPOINTER      8000000000000000FE4467CEE21328C
```



```
SQLINTEGER      1
SQLINTEGER*     8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.377736](0.000136)
EXIT:  SQLGetCol with return code 1 (SQL_SUCCESS_WITH_INFO)
SQLHSTMT        3
SQLSMALLINT     11
SQLSMALLINT     1 (SQL_CHAR)
SQLPOINTER      8000000000000000FE4467CEE21328C
SQLINTEGER      1
SQLINTEGER*     8000000000000000FE4467CEE212B90 (2)
-
[0000489B:00000000000000209][09-08-17 18:16:15.377832]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT     12
SQLSMALLINT     3 (SQL_DECIMAL)
SQLPOINTER      8000000000000000FE4467CEE21328D
SQLINTEGER      2304
SQLINTEGER*     8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.377936](0.000104)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
SQLSMALLINT     12
SQLSMALLINT     3 (SQL_DECIMAL)
SQLPOINTER      8000000000000000FE4467CEE21328D
SQLINTEGER      2304
SQLINTEGER*     8000000000000000FE4467CEE212B90 (0)
-
[0000489B:00000000000000209][09-08-17 18:16:15.378040]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT     13
SQLSMALLINT     3 (SQL_DECIMAL)
SQLPOINTER      8000000000000000FE4467CEE213292
SQLINTEGER      2304
SQLINTEGER*     8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.378144](0.000104)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
SQLSMALLINT     13
SQLSMALLINT     3 (SQL_DECIMAL)
SQLPOINTER      8000000000000000FE4467CEE213292
SQLINTEGER      2304
SQLINTEGER*     8000000000000000FE4467CEE212B90 (0)
-
[0000489B:00000000000000209][09-08-17 18:16:15.378408]
ENTER: SQLFetchScroll
SQLHSTMT        3
SQLSMALLINT     1 (SQL_FETCH_NEXT)
SQLINTEGER      0
-
[0000489B:00000000000000209][09-08-17 18:16:15.378584](0.000176)
```

```
EXIT:  SQLFetchScroll with return code 0 (SQL_SUCCESS)
SQLHSTMT      3
SQLSMALLINT    1 (SQL_FETCH_NEXT)
SQLINTEGER     0
-
[0000489B:00000000000000209][09-08-17 18:16:15.378680]
ENTER: SQLGetCol
SQLHSTMT      3
SQLSMALLINT    1
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE212FC0
SQLINTEGER     10
SQLINTEGER*    8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.378776](0.000096)
EXIT:  SQLGetCol with return code 1 (SQL_SUCCESS_WITH_INFO)
SQLHSTMT      3
SQLSMALLINT    1
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE212FC0
SQLINTEGER     10
SQLINTEGER*    8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.378872]
ENTER: SQLGetCol
SQLHSTMT      3
SQLSMALLINT    2
SQLSMALLINT    3 (SQL_DECIMAL)
SQLPOINTER     8000000000000000FE4467CEE212FCA
SQLINTEGER     2304
SQLINTEGER*    8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.378976](0.000104)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT      3
SQLSMALLINT    2
SQLSMALLINT    3 (SQL_DECIMAL)
SQLPOINTER     8000000000000000FE4467CEE212FCA
SQLINTEGER     2304
SQLINTEGER*    8000000000000000FE4467CEE212B90 (0)
-
[0000489B:00000000000000209][09-08-17 18:16:15.379088]
ENTER: SQLGetCol
SQLHSTMT      3
SQLSMALLINT    3
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE212FCF
SQLINTEGER     99
SQLINTEGER*    8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.427776](0.048688)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT      3
SQLSMALLINT    3
SQLSMALLINT    1 (SQL_CHAR)
```

```
SQLPOINTER      8000000000000000FE4467CEE212FCF
SQLINTEGER      99
SQLINTEGER*     8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.427928]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT     4
SQLSMALLINT     1 (SQL_CHAR)
SQLPOINTER      8000000000000000FE4467CEE213032
SQLINTEGER      99
SQLINTEGER*     8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.428024](0.000096)
EXIT: SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
SQLSMALLINT     4
SQLSMALLINT     1 (SQL_CHAR)
SQLPOINTER      8000000000000000FE4467CEE213032
SQLINTEGER      99
SQLINTEGER*     8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.428128]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT     5
SQLSMALLINT     1 (SQL_CHAR)
SQLPOINTER      8000000000000000FE4467CEE213095
SQLINTEGER      99
SQLINTEGER*     8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.428224](0.000096)
EXIT: SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
SQLSMALLINT     5
SQLSMALLINT     1 (SQL_CHAR)
SQLPOINTER      8000000000000000FE4467CEE213095
SQLINTEGER      99
SQLINTEGER*     8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.428328]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT     6
SQLSMALLINT     1 (SQL_CHAR)
SQLPOINTER      8000000000000000FE4467CEE2130F8
SQLINTEGER      99
SQLINTEGER*     8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.428424](0.000096)
EXIT: SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
SQLSMALLINT     6
SQLSMALLINT     1 (SQL_CHAR)
SQLPOINTER      8000000000000000FE4467CEE2130F8
```

```
SQLINTEGER      99
SQLINTEGER*     8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.428568]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT     7
SQLSMALLINT     1 (SQL_CHAR)
SQLPOINTER      8000000000000000FE4467CEE21315B
SQLINTEGER      99
SQLINTEGER*     8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.428656](0.000088)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
SQLSMALLINT     7
SQLSMALLINT     1 (SQL_CHAR)
SQLPOINTER      8000000000000000FE4467CEE21315B
SQLINTEGER      99
SQLINTEGER*     8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.428760]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT     8
SQLSMALLINT     1 (SQL_CHAR)
SQLPOINTER      8000000000000000FE4467CEE2131BE
SQLINTEGER      99
SQLINTEGER*     8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.428848](0.000088)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
SQLSMALLINT     8
SQLSMALLINT     1 (SQL_CHAR)
SQLPOINTER      8000000000000000FE4467CEE2131BE
SQLINTEGER      99
SQLINTEGER*     8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.428952]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT     9
SQLSMALLINT     1 (SQL_CHAR)
SQLPOINTER      8000000000000000FE4467CEE213221
SQLINTEGER      99
SQLINTEGER*     8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.429048](0.000096)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
SQLSMALLINT     9
SQLSMALLINT     1 (SQL_CHAR)
SQLPOINTER      8000000000000000FE4467CEE213221
SQLINTEGER      99
```

```
SQLINTEGER*      8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.429184]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT     10
SQLSMALLINT     1 (SQL_CHAR)
SQLPOINTER      8000000000000000FE4467CEE213284
SQLINTEGER      8
SQLINTEGER*     8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.429320](0.000136)
EXIT: SQLGetCol with return code 1 (SQL_SUCCESS_WITH_INFO)
SQLHSTMT        3
SQLSMALLINT     10
SQLSMALLINT     1 (SQL_CHAR)
SQLPOINTER      8000000000000000FE4467CEE213284
SQLINTEGER      8
SQLINTEGER*     8000000000000000FE4467CEE212B90 (9)
-
[0000489B:00000000000000209][09-08-17 18:16:15.429424]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT     11
SQLSMALLINT     1 (SQL_CHAR)
SQLPOINTER      8000000000000000FE4467CEE21328C
SQLINTEGER      1
SQLINTEGER*     8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.429512](0.000088)
EXIT: SQLGetCol with return code 1 (SQL_SUCCESS_WITH_INFO)
SQLHSTMT        3
SQLSMALLINT     11
SQLSMALLINT     1 (SQL_CHAR)
SQLPOINTER      8000000000000000FE4467CEE21328C
SQLINTEGER      1
SQLINTEGER*     8000000000000000FE4467CEE212B90 (2)
-
[0000489B:00000000000000209][09-08-17 18:16:15.429608]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT     12
SQLSMALLINT     3 (SQL_DECIMAL)
SQLPOINTER      8000000000000000FE4467CEE21328D
SQLINTEGER      2304
SQLINTEGER*     8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.437664](0.008056)
EXIT: SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
SQLSMALLINT     12
SQLSMALLINT     3 (SQL_DECIMAL)
SQLPOINTER      8000000000000000FE4467CEE21328D
SQLINTEGER      2304
SQLINTEGER*     8000000000000000FE4467CEE212B90 (0)
```

```
-
[0000489B:00000000000000209][09-08-17 18:16:15.437800]
ENTER: SQLGetCol
  SQLHSTMT      3
  SQLSMALLINT    13
  SQLSMALLINT    3 (SQL_DECIMAL)
  SQLPOINTER     8000000000000000FE4467CEE213292
  SQLINTEGER     2304
  SQLINTEGER*    8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.437896](0.000096)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
  SQLHSTMT      3
  SQLSMALLINT    13
  SQLSMALLINT    3 (SQL_DECIMAL)
  SQLPOINTER     8000000000000000FE4467CEE213292
  SQLINTEGER     2304
  SQLINTEGER*    8000000000000000FE4467CEE212B90 (0)
-
[0000489B:00000000000000209][09-08-17 18:16:15.438272]
ENTER: SQLFetchScroll
  SQLHSTMT      3
  SQLSMALLINT    1 (SQL_FETCH_NEXT)
  SQLINTEGER     0
-
[0000489B:00000000000000209][09-08-17 18:16:15.438416](0.000144)
EXIT:  SQLFetchScroll with return code 0 (SQL_SUCCESS)
  SQLHSTMT      3
  SQLSMALLINT    1 (SQL_FETCH_NEXT)
  SQLINTEGER     0
-
[0000489B:00000000000000209][09-08-17 18:16:15.438496]
ENTER: SQLGetCol
  SQLHSTMT      3
  SQLSMALLINT    1
  SQLSMALLINT    1 (SQL_CHAR)
  SQLPOINTER     8000000000000000FE4467CEE212FC0
  SQLINTEGER     10
  SQLINTEGER*    8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.438592](0.000096)
EXIT:  SQLGetCol with return code 1 (SQL_SUCCESS_WITH_INFO)
  SQLHSTMT      3
  SQLSMALLINT    1
  SQLSMALLINT    1 (SQL_CHAR)
  SQLPOINTER     8000000000000000FE4467CEE212FC0
  SQLINTEGER     10
  SQLINTEGER*    8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.438688]
ENTER: SQLGetCol
  SQLHSTMT      3
  SQLSMALLINT    2
  SQLSMALLINT    3 (SQL_DECIMAL)
  SQLPOINTER     8000000000000000FE4467CEE212FCA
```

```
SQLINTEGER      2304
SQLINTEGER*     8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.438824](0.000136)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT      3
SQLSMALLINT    2
SQLSMALLINT    3 (SQL_DECIMAL)
SQLPOINTER     8000000000000000FE4467CEE212FCA
SQLINTEGER     2304
SQLINTEGER*    8000000000000000FE4467CEE212B90 (0)
-
[0000489B:00000000000000209][09-08-17 18:16:15.438928]
ENTER: SQLGetCol
SQLHSTMT      3
SQLSMALLINT    3
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE212FCF
SQLINTEGER     99
SQLINTEGER*    8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.439032](0.000104)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT      3
SQLSMALLINT    3
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE212FCF
SQLINTEGER     99
SQLINTEGER*    8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.515512]
ENTER: SQLGetCol
SQLHSTMT      3
SQLSMALLINT    4
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE213032
SQLINTEGER     99
SQLINTEGER*    8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.515616](0.000104)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT      3
SQLSMALLINT    4
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE213032
SQLINTEGER     99
SQLINTEGER*    8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.515712]
ENTER: SQLGetCol
SQLHSTMT      3
SQLSMALLINT    5
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE213095
SQLINTEGER     99
```

```
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:0000000000000209][09-08-17 18:16:15.515856](0.000144)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
SQLSMALLINT      5
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE213095
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90 (11)
-
[0000489B:0000000000000209][09-08-17 18:16:15.515960]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT      6
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE2130F8
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:0000000000000209][09-08-17 18:16:15.516064](0.000104)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
SQLSMALLINT      6
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE2130F8
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90 (11)
-
[0000489B:0000000000000209][09-08-17 18:16:15.516168]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT      7
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE21315B
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:0000000000000209][09-08-17 18:16:15.516264](0.000096)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
SQLSMALLINT      7
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE21315B
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90 (11)
-
[0000489B:0000000000000209][09-08-17 18:16:15.516368]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT      8
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE2131BE
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90
```


-
[0000489B:00000000000000209][09-08-17 18:16:15.516512](0.000144)
EXIT: SQLGetCol with return code 0 (SQL_SUCCESS)

SQLHSTMT	3
SQLSMALLINT	8
SQLSMALLINT	1 (SQL_CHAR)
SQLPOINTER	8000000000000000FE4467CEE2131BE
SQLINTEGER	99
SQLINTEGER*	8000000000000000FE4467CEE212B90 (11)

-
[0000489B:00000000000000209][09-08-17 18:16:15.516608]
ENTER: SQLGetCol

SQLHSTMT	3
SQLSMALLINT	9
SQLSMALLINT	1 (SQL_CHAR)
SQLPOINTER	8000000000000000FE4467CEE213221
SQLINTEGER	99
SQLINTEGER*	8000000000000000FE4467CEE212B90

-
[0000489B:00000000000000209][09-08-17 18:16:15.516696](0.000088)
EXIT: SQLGetCol with return code 0 (SQL_SUCCESS)

SQLHSTMT	3
SQLSMALLINT	9
SQLSMALLINT	1 (SQL_CHAR)
SQLPOINTER	8000000000000000FE4467CEE213221
SQLINTEGER	99
SQLINTEGER*	8000000000000000FE4467CEE212B90 (11)

-
[0000489B:00000000000000209][09-08-17 18:16:15.516808]
ENTER: SQLGetCol

SQLHSTMT	3
SQLSMALLINT	10
SQLSMALLINT	1 (SQL_CHAR)
SQLPOINTER	8000000000000000FE4467CEE213284
SQLINTEGER	8
SQLINTEGER*	8000000000000000FE4467CEE212B90

-
[0000489B:00000000000000209][09-08-17 18:16:15.516936](0.000128)
EXIT: SQLGetCol with return code 1 (SQL_SUCCESS_WITH_INFO)

SQLHSTMT	3
SQLSMALLINT	10
SQLSMALLINT	1 (SQL_CHAR)
SQLPOINTER	8000000000000000FE4467CEE213284
SQLINTEGER	8
SQLINTEGER*	8000000000000000FE4467CEE212B90 (9)

-
[0000489B:00000000000000209][09-08-17 18:16:15.517032]
ENTER: SQLGetCol

SQLHSTMT	3
SQLSMALLINT	11
SQLSMALLINT	1 (SQL_CHAR)
SQLPOINTER	8000000000000000FE4467CEE21328C
SQLINTEGER	1
SQLINTEGER*	8000000000000000FE4467CEE212B90

-

```
[0000489B:00000000000000209][09-08-17 18:16:15.517176](0.000144)
EXIT:  SQLGetCol with return code 1 (SQL_SUCCESS_WITH_INFO)
  SQLHSTMT      3
  SQLSMALLINT    11
  SQLSMALLINT    1 (SQL_CHAR)
  SQLPOINTER     8000000000000000FE4467CEE21328C
  SQLINTEGER      1
  SQLINTEGER*    8000000000000000FE4467CEE212B90 (2)
-
[0000489B:00000000000000209][09-08-17 18:16:15.517288]
ENTER:  SQLGetCol
  SQLHSTMT      3
  SQLSMALLINT    12
  SQLSMALLINT    3 (SQL_DECIMAL)
  SQLPOINTER     8000000000000000FE4467CEE21328D
  SQLINTEGER     2304
  SQLINTEGER*    8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.517392](0.000104)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
  SQLHSTMT      3
  SQLSMALLINT    12
  SQLSMALLINT    3 (SQL_DECIMAL)
  SQLPOINTER     8000000000000000FE4467CEE21328D
  SQLINTEGER     2304
  SQLINTEGER*    8000000000000000FE4467CEE212B90 (0)
-
[0000489B:00000000000000209][09-08-17 18:16:15.517496]
ENTER:  SQLGetCol
  SQLHSTMT      3
  SQLSMALLINT    13
  SQLSMALLINT    3 (SQL_DECIMAL)
  SQLPOINTER     8000000000000000FE4467CEE213292
  SQLINTEGER     2304
  SQLINTEGER*    8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.517592](0.000096)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
  SQLHSTMT      3
  SQLSMALLINT    13
  SQLSMALLINT    3 (SQL_DECIMAL)
  SQLPOINTER     8000000000000000FE4467CEE213292
  SQLINTEGER     2304
  SQLINTEGER*    8000000000000000FE4467CEE212B90 (0)
-
[0000489B:00000000000000209][09-08-17 18:16:15.517856]
ENTER:  SQLFetchScroll
  SQLHSTMT      3
  SQLSMALLINT    1 (SQL_FETCH_NEXT)
  SQLINTEGER      0
-
[0000489B:00000000000000209][09-08-17 18:16:15.518008](0.000152)
EXIT:  SQLFetchScroll with return code 0 (SQL_SUCCESS)
  SQLHSTMT      3
  SQLSMALLINT    1 (SQL_FETCH_NEXT)
```

```
SQLINTEGER      0
-
[0000489B:00000000000000209][09-08-17 18:16:15.518128]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT      1
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE212FC0
SQLINTEGER       10
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.518224](0.000096)
EXIT:  SQLGetCol with return code 1 (SQL_SUCCESS_WITH_INFO)
SQLHSTMT        3
SQLSMALLINT      1
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE212FC0
SQLINTEGER       10
SQLINTEGER*      8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.518320]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT      2
SQLSMALLINT      3 (SQL_DECIMAL)
SQLPOINTER       8000000000000000FE4467CEE212FCA
SQLINTEGER       2304
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.518416](0.000096)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
SQLSMALLINT      2
SQLSMALLINT      3 (SQL_DECIMAL)
SQLPOINTER       8000000000000000FE4467CEE212FCA
SQLINTEGER       2304
SQLINTEGER*      8000000000000000FE4467CEE212B90 (0)
-
[0000489B:00000000000000209][09-08-17 18:16:15.518528]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT      3
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE212FCF
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.518632](0.000104)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
SQLSMALLINT      3
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE212FCF
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90 (11)
```

```
-
[0000489B:00000000000000209][09-08-17 18:16:15.571368]
ENTER: SQLGetCol
  SQLHSTMT      3
  SQLSMALLINT   4
  SQLSMALLINT   1 (SQL_CHAR)
  SQLPOINTER    8000000000000000FE4467CEE213032
  SQLINTEGER    99
  SQLINTEGER*   8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.571472](0.000104)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
  SQLHSTMT      3
  SQLSMALLINT   4
  SQLSMALLINT   1 (SQL_CHAR)
  SQLPOINTER    8000000000000000FE4467CEE213032
  SQLINTEGER    99
  SQLINTEGER*   8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.571568]
ENTER: SQLGetCol
  SQLHSTMT      3
  SQLSMALLINT   5
  SQLSMALLINT   1 (SQL_CHAR)
  SQLPOINTER    8000000000000000FE4467CEE213095
  SQLINTEGER    99
  SQLINTEGER*   8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.571672](0.000104)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
  SQLHSTMT      3
  SQLSMALLINT   5
  SQLSMALLINT   1 (SQL_CHAR)
  SQLPOINTER    8000000000000000FE4467CEE213095
  SQLINTEGER    99
  SQLINTEGER*   8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.571768]
ENTER: SQLGetCol
  SQLHSTMT      3
  SQLSMALLINT   6
  SQLSMALLINT   1 (SQL_CHAR)
  SQLPOINTER    8000000000000000FE4467CEE2130F8
  SQLINTEGER    99
  SQLINTEGER*   8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.571864](0.000096)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
  SQLHSTMT      3
  SQLSMALLINT   6
  SQLSMALLINT   1 (SQL_CHAR)
  SQLPOINTER    8000000000000000FE4467CEE2130F8
  SQLINTEGER    99
  SQLINTEGER*   8000000000000000FE4467CEE212B90 (11)
-
```

```
[0000489B:00000000000000209][09-08-17 18:16:15.572000]
ENTER: SQLGetCol
SQLHSTMT      3
SQLSMALLINT   7
SQLSMALLINT   1 (SQL_CHAR)
SQLPOINTER    8000000000000000FE4467CEE21315B
SQLINTEGER    99
SQLINTEGER*   8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.572104](0.000104)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT      3
SQLSMALLINT   7
SQLSMALLINT   1 (SQL_CHAR)
SQLPOINTER    8000000000000000FE4467CEE21315B
SQLINTEGER    99
SQLINTEGER*   8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.572208]
ENTER: SQLGetCol
SQLHSTMT      3
SQLSMALLINT   8
SQLSMALLINT   1 (SQL_CHAR)
SQLPOINTER    8000000000000000FE4467CEE2131BE
SQLINTEGER    99
SQLINTEGER*   8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.572296](0.000088)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT      3
SQLSMALLINT   8
SQLSMALLINT   1 (SQL_CHAR)
SQLPOINTER    8000000000000000FE4467CEE2131BE
SQLINTEGER    99
SQLINTEGER*   8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.572400]
ENTER: SQLGetCol
SQLHSTMT      3
SQLSMALLINT   9
SQLSMALLINT   1 (SQL_CHAR)
SQLPOINTER    8000000000000000FE4467CEE213221
SQLINTEGER    99
SQLINTEGER*   8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.572504](0.000104)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT      3
SQLSMALLINT   9
SQLSMALLINT   1 (SQL_CHAR)
SQLPOINTER    8000000000000000FE4467CEE213221
SQLINTEGER    99
SQLINTEGER*   8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.572648]
```

```
ENTER: SQLGetCol
SQLHSTMT      3
SQLSMALLINT   10
SQLSMALLINT   1 (SQL_CHAR)
SQLPOINTER    8000000000000000FE4467CEE213284
SQLINTEGER    8
SQLINTEGER*   8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.572744](0.000096)
EXIT:  SQLGetCol with return code 1 (SQL_SUCCESS_WITH_INFO)
SQLHSTMT      3
SQLSMALLINT   10
SQLSMALLINT   1 (SQL_CHAR)
SQLPOINTER    8000000000000000FE4467CEE213284
SQLINTEGER    8
SQLINTEGER*   8000000000000000FE4467CEE212B90 (9)
-
[0000489B:00000000000000209][09-08-17 18:16:15.572880]
ENTER: SQLGetCol
SQLHSTMT      3
SQLSMALLINT   11
SQLSMALLINT   1 (SQL_CHAR)
SQLPOINTER    8000000000000000FE4467CEE21328C
SQLINTEGER    1
SQLINTEGER*   8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.572968](0.000088)
EXIT:  SQLGetCol with return code 1 (SQL_SUCCESS_WITH_INFO)
SQLHSTMT      3
SQLSMALLINT   11
SQLSMALLINT   1 (SQL_CHAR)
SQLPOINTER    8000000000000000FE4467CEE21328C
SQLINTEGER    1
SQLINTEGER*   8000000000000000FE4467CEE212B90 (2)
-
[0000489B:00000000000000209][09-08-17 18:16:15.573064]
ENTER: SQLGetCol
SQLHSTMT      3
SQLSMALLINT   12
SQLSMALLINT   3 (SQL_DECIMAL)
SQLPOINTER    8000000000000000FE4467CEE21328D
SQLINTEGER    2304
SQLINTEGER*   8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.577880](0.004816)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT      3
SQLSMALLINT   12
SQLSMALLINT   3 (SQL_DECIMAL)
SQLPOINTER    8000000000000000FE4467CEE21328D
SQLINTEGER    2304
SQLINTEGER*   8000000000000000FE4467CEE212B90 (0)
-
[0000489B:00000000000000209][09-08-17 18:16:15.577984]
ENTER: SQLGetCol
```

```
SQLHSTMT      3
SQLSMALLINT    13
SQLSMALLINT    3 (SQL_DECIMAL)
SQLPOINTER     8000000000000000FE4467CEE213292
SQLINTEGER     2304
SQLINTEGER*    8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.578128](0.000144)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT      3
SQLSMALLINT    13
SQLSMALLINT    3 (SQL_DECIMAL)
SQLPOINTER     8000000000000000FE4467CEE213292
SQLINTEGER     2304
SQLINTEGER*    8000000000000000FE4467CEE212B90 (0)
-
[0000489B:00000000000000209][09-08-17 18:16:15.578392]
ENTER: SQLFetchScroll
SQLHSTMT      3
SQLSMALLINT    1 (SQL_FETCH_NEXT)
SQLINTEGER     0
-
[0000489B:00000000000000209][09-08-17 18:16:15.578536](0.000144)
EXIT:  SQLFetchScroll with return code 0 (SQL_SUCCESS)
SQLHSTMT      3
SQLSMALLINT    1 (SQL_FETCH_NEXT)
SQLINTEGER     0
-
[0000489B:00000000000000209][09-08-17 18:16:15.578616]
ENTER: SQLGetCol
SQLHSTMT      3
SQLSMALLINT    1
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE212FC0
SQLINTEGER     10
SQLINTEGER*    8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.578712](0.000096)
EXIT:  SQLGetCol with return code 1 (SQL_SUCCESS_WITH_INFO)
SQLHSTMT      3
SQLSMALLINT    1
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE212FC0
SQLINTEGER     10
SQLINTEGER*    8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.578800]
ENTER: SQLGetCol
SQLHSTMT      3
SQLSMALLINT    2
SQLSMALLINT    3 (SQL_DECIMAL)
SQLPOINTER     8000000000000000FE4467CEE212FCA
SQLINTEGER     2304
SQLINTEGER*    8000000000000000FE4467CEE212B90
-
```

```
[0000489B:00000000000000209][09-08-17 18:16:15.578944](0.000144)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT      3
SQLSMALLINT   2
SQLSMALLINT   3 (SQL_DECIMAL)
SQLPOINTER    8000000000000000FE4467CEE212FCA
SQLINTEGER    2304
SQLINTEGER*   8000000000000000FE4467CEE212B90 (0)
-
[0000489B:00000000000000209][09-08-17 18:16:15.579048]
ENTER: SQLGetCol
SQLHSTMT      3
SQLSMALLINT   3
SQLSMALLINT   1 (SQL_CHAR)
SQLPOINTER    8000000000000000FE4467CEE212FCF
SQLINTEGER    99
SQLINTEGER*   8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.579152](0.000104)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT      3
SQLSMALLINT   3
SQLSMALLINT   1 (SQL_CHAR)
SQLPOINTER    8000000000000000FE4467CEE212FCF
SQLINTEGER    99
SQLINTEGER*   8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.631112]
ENTER: SQLGetCol
SQLHSTMT      3
SQLSMALLINT   4
SQLSMALLINT   1 (SQL_CHAR)
SQLPOINTER    8000000000000000FE4467CEE213032
SQLINTEGER    99
SQLINTEGER*   8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.631216](0.000104)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT      3
SQLSMALLINT   4
SQLSMALLINT   1 (SQL_CHAR)
SQLPOINTER    8000000000000000FE4467CEE213032
SQLINTEGER    99
SQLINTEGER*   8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.631320]
ENTER: SQLGetCol
SQLHSTMT      3
SQLSMALLINT   5
SQLSMALLINT   1 (SQL_CHAR)
SQLPOINTER    8000000000000000FE4467CEE213095
SQLINTEGER    99
SQLINTEGER*   8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.631464](0.000144)
```



```
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT      3
SQLSMALLINT    5
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE213095
SQLINTEGER     99
SQLINTEGER*    8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.631568]
ENTER: SQLGetCol
SQLHSTMT      3
SQLSMALLINT    6
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE2130F8
SQLINTEGER     99
SQLINTEGER*    8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.631656](0.000088)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT      3
SQLSMALLINT    6
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE2130F8
SQLINTEGER     99
SQLINTEGER*    8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.631760]
ENTER: SQLGetCol
SQLHSTMT      3
SQLSMALLINT    7
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE21315B
SQLINTEGER     99
SQLINTEGER*    8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.631864](0.000104)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT      3
SQLSMALLINT    7
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE21315B
SQLINTEGER     99
SQLINTEGER*    8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.631968]
ENTER: SQLGetCol
SQLHSTMT      3
SQLSMALLINT    8
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE2131BE
SQLINTEGER     99
SQLINTEGER*    8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.632064](0.000096)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
```

```
SQLHSTMT      3
SQLSMALLINT    8
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE2131BE
SQLINTEGER     99
SQLINTEGER*    8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.632216]
ENTER: SQLGetCol
SQLHSTMT      3
SQLSMALLINT    9
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE213221
SQLINTEGER     99
SQLINTEGER*    8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.632304](0.000088)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT      3
SQLSMALLINT    9
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE213221
SQLINTEGER     99
SQLINTEGER*    8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.632408]
ENTER: SQLGetCol
SQLHSTMT      3
SQLSMALLINT    10
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE213284
SQLINTEGER     8
SQLINTEGER*    8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.632504](0.000096)
EXIT:  SQLGetCol with return code 1 (SQL_SUCCESS_WITH_INFO)
SQLHSTMT      3
SQLSMALLINT    10
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE213284
SQLINTEGER     8
SQLINTEGER*    8000000000000000FE4467CEE212B90 (9)
-
[0000489B:00000000000000209][09-08-17 18:16:15.632656]
ENTER: SQLGetCol
SQLHSTMT      3
SQLSMALLINT    11
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE21328C
SQLINTEGER     1
SQLINTEGER*    8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.632744](0.000088)
EXIT:  SQLGetCol with return code 1 (SQL_SUCCESS_WITH_INFO)
SQLHSTMT      3
```

```
SQLSMALLINT      11
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE21328C
SQLINTEGER       1
SQLINTEGER*      8000000000000000FE4467CEE212B90 (2)
-
[0000489B:00000000000000209][09-08-17 18:16:15.632880]
ENTER: SQLGetCol
SQLHSTMT         3
SQLSMALLINT      12
SQLSMALLINT      3 (SQL_DECIMAL)
SQLPOINTER       8000000000000000FE4467CEE21328D
SQLINTEGER       2304
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.632984](0.000104)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT         3
SQLSMALLINT      12
SQLSMALLINT      3 (SQL_DECIMAL)
SQLPOINTER       8000000000000000FE4467CEE21328D
SQLINTEGER       2304
SQLINTEGER*      8000000000000000FE4467CEE212B90 (0)
-
[0000489B:00000000000000209][09-08-17 18:16:15.638048]
ENTER: SQLGetCol
SQLHSTMT         3
SQLSMALLINT      13
SQLSMALLINT      3 (SQL_DECIMAL)
SQLPOINTER       8000000000000000FE4467CEE213292
SQLINTEGER       2304
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.638152](0.000104)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT         3
SQLSMALLINT      13
SQLSMALLINT      3 (SQL_DECIMAL)
SQLPOINTER       8000000000000000FE4467CEE213292
SQLINTEGER       2304
SQLINTEGER*      8000000000000000FE4467CEE212B90 (0)
-
[0000489B:00000000000000209][09-08-17 18:16:15.638400]
ENTER: SQLFetchScroll
SQLHSTMT         3
SQLSMALLINT      1 (SQL_FETCH_NEXT)
SQLINTEGER       0
-
[0000489B:00000000000000209][09-08-17 18:16:15.638544](0.000144)
EXIT:  SQLFetchScroll with return code 0 (SQL_SUCCESS)
SQLHSTMT         3
SQLSMALLINT      1 (SQL_FETCH_NEXT)
SQLINTEGER       0
-
[0000489B:00000000000000209][09-08-17 18:16:15.638672]
```

```
ENTER: SQLGetCol
SQLHSTMT      3
SQLSMALLINT   1
SQLSMALLINT   1 (SQL_CHAR)
SQLPOINTER    8000000000000000FE4467CEE212FC0
SQLINTEGER    10
SQLINTEGER*   8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.638768](0.000096)
EXIT:  SQLGetCol with return code 1 (SQL_SUCCESS_WITH_INFO)
SQLHSTMT      3
SQLSMALLINT   1
SQLSMALLINT   1 (SQL_CHAR)
SQLPOINTER    8000000000000000FE4467CEE212FC0
SQLINTEGER    10
SQLINTEGER*   8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.638864]
ENTER: SQLGetCol
SQLHSTMT      3
SQLSMALLINT   2
SQLSMALLINT   3 (SQL_DECIMAL)
SQLPOINTER    8000000000000000FE4467CEE212FCA
SQLINTEGER    2304
SQLINTEGER*   8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.638968](0.000104)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT      3
SQLSMALLINT   2
SQLSMALLINT   3 (SQL_DECIMAL)
SQLPOINTER    8000000000000000FE4467CEE212FCA
SQLINTEGER    2304
SQLINTEGER*   8000000000000000FE4467CEE212B90 (0)
-
[0000489B:00000000000000209][09-08-17 18:16:15.639072]
ENTER: SQLGetCol
SQLHSTMT      3
SQLSMALLINT   3
SQLSMALLINT   1 (SQL_CHAR)
SQLPOINTER    8000000000000000FE4467CEE212FCF
SQLINTEGER    99
SQLINTEGER*   8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.639168](0.000096)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT      3
SQLSMALLINT   3
SQLSMALLINT   1 (SQL_CHAR)
SQLPOINTER    8000000000000000FE4467CEE212FCF
SQLINTEGER    99
SQLINTEGER*   8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.639272]
ENTER: SQLGetCol
```

```
SQLHSTMT      3
SQLSMALLINT    4
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE213032
SQLINTEGER     99
SQLINTEGER*    8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.690992](0.051720)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT      3
SQLSMALLINT    4
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE213032
SQLINTEGER     99
SQLINTEGER*    8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.691096]
ENTER: SQLGetCol
SQLHSTMT      3
SQLSMALLINT    5
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE213095
SQLINTEGER     99
SQLINTEGER*    8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.691192](0.000096)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT      3
SQLSMALLINT    5
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE213095
SQLINTEGER     99
SQLINTEGER*    8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.691288]
ENTER: SQLGetCol
SQLHSTMT      3
SQLSMALLINT    6
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE2130F8
SQLINTEGER     99
SQLINTEGER*    8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.691392](0.000104)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT      3
SQLSMALLINT    6
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE2130F8
SQLINTEGER     99
SQLINTEGER*    8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.691488]
ENTER: SQLGetCol
SQLHSTMT      3
```

```
SQLSMALLINT 7
SQLSMALLINT 1 (SQL_CHAR)
SQLPOINTER 8000000000000000FE4467CEE21315B
SQLINTEGER 99
SQLINTEGER* 8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.691624](0.000136)
EXIT: SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT 3
SQLSMALLINT 7
SQLSMALLINT 1 (SQL_CHAR)
SQLPOINTER 8000000000000000FE4467CEE21315B
SQLINTEGER 99
SQLINTEGER* 8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.691720]
ENTER: SQLGetCol
SQLHSTMT 3
SQLSMALLINT 8
SQLSMALLINT 1 (SQL_CHAR)
SQLPOINTER 8000000000000000FE4467CEE2131BE
SQLINTEGER 99
SQLINTEGER* 8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.691824](0.000104)
EXIT: SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT 3
SQLSMALLINT 8
SQLSMALLINT 1 (SQL_CHAR)
SQLPOINTER 8000000000000000FE4467CEE2131BE
SQLINTEGER 99
SQLINTEGER* 8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.691928]
ENTER: SQLGetCol
SQLHSTMT 3
SQLSMALLINT 9
SQLSMALLINT 1 (SQL_CHAR)
SQLPOINTER 8000000000000000FE4467CEE213221
SQLINTEGER 99
SQLINTEGER* 8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.692024](0.000096)
EXIT: SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT 3
SQLSMALLINT 9
SQLSMALLINT 1 (SQL_CHAR)
SQLPOINTER 8000000000000000FE4467CEE213221
SQLINTEGER 99
SQLINTEGER* 8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.692136]
ENTER: SQLGetCol
SQLHSTMT 3
SQLSMALLINT 10
```

```
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE213284
SQLINTEGER       8
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.692280](0.000144)
EXIT:  SQLGetCol with return code 1 (SQL_SUCCESS_WITH_INFO)
SQLHSTMT        3
SQLSMALLINT      10
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE213284
SQLINTEGER       8
SQLINTEGER*      8000000000000000FE4467CEE212B90 (9)
-
[0000489B:00000000000000209][09-08-17 18:16:15.692432]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT      11
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE21328C
SQLINTEGER       1
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.692528](0.000096)
EXIT:  SQLGetCol with return code 1 (SQL_SUCCESS_WITH_INFO)
SQLHSTMT        3
SQLSMALLINT      11
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE21328C
SQLINTEGER       1
SQLINTEGER*      8000000000000000FE4467CEE212B90 (2)
-
[0000489B:00000000000000209][09-08-17 18:16:15.692624]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT      12
SQLSMALLINT      3 (SQL_DECIMAL)
SQLPOINTER       8000000000000000FE4467CEE21328D
SQLINTEGER       2304
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.692728](0.000104)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
SQLSMALLINT      12
SQLSMALLINT      3 (SQL_DECIMAL)
SQLPOINTER       8000000000000000FE4467CEE21328D
SQLINTEGER       2304
SQLINTEGER*      8000000000000000FE4467CEE212B90 (0)
-
[0000489B:00000000000000209][09-08-17 18:16:15.692832]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT      13
SQLSMALLINT      3 (SQL_DECIMAL)
```

```
SQLPOINTER      8000000000000000FE4467CEE213292
SQLINTEGER       2304
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.698192](0.005360)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
SQLSMALLINT     13
SQLSMALLINT     3 (SQL_DECIMAL)
SQLPOINTER      8000000000000000FE4467CEE213292
SQLINTEGER       2304
SQLINTEGER*      8000000000000000FE4467CEE212B90 (0)
-
[0000489B:00000000000000209][09-08-17 18:16:15.698456]
ENTER:  SQLFetchScroll
SQLHSTMT        3
SQLSMALLINT     1 (SQL_FETCH_NEXT)
SQLINTEGER       0
-
[0000489B:00000000000000209][09-08-17 18:16:15.698616](0.000160)
EXIT:  SQLFetchScroll with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
SQLSMALLINT     1 (SQL_FETCH_NEXT)
SQLINTEGER       0
-
[0000489B:00000000000000209][09-08-17 18:16:15.698696]
ENTER:  SQLGetCol
SQLHSTMT        3
SQLSMALLINT     1
SQLSMALLINT     1 (SQL_CHAR)
SQLPOINTER      8000000000000000FE4467CEE212FC0
SQLINTEGER       10
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.698792](0.000096)
EXIT:  SQLGetCol with return code 1 (SQL_SUCCESS_WITH_INFO)
SQLHSTMT        3
SQLSMALLINT     1
SQLSMALLINT     1 (SQL_CHAR)
SQLPOINTER      8000000000000000FE4467CEE212FC0
SQLINTEGER       10
SQLINTEGER*      8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.698888]
ENTER:  SQLGetCol
SQLHSTMT        3
SQLSMALLINT     2
SQLSMALLINT     3 (SQL_DECIMAL)
SQLPOINTER      8000000000000000FE4467CEE212FCA
SQLINTEGER       2304
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.698992](0.000104)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
```



```
SQLSMALLINT      2
SQLSMALLINT      3 (SQL_DECIMAL)
SQLPOINTER       8000000000000000FE4467CEE212FCA
SQLINTEGER       2304
SQLINTEGER*      8000000000000000FE4467CEE212B90 (0)
-
[0000489B:00000000000000209][09-08-17 18:16:15.699144]
ENTER: SQLGetCol
SQLHSTMT         3
SQLSMALLINT      3
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE212FCF
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.699232](0.000088)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT         3
SQLSMALLINT      3
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE212FCF
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.699344]
ENTER: SQLGetCol
SQLHSTMT         3
SQLSMALLINT      4
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE213032
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.750744](0.051400)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT         3
SQLSMALLINT      4
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE213032
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.750848]
ENTER: SQLGetCol
SQLHSTMT         3
SQLSMALLINT      5
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE213095
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.750944](0.000096)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT         3
SQLSMALLINT      5
```

```
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE213095
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.751080]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT      6
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE2130F8
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.751168](0.000088)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
SQLSMALLINT      6
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE2130F8
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.751272]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT      7
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE21315B
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.751368](0.000096)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
SQLSMALLINT      7
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE21315B
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.751480]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT      8
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE2131BE
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.751576](0.000096)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
SQLSMALLINT      8
SQLSMALLINT      1 (SQL_CHAR)
```

```
SQLPOINTER      8000000000000000FE4467CEE2131BE
SQLINTEGER      99
SQLINTEGER*     8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.751728]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT     9
SQLSMALLINT     1 (SQL_CHAR)
SQLPOINTER      8000000000000000FE4467CEE213221
SQLINTEGER      99
SQLINTEGER*     8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.751824](0.000096)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
SQLSMALLINT     9
SQLSMALLINT     1 (SQL_CHAR)
SQLPOINTER      8000000000000000FE4467CEE213221
SQLINTEGER      99
SQLINTEGER*     8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.751920]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT     10
SQLSMALLINT     1 (SQL_CHAR)
SQLPOINTER      8000000000000000FE4467CEE213284
SQLINTEGER      8
SQLINTEGER*     8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.752016](0.000096)
EXIT:  SQLGetCol with return code 1 (SQL_SUCCESS_WITH_INFO)
SQLHSTMT        3
SQLSMALLINT     10
SQLSMALLINT     1 (SQL_CHAR)
SQLPOINTER      8000000000000000FE4467CEE213284
SQLINTEGER      8
SQLINTEGER*     8000000000000000FE4467CEE212B90 (9)
-
[0000489B:00000000000000209][09-08-17 18:16:15.752128]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT     11
SQLSMALLINT     1 (SQL_CHAR)
SQLPOINTER      8000000000000000FE4467CEE21328C
SQLINTEGER      1
SQLINTEGER*     8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.752264](0.000136)
EXIT:  SQLGetCol with return code 1 (SQL_SUCCESS_WITH_INFO)
SQLHSTMT        3
SQLSMALLINT     11
SQLSMALLINT     1 (SQL_CHAR)
SQLPOINTER      8000000000000000FE4467CEE21328C
```

```
SQLINTEGER      1
SQLINTEGER*     8000000000000000FE4467CEE212B90 (2)
-
[0000489B:00000000000000209][09-08-17 18:16:15.752408]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT     12
SQLSMALLINT     3 (SQL_DECIMAL)
SQLPOINTER      8000000000000000FE4467CEE21328D
SQLINTEGER      2304
SQLINTEGER*     8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.752496](0.000088)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
SQLSMALLINT     12
SQLSMALLINT     3 (SQL_DECIMAL)
SQLPOINTER      8000000000000000FE4467CEE21328D
SQLINTEGER      2304
SQLINTEGER*     8000000000000000FE4467CEE212B90 (0)
-
[0000489B:00000000000000209][09-08-17 18:16:15.752608]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT     13
SQLSMALLINT     3 (SQL_DECIMAL)
SQLPOINTER      8000000000000000FE4467CEE213292
SQLINTEGER      2304
SQLINTEGER*     8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.757848](0.005240)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
SQLSMALLINT     13
SQLSMALLINT     3 (SQL_DECIMAL)
SQLPOINTER      8000000000000000FE4467CEE213292
SQLINTEGER      2304
SQLINTEGER*     8000000000000000FE4467CEE212B90 (0)
-
[0000489B:00000000000000209][09-08-17 18:16:15.758208]
ENTER: SQLFetchScroll
SQLHSTMT        3
SQLSMALLINT     1 (SQL_FETCH_NEXT)
SQLINTEGER      0
-
[0000489B:00000000000000209][09-08-17 18:16:15.758384](0.000176)
EXIT:  SQLFetchScroll with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
SQLSMALLINT     1 (SQL_FETCH_NEXT)
SQLINTEGER      0
-
[0000489B:00000000000000209][09-08-17 18:16:15.758472]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT     1
```

```
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE212FC0
SQLINTEGER       10
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.758616](0.000144)
EXIT:  SQLGetCol with return code 1 (SQL_SUCCESS_WITH_INFO)
SQLHSTMT        3
SQLSMALLINT      1
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE212FC0
SQLINTEGER       10
SQLINTEGER*      8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.758712]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT      2
SQLSMALLINT      3 (SQL_DECIMAL)
SQLPOINTER       8000000000000000FE4467CEE212FCA
SQLINTEGER       2304
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.758800](0.000088)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
SQLSMALLINT      2
SQLSMALLINT      3 (SQL_DECIMAL)
SQLPOINTER       8000000000000000FE4467CEE212FCA
SQLINTEGER       2304
SQLINTEGER*      8000000000000000FE4467CEE212B90 (0)
-
[0000489B:00000000000000209][09-08-17 18:16:15.758896]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT      3
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE212FCF
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.758992](0.000096)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
SQLSMALLINT      3
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE212FCF
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.759096]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT      4
SQLSMALLINT      1 (SQL_CHAR)
```

```
SQLPOINTER      8000000000000000FE4467CEE213032
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.806560](0.047464)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
SQLSMALLINT     4
SQLSMALLINT     1 (SQL_CHAR)
SQLPOINTER      8000000000000000FE4467CEE213032
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.806664]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT     5
SQLSMALLINT     1 (SQL_CHAR)
SQLPOINTER      8000000000000000FE4467CEE213095
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.806760](0.000096)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
SQLSMALLINT     5
SQLSMALLINT     1 (SQL_CHAR)
SQLPOINTER      8000000000000000FE4467CEE213095
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.806856]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT     6
SQLSMALLINT     1 (SQL_CHAR)
SQLPOINTER      8000000000000000FE4467CEE2130F8
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.806960](0.000104)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
SQLSMALLINT     6
SQLSMALLINT     1 (SQL_CHAR)
SQLPOINTER      8000000000000000FE4467CEE2130F8
SQLINTEGER       99
SQLINTEGER*      8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.807072]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT     7
SQLSMALLINT     1 (SQL_CHAR)
SQLPOINTER      8000000000000000FE4467CEE21315B
```

```
SQLINTEGER      99
SQLINTEGER*     8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.807208](0.000136)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT      3
SQLSMALLINT    7
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE21315B
SQLINTEGER     99
SQLINTEGER*    8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.807304]
ENTER: SQLGetCol
SQLHSTMT      3
SQLSMALLINT    8
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE2131BE
SQLINTEGER     99
SQLINTEGER*    8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.807392](0.000088)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT      3
SQLSMALLINT    8
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE2131BE
SQLINTEGER     99
SQLINTEGER*    8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.807504]
ENTER: SQLGetCol
SQLHSTMT      3
SQLSMALLINT    9
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE213221
SQLINTEGER     99
SQLINTEGER*    8000000000000000FE4467CEE212B90
-
[0000489B:00000000000000209][09-08-17 18:16:15.807592](0.000088)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT      3
SQLSMALLINT    9
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE213221
SQLINTEGER     99
SQLINTEGER*    8000000000000000FE4467CEE212B90 (11)
-
[0000489B:00000000000000209][09-08-17 18:16:15.807696]
ENTER: SQLGetCol
SQLHSTMT      3
SQLSMALLINT    10
SQLSMALLINT    1 (SQL_CHAR)
SQLPOINTER     8000000000000000FE4467CEE213284
SQLINTEGER     8
```

```
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:0000000000000209][09-08-17 18:16:15.807832](0.000136)
EXIT:  SQLGetCol with return code 1 (SQL_SUCCESS_WITH_INFO)
SQLHSTMT        3
SQLSMALLINT      10
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE213284
SQLINTEGER       8
SQLINTEGER*      8000000000000000FE4467CEE212B90 (9)
-
[0000489B:0000000000000209][09-08-17 18:16:15.807928]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT      11
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE21328C
SQLINTEGER       1
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:0000000000000209][09-08-17 18:16:15.808072](0.000144)
EXIT:  SQLGetCol with return code 1 (SQL_SUCCESS_WITH_INFO)
SQLHSTMT        3
SQLSMALLINT      11
SQLSMALLINT      1 (SQL_CHAR)
SQLPOINTER       8000000000000000FE4467CEE21328C
SQLINTEGER       1
SQLINTEGER*      8000000000000000FE4467CEE212B90 (2)
-
[0000489B:0000000000000209][09-08-17 18:16:15.808168]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT      12
SQLSMALLINT      3 (SQL_DECIMAL)
SQLPOINTER       8000000000000000FE4467CEE21328D
SQLINTEGER       2304
SQLINTEGER*      8000000000000000FE4467CEE212B90
-
[0000489B:0000000000000209][09-08-17 18:16:15.808264](0.000096)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
SQLHSTMT        3
SQLSMALLINT      12
SQLSMALLINT      3 (SQL_DECIMAL)
SQLPOINTER       8000000000000000FE4467CEE21328D
SQLINTEGER       2304
SQLINTEGER*      8000000000000000FE4467CEE212B90 (0)
-
[0000489B:0000000000000209][09-08-17 18:16:15.808368]
ENTER: SQLGetCol
SQLHSTMT        3
SQLSMALLINT      13
SQLSMALLINT      3 (SQL_DECIMAL)
SQLPOINTER       8000000000000000FE4467CEE213292
SQLINTEGER       2304
SQLINTEGER*      8000000000000000FE4467CEE212B90
```



```
-
[0000489B:00000000000000209][09-08-17 18:16:15.808512](0.000144)
EXIT:  SQLGetCol with return code 0 (SQL_SUCCESS)
  SQLHSTMT      3
  SQLSMALLINT    13
  SQLSMALLINT    3 (SQL_DECIMAL)
  SQLPOINTER     8000000000000000FE4467CEE213292
  SQLINTEGER     2304
  SQLINTEGER*    8000000000000000FE4467CEE212B90 (0)
-
[0000489B:00000000000000209][09-08-17 18:16:15.826152]
ENTER:  SQLFetchScroll
  SQLHSTMT      3
  SQLSMALLINT    1 (SQL_FETCH_NEXT)
  SQLINTEGER     0
-
[0000489B:00000000000000209][09-08-17 18:16:15.826288](0.000136)
EXIT:  SQLFetchScroll with return code -1 (SQL_ERROR)
  SQLHSTMT      3
  SQLSMALLINT    1 (SQL_FETCH_NEXT)
  SQLINTEGER     0
-
[0000489B:00000000000000209][09-08-17 18:16:17.760672]
ENTER:  SQLFreeStmt
  SQLHSTMT      3
  SQLSMALLINT    1 (SQL_DROP)
-
[0000489B:00000000000000209][09-08-17 18:16:17.760912](0.000240)
EXIT:  SQLFreeStmt with return code 0 (SQL_SUCCESS)
  SQLHSTMT      3
  SQLSMALLINT    1 (SQL_DROP)
-
[0000489B:00000000000000209][09-08-17 18:16:17.761080]
ENTER:  SQLSetEnvAttr
  SQLHENV        1
  SQLINTEGER     10004 (SQL_ATTR_SERVER_MODE)
  SQLPOINTER     8000000000000000FE4467CEE212B98 (0) (SQL_FALSE)
  SQLINTEGER     0
-
[0000489B:00000000000000209][09-08-17 18:16:17.761224](0.000144)
EXIT:  SQLSetEnvAttr with return code -1 (SQL_ERROR)
  SQLHENV        1
  SQLINTEGER     10004 (SQL_ATTR_SERVER_MODE)
  SQLPOINTER     8000000000000000FE4467CEE212B98 (0) (SQL_FALSE)
  SQLINTEGER     0
-
[0000489B:00000000000000209][09-08-17 18:16:17.761312]
ENTER:  SQLDisconnect
  SQLHDBC        2
-
[0000489B:00000000000000209][09-08-17 18:16:17.761496](0.000184)
EXIT:  SQLDisconnect with return code 0 (SQL_SUCCESS)
  SQLHDBC        2
-
[0000489B:00000000000000209][09-08-17 18:16:17.761624]
```

```
ENTER: SQLFreeConnect
      SQLHDBC      2
-
[0000489B:00000000000000209][09-08-17 18:16:17.768904](0.007280)
EXIT:  SQLFreeConnect with return code 0 (SQL_SUCCESS)
      SQLHDBC      2
-
[0000489B:00000000000000209][09-08-17 18:16:17.769000]
ENTER: SQLFreeEnv
      SQLHENV      1
-
[0000489B:00000000000000209][09-08-17 18:16:17.769072](0.000072)
EXIT:  SQLFreeEnv with return code 0 (SQL_SUCCESS)
      SQLHENV      1
-
```