

```
Exit point . . . . . : QIBM_A1A_RETR_INF
Exit point format . . . . . : RTVI0100
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *YES
Maximum number of exit programs . . . : 1
Current number of exit programs . . . : 0
Preprocessing for add . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for remove . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *YES
Text description . . . . . : BRM Services/400 object retrieval ex
it point
```

```
Exit point . . . . . : QIBM_A1A_TAPE_INF
Exit point format . . . . . : MEDI0100
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *YES
Maximum number of exit programs . . . : 1
Current number of exit programs . . . : 0
Preprocessing for add . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for remove . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *YES
Text description . . . . . : BRM Services/400 media information e
xit point
```

```
Exit point . . . . . : QIBM_A1A_TAPE_MOVE
Exit point format . . . . . : MEDM0100
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *YES
Maximum number of exit programs . . . : 1
Current number of exit programs . . . : 0
Preprocessing for add . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for remove . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *YES
Text description . . . . . : BRM Services/400 media movement exit
point
```

Exit point . . . . . : QIBM\_QCA\_CHG\_COMMAND  
Exit point format . . . . . : CHGC0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . . . : \*NOMAX  
Current number of exit programs . . . . . : 0  
Preprocessing for add . . . . . : QCACHKAD  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QCACHKRM  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : Change command exit programs

Exit point . . . . . : QIBM\_QCA\_RTV\_COMMAND  
Exit point format . . . . . : RTVC0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . . . : \*NOMAX  
Current number of exit programs . . . . . : 6  
Preprocessing for add . . . . . : QCACHKAD  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QCACHKRM  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : Retrieve command exit programs

Exit point . . . . . : QIBM\_QCA\_RTV\_COMMAND  
Exit point format . . . . . : RTVC0100  
Exit program number . . . . . : 1  
Exit program . . . . . : QPYDJCSTR  
Library . . . . . : QSYS  
Text description . . . . . : \*BLANK

Exit program data CCSID . . . . . : 285  
Exit program data length . . . . . : 20  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
ADDDWDFN QSYS

Exit point . . . . . : QIBM\_QCA\_RTV\_COMMAND  
Exit point format . . . . . : RTVC0100  
Exit program number . . . . . : 2  
Exit program . . . . . : QPYDJCSTR  
Library . . . . . : QSYS  
Text description . . . . . : \*BLANK

```
Exit program data CCSID . . . . . : 285
Exit program data length . . . . . : 20
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  ADDJWDFN QSYS

Exit point . . . . . : QIBM_QCA_RTV_COMMAND
Exit point format . . . . . : RTVC0100
Exit program number . . . . . : 3
Exit program . . . . . : QPYDJCSTR
  Library . . . . . : QSYS
Text description . . . . . : *BLANK

Exit program data CCSID . . . . . : 285
Exit program data length . . . . . : 20
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  STRDW QSYS

Exit point . . . . . : QIBM_QCA_RTV_COMMAND
Exit point format . . . . . : RTVC0100
Exit program number . . . . . : 4
Exit program . . . . . : QPYDJCSTR
  Library . . . . . : QSYS
Text description . . . . . : *BLANK

Exit program data CCSID . . . . . : 285
Exit program data length . . . . . : 20
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  STRJW QSYS

Exit point . . . . . : QIBM_QCA_RTV_COMMAND
Exit point format . . . . . : RTVC0100
Exit program number . . . . . : 5
Exit program . . . . . : QPYDJCSTR
  Library . . . . . : QSYS
Text description . . . . . : *BLANK

Exit program data CCSID . . . . . : 285
Exit program data length . . . . . : 20
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  ADDPEXDFN QSYS

Exit point . . . . . : QIBM_QCA_RTV_COMMAND
Exit point format . . . . . : RTVC0100
Exit program number . . . . . : 6
Exit program . . . . . : QPYDJCSTR
  Library . . . . . : QSYS
Text description . . . . . : *BLANK

Exit program data CCSID . . . . . : 285
```

Exit program data length . . . . . : 20  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
CHGPEXDFN QSYS

Exit point . . . . . : QIBM\_QCST\_ADMDMN  
Exit point format . . . . . : ADMN0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . : \*NOMAX  
Current number of exit programs . . . : 8  
Preprocessing for add . . . . . : QCSTADREGX  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QCSTADREGX  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : Cluster administrative domain suppor

t

Exit point . . . . . : QIBM\_QCST\_ADMDMN  
Exit point format . . . . . : ADMN0100  
Exit program number . . . . . : 1  
Exit program . . . . . : QSYUPADOH  
Library . . . . . : QSYS  
Text description . . . . . : User Profiles

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 64  
Threadsafe . . . . . : \*NO  
Multithreaded job action . . . . . : \*RUN  
Exit program data . . . . . :  
\*USRPRF 10CL\_ADMIN\_DOMAIN\_RESOURCE\_TYPE.USRPRF

Exit point . . . . . : QIBM\_QCST\_ADMDMN  
Exit point format . . . . . : ADMN0100  
Exit program number . . . . . : 3  
Exit program . . . . . : QWDJOBDOH  
Library . . . . . : QSYS  
Text description . . . . . : Job Descriptions

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 64  
Threadsafe . . . . . : \*NO  
Multithreaded job action . . . . . : \*RUN  
Exit program data . . . . . :  
\*JOBDD 10CL\_ADMIN\_DOMAIN\_RESOURCE\_TYPE.JOBDD

Exit point . . . . . : QIBM\_QCST\_ADMDMN  
Exit point format . . . . . : ADMN0100  
Exit program number . . . . . : 4

Exit program . . . . . : QWCCLASSOH  
Library . . . . . : QSYS  
Text description . . . . . : Classes

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 64  
Threadsafe . . . . . : \*NO  
Multithreaded job action . . . . . : \*RUN  
Exit program data . . . . . :  
\*CLS 10CL\_ADMIN\_DOMAIN\_RESOURCE\_TYPE.CLS

Exit point . . . . . : QIBM\_QCST\_ADMDMN  
Exit point format . . . . . : ADMN0100  
Exit program number . . . . . : 5  
Exit program . . . . . : QWCSVALOH  
Library . . . . . : QSYS  
Text description . . . . . : System Values

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 64  
Threadsafe . . . . . : \*NO  
Multithreaded job action . . . . . : \*RUN  
Exit program data . . . . . :  
\*SYSVAL 00CL\_ADMIN\_DOMAIN\_RESOURCE\_TYPE.SYSVAL

Exit point . . . . . : QIBM\_QCST\_ADMDMN  
Exit point format . . . . . : ADMN0100  
Exit program number . . . . . : 6  
Exit program . . . . . : QWCNETAOH  
Library . . . . . : QSYS  
Text description . . . . . : Network Attributes

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 64  
Threadsafe . . . . . : \*NO  
Multithreaded job action . . . . . : \*RUN  
Exit program data . . . . . :  
\*NETA 00CL\_ADMIN\_DOMAIN\_RESOURCE\_TYPE.NETA

Exit point . . . . . : QIBM\_QCST\_ADMDMN  
Exit point format . . . . . : ADMN0100  
Exit program number . . . . . : 7  
Exit program . . . . . : QDCDDOH  
Library . . . . . : QSYS  
Text description . . . . . : ASP Devices

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 64  
Threadsafe . . . . . : \*NO  
Multithreaded job action . . . . . : \*RUN  
Exit program data . . . . . :  
\*ASPDEV 10CL\_ADMIN\_DOMAIN\_RESOURCE\_TYPE.ASPDEV

Exit point . . . . . : QIBM\_QCST\_ADMDMN  
Exit point format . . . . . : ADMN0100  
Exit program number . . . . . : 8

Exit program . . . . . : QTOCTCPAOH  
Library . . . . . : QSYS  
Text description . . . . . : TCP/IP Attributes

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 64  
Threadsafe . . . . . : \*NO  
Multithreaded job action . . . . . : \*RUN  
Exit program data . . . . . :  
\*TCPA 00CL\_ADMIN\_DOMAIN\_RESOURCE\_TYPE.TCPA

Exit point . . . . . : QIBM\_QCST\_ADMDMN  
Exit point format . . . . . : ADMN0100  
Exit program number . . . . . : 9  
Exit program . . . . . : QP0ZSYSEOH  
Library . . . . . : QSYS  
Text description . . . . . : System Environment Variables

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 64  
Threadsafe . . . . . : \*NO  
Multithreaded job action . . . . . : \*RUN  
Exit program data . . . . . :  
\*ENVVAR 01CL\_ADMIN\_DOMAIN\_RESOURCE\_TYPE.ENVVAR

Exit point . . . . . : QIBM\_QCST\_ADMDMN  
Exit point format . . . . . : ADMN0200  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . : \*NOMAX  
Current number of exit programs . . . : 17  
Preprocessing for add . . . . . : QCSTADREGX  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QCSTADREGX  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : Cluster administrative domain support

Exit point . . . . . : QIBM\_QCST\_ADMDMN  
Exit point format . . . . . : ADMN0200  
Exit program number . . . . . : 1  
Exit program . . . . . : QSYUPADOH  
Library . . . . . : QSYS  
Text description . . . . . : User Profiles

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 128  
Threadsafe . . . . . : \*NO  
Multithreaded job action . . . . . : \*RUN  
Exit program data . . . . . :

\*USRPRF 10QSYS \*USRPRF CPXBB030500

Exit point . . . . . : QIBM\_QCST\_ADMDMN  
Exit point format . . . . . : ADMN0200  
Exit program number . . . . . : 2  
Exit program . . . . . : QWDSBSDOH  
Library . . . . . : QSYS  
Text description . . . . . : Subsystem Descriptions

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 128  
Threadsafe . . . . . : \*NO  
Multithreaded job action . . . . . : \*RUN  
Exit program data . . . . . :  
\*SBSD 10 \*SBSD CPXBB040600

Exit point . . . . . : QIBM\_QCST\_ADMDMN  
Exit point format . . . . . : ADMN0200  
Exit program number . . . . . : 3  
Exit program . . . . . : QWDJOBDOH  
Library . . . . . : QSYS  
Text description . . . . . : Job Descriptions

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 128  
Threadsafe . . . . . : \*NO  
Multithreaded job action . . . . . : \*RUN  
Exit program data . . . . . :  
\*JOBDD 10 \*JOBDD CPXBB050500

Exit point . . . . . : QIBM\_QCST\_ADMDMN  
Exit point format . . . . . : ADMN0200  
Exit program number . . . . . : 4  
Exit program . . . . . : QWCCLASSOH  
Library . . . . . : QSYS  
Text description . . . . . : Classes

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 128  
Threadsafe . . . . . : \*NO  
Multithreaded job action . . . . . : \*RUN  
Exit program data . . . . . :  
\*CLS 10 \*CLS CPXBB060500

Exit point . . . . . : QIBM\_QCST\_ADMDMN  
Exit point format . . . . . : ADMN0200  
Exit program number . . . . . : 5  
Exit program . . . . . : QWCSVALOH  
Library . . . . . : QSYS  
Text description . . . . . : System Values

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 128  
Threadsafe . . . . . : \*NO  
Multithreaded job action . . . . . : \*RUN  
Exit program data . . . . . :

\*SYSVAL 00 0500

Exit point . . . . . : QIBM\_QCST\_ADMDMN  
Exit point format . . . . . : ADMN0200  
Exit program number . . . . . : 6  
Exit program . . . . . : QWCNETAOH  
Library . . . . . : QSYS  
Text description . . . . . : Network Attributes

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 128  
Threadsafe . . . . . : \*NO  
Multithreaded job action . . . . . : \*RUN  
Exit program data . . . . . :

\*NETA 00 0500

Exit point . . . . . : QIBM\_QCST\_ADMDMN  
Exit point format . . . . . : ADMN0200  
Exit program number . . . . . : 7  
Exit program . . . . . : QDCDDOH  
Library . . . . . : QSYS  
Text description . . . . . : ASP Devices

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 128  
Threadsafe . . . . . : \*NO  
Multithreaded job action . . . . . : \*RUN  
Exit program data . . . . . :

\*ASPDEV 10QSYS \*DEVDPXBB2F0500

Exit point . . . . . : QIBM\_QCST\_ADMDMN  
Exit point format . . . . . : ADMN0200  
Exit program number . . . . . : 8  
Exit program . . . . . : QTOCTCPAOH  
Library . . . . . : QSYS  
Text description . . . . . : TCP/IP Attributes

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 128  
Threadsafe . . . . . : \*NO  
Multithreaded job action . . . . . : \*RUN  
Exit program data . . . . . :

\*TCPA 00 0500

Exit point . . . . . : QIBM\_QCST\_ADMDMN  
Exit point format . . . . . : ADMN0200  
Exit program number . . . . . : 9  
Exit program . . . . . : QP0ZSYSEOH  
Library . . . . . : QSYS  
Text description . . . . . : System Environment Variables

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 128  
Threadsafe . . . . . : \*NO  
Multithreaded job action . . . . . : \*RUN  
Exit program data . . . . . :



\*ENVVAR 01 CPXBB0B0500

Exit point . . . . . : QIBM\_QCST\_ADMDMN  
Exit point format . . . . . : ADMN0200  
Exit program number . . . . . : 10  
Exit program . . . . . : QDCDDOPTH  
Library . . . . . : QSYS  
Text description . . . . . : Optical Devices

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 128  
Threadsafe . . . . . : \*NO  
Multithreaded job action . . . . . : \*RUN

Exit program data . . . . . :  
\*OPTDEV 10QSYS \*DEVDPXBB2F0600

Exit point . . . . . : QIBM\_QCST\_ADMDMN  
Exit point format . . . . . : ADMN0200  
Exit program number . . . . . : 11  
Exit program . . . . . : QDCDDTAPH  
Library . . . . . : QSYS  
Text description . . . . . : Tape Devices

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 128  
Threadsafe . . . . . : \*NO  
Multithreaded job action . . . . . : \*RUN

Exit program data . . . . . :  
\*TAPDEV 10QSYS \*DEVDPXBB2F0600

Exit point . . . . . : QIBM\_QCST\_ADMDMN  
Exit point format . . . . . : ADMN0200  
Exit program number . . . . . : 12  
Exit program . . . . . : QDCDDNHH  
Library . . . . . : QSYS  
Text description . . . . . : Network Host Adapters

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 128  
Threadsafe . . . . . : \*NO  
Multithreaded job action . . . . . : \*RUN

Exit program data . . . . . :  
\*NWSHDEV 10QSYS \*DEVDPXBB2F0600

Exit point . . . . . : QIBM\_QCST\_ADMDMN  
Exit point format . . . . . : ADMN0200  
Exit program number . . . . . : 13  
Exit program . . . . . : QDCLDETHH  
Library . . . . . : QSYS  
Text description . . . . . : Ethernet Lines

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 128  
Threadsafe . . . . . : \*NO  
Multithreaded job action . . . . . : \*RUN  
Exit program data . . . . . :

\*ETHLIN 10QSYS \*LIND CPXBB3E0600

Exit point . . . . . : QIBM\_QCST\_ADMDMN  
Exit point format . . . . . : ADMN0200  
Exit program number . . . . . : 14  
Exit program . . . . . : QDCLDTRNOH  
Library . . . . . : QSYS  
Text description . . . . . : Token-Ring Lines

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 128  
Threadsafe . . . . . : \*NO  
Multithreaded job action . . . . . : \*RUN  
Exit program data . . . . . :

\*TRNLIN 10QSYS \*LIND CPXBB3E0600

Exit point . . . . . : QIBM\_QCST\_ADMDMN  
Exit point format . . . . . : ADMN0200  
Exit program number . . . . . : 15  
Exit program . . . . . : QDCNWSDOH  
Library . . . . . : QSYS  
Text description . . . . . : Network Servers

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 128  
Threadsafe . . . . . : \*NO  
Multithreaded job action . . . . . : \*RUN  
Exit program data . . . . . :

\*NWSD 10QSYS \*NWSD CPXBB460600

Exit point . . . . . : QIBM\_QCST\_ADMDMN  
Exit point format . . . . . : ADMN0200  
Exit program number . . . . . : 16  
Exit program . . . . . : QFPRNWSCOH  
Library . . . . . : QSYS  
Text description . . . . . : NWS Configurations

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 128  
Threadsafe . . . . . : \*NO  
Multithreaded job action . . . . . : \*RUN  
Exit program data . . . . . :

\*NWSCFG 10QUSRSYS \*NWSCFG CPXBB470600

Exit point . . . . . : QIBM\_QCST\_ADMDMN  
Exit point format . . . . . : ADMN0200  
Exit program number . . . . . : 17  
Exit program . . . . . : QFPHNWSSOH  
Library . . . . . : QSYS  
Text description . . . . . : NWS Storage Spaces

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 128  
Threadsafe . . . . . : \*NO  
Multithreaded job action . . . . . : \*RUN  
Exit program data . . . . . :

\*NWSSTG 20 0600

Exit point . . . . . : QIBM\_QCST\_CLU  
Exit point format . . . . . : QCLU0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . . : \*NOMAX  
Current number of exit programs . . . . : 0  
Preprocessing for add . . . . . : QCSTCRSRGX  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QCSTCRSRGX  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : Cluster node support

Exit point . . . . . : QIBM\_QCST\_CRG  
Exit point format . . . . . : QCLU0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . . : \*NOMAX  
Current number of exit programs . . . . : 0  
Preprocessing for add . . . . . : QCSTCRSRGX  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QCSTCRSRGX  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : Cluster resource group support

Exit point . . . . . : QIBM\_QC3\_CLR\_MSTKEY  
Exit point format . . . . . : CLMK0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . . : \*NOMAX  
Current number of exit programs . . . . : 0  
Preprocessing for add . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Preprocessing for remove . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : Clear Master Key

```
Exit point . . . . . : QIBM_QC3_DLT_KREC
Exit point format . . . . . : DLKR0100
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *NO
Maximum number of exit programs . . . . : *NOMAX
Current number of exit programs . . . . : 0
Preprocessing for add . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for remove . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *NO
Text description . . . . . : Delete Key Record

Exit point . . . . . : QIBM_QC3_SET_MSTKEY
Exit point format . . . . . : STMK0100
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *NO
Maximum number of exit programs . . . . : *NOMAX
Current number of exit programs . . . . : 0
Preprocessing for add . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for remove . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *NO
Text description . . . . . : Set Master Key

Exit point . . . . . : QIBM_QC3_TRN_KSF
Exit point format . . . . . : TRNK0100
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *NO
Maximum number of exit programs . . . . : *NOMAX
Current number of exit programs . . . . : 0
Preprocessing for add . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for remove . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *NO
Text description . . . . . : Translate Keystore

Exit point . . . . . : QIBM_QDB_CLOSE
Exit point format . . . . . : DBCL0100
Exit point registered . . . . . : *YES
```

Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . : 1  
Current number of exit programs . . . : 0  
Preprocessing for add . . . . . : QQQPREPEP  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QQQPREPEP  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : Close Database File Exit Program

Exit point . . . . . : QIBM\_QDB\_OPEN  
Exit point format . . . . . : DBOP0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . : 8  
Current number of exit programs . . . : 0  
Preprocessing for add . . . . . : QQQPREPEP  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QQQPREPEP  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : Open Database File Exit Program

Exit point . . . . . : QIBM\_QDC\_VRYEXIT  
Exit point format . . . . . : PROF0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . : \*NOMAX  
Current number of exit programs . . . : 0  
Preprocessing for add . . . . . : QDCPRVEP  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QDCPRVEP  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : Vary Configuration (VRYCFG) off prep

rocessing exit

Exit point . . . . . : QIBM\_QDC\_VRYEXIT  
Exit point format . . . . . : PRON0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . : \*NOMAX

Current number of exit programs . . . : 1  
Preprocessing for add . . . : QDCPRVEP  
Library . . . : QSYS  
Format . . . : ADDP0100  
Preprocessing for remove . . . : QDCPRVEP  
Library . . . : QSYS  
Format . . . : RMVP0100  
Preprocessing for retrieve . . . : \*NONE  
Library . . . :  
Format . . . :  
Allow change . . . : \*NO  
Text description . . . : Vary Configuration (VRYCFG) on prepr  
ocessing exit

Exit point . . . : QIBM\_QDC\_VRYEXIT  
Exit point format . . . : PRON0100  
Exit program number . . . : 29  
Exit program . . . : QHNANWSH  
Library . . . : QSYS  
Text description . . . : VIRTUAL NWSH VARY CONFIGURATION E  
XIT  
Exit program data CCSID . . . : 37  
Exit program data length . . . : 8  
Threadsafe . . . : \*UNKNOWN  
Multithreaded job action . . . : \*MSG  
Exit program data . . . :  
DEVDNWSH

Exit point . . . : QIBM\_QDC\_VRYEXIT  
Exit point format . . . : PSOF0200  
Exit point registered . . . : \*YES  
Allow deregister . . . : \*NO  
Maximum number of exit programs . . . : \*NOMAX  
Current number of exit programs . . . : 1  
Preprocessing for add . . . : QDCPRVEP  
Library . . . : QSYS  
Format . . . : ADDP0100  
Preprocessing for remove . . . : QDCPRVEP  
Library . . . : QSYS  
Format . . . : RMVP0100  
Preprocessing for retrieve . . . : \*NONE  
Library . . . :  
Format . . . :  
Allow change . . . : \*NO  
Text description . . . : Vary Configuration (VRYCFG) off post  
processing ex

Exit point . . . : QIBM\_QDC\_VRYEXIT  
Exit point format . . . : PSOF0200  
Exit program number . . . : 29  
Exit program . . . : QHNANWSH  
Library . . . : QSYS  
Text description . . . : VIRTUAL NWSH VARY CONFIGURATION E  
XIT  
Exit program data CCSID . . . : 37  
Exit program data length . . . : 8  
Threadsafe . . . : \*UNKNOWN

Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
DEVDNWSH

Exit point . . . . . : QIBM\_QDC\_VRYEXIT  
Exit point format . . . . . : PSON0200  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . : \*NOMAX  
Current number of exit programs . . . : 0  
Preprocessing for add . . . . . : QDCPRVEP  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QDCPRVEP  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : Vary configuration (VRYCFG) on post  
processing exit

Exit point . . . . . : QIBM\_QGW\_NJEOOUTBOUND  
Exit point format . . . . . : NJEO0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*YES  
Maximum number of exit programs . . . : \*NOMAX  
Current number of exit programs . . . : 0  
Preprocessing for add . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Preprocessing for remove . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : Network Job Entry outbound exit point.

Exit point . . . . . : QIBM\_QHQ\_DTAQ  
Exit point format . . . . . : DTAQ0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . : 1  
Current number of exit programs . . . : 0  
Preprocessing for add . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Preprocessing for remove . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :

Allow change . . . . . : \*YES  
Text description . . . . . : Original Data Queue Server  
  
Exit point . . . . . : QIBM\_QIMG\_TRANSFORMS  
Exit point format . . . . . : XFRM0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . . . : \*NOMAX  
Current number of exit programs . . . . . : 3  
Preprocessing for add . . . . . : \*NONE  
    Library . . . . . :  
    Format . . . . . :  
Preprocessing for remove . . . . . : \*NONE  
    Library . . . . . :  
    Format . . . . . :  
Preprocessing for retrieve . . . . . : \*NONE  
    Library . . . . . :  
    Format . . . . . :  
Allow change . . . . . : \*YES  
Text description . . . . . : Exit Point for Image Print Transform

s

Exit point . . . . . : QIBM\_QIMG\_TRANSFORMS  
Exit point format . . . . . : XFRM0100  
Exit program number . . . . . : 5380  
Exit program . . . . . : QXTRCLIENT  
    Library . . . . . : QIPS  
Text description . . . . . : IBM InfoprintServer PCL, PDF and  
PS to AFP XFORM  
Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 16  
Threadsafe . . . . . : \*NO  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
    PCL      AFPDS

Exit point . . . . . : QIBM\_QIMG\_TRANSFORMS  
Exit point format . . . . . : XFRM0100  
Exit program number . . . . . : 5381  
Exit program . . . . . : QXTRCLIENT  
    Library . . . . . : QIPS  
Text description . . . . . : IBM InfoprintServer PCL, PDF and  
PS to AFP XFORM  
Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 16  
Threadsafe . . . . . : \*NO  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
    PS      AFPDS

Exit point . . . . . : QIBM\_QIMG\_TRANSFORMS  
Exit point format . . . . . : XFRM0100  
Exit program number . . . . . : 5382  
Exit program . . . . . : QXTRCLIENT  
    Library . . . . . : QIPS  
Text description . . . . . : IBM InfoprintServer PCL, PDF and  
PS to AFP XFORM



Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 16  
Threadsafe . . . . . : \*NO  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
PDF AFPDS

Exit point . . . . . : QIBM\_QJO\_CHG\_JRNRCV  
Exit point format . . . . . : CRCV0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . : \*NOMAX  
Current number of exit programs . . . : 0  
Preprocessing for add . . . . . : QJOPREAD  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QJOPREAD  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : Change Journal Receiver

Exit point . . . . . : QIBM\_QJO\_DLT\_JRNRCV  
Exit point format . . . . . : DRCV0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*YES  
Maximum number of exit programs . . . : \*NOMAX  
Current number of exit programs . . . : 0  
Preprocessing for add . . . . . : QJOPREAD  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QJOPREAD  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*YES  
Text description . . . . . : Delete Journal Receiver

Exit point . . . . . : QIBM\_QLZP\_LICENSE  
Exit point format . . . . . : LICM0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . : 1  
Current number of exit programs . . . : 0  
Preprocessing for add . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Preprocessing for remove . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :

Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*YES  
Text description . . . . . : Original License Mgmt Server

Exit point . . . . . : QIBM\_QMF\_MESSAGE  
Exit point format . . . . . : MESS0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . : 1  
Current number of exit programs . . . : 0  
Preprocessing for add . . . . . : \*NONE

Library . . . . . :  
Format . . . . . :

Preprocessing for remove . . . . . : \*NONE

Library . . . . . :  
Format . . . . . :

Preprocessing for retrieve . . . . . : \*NONE

Library . . . . . :  
Format . . . . . :

Allow change . . . . . : \*YES  
Text description . . . . . : Original Message Server

Exit point . . . . . : QIBM\_QMH\_HDL\_INQEXT  
Exit point format . . . . . : INQE0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . : \*NOMAX  
Current number of exit programs . . . : 0

Preprocessing for add . . . . . : QMHEPAUT  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100

Preprocessing for remove . . . . . : QMHEPAUT  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100

Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : Handle inquiry to \*EXT

Exit point . . . . . : QIBM\_QMH\_REPLY\_INQ  
Exit point format . . . . . : RPYI0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . : \*NOMAX  
Current number of exit programs . . . : 0

Preprocessing for add . . . . . : QMHEPAUT  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100

Preprocessing for remove . . . . . : QMHEPAUT  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100

Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :

Allow change . . . . . : \*NO  
Text description . . . . . : Handle reply to inquiry messages

Exit point . . . . . : QIBM\_QMO\_OPT  
Exit point format . . . . . : OPT00100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . : 5  
Current number of exit programs . . . : 1  
Preprocessing for add . . . . . : QUSEPAUT  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QUSEPAUT  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . :

Exit point . . . . . : QIBM\_QMO\_OPT  
Exit point format . . . . . : OPT00100  
Exit program number . . . . . : 1  
Exit program . . . . . : Q1AOPTEXIT  
Library . . . . . : QBRM  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 0  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :

Exit point . . . . . : QIBM\_QNM\_EVENT\_DTAQ  
Exit point format . . . . . : ALRT0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . : 50  
Current number of exit programs . . . : 0  
Preprocessing for add . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Preprocessing for remove . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : Network Event Notification

Exit point . . . . . : QIBM\_QNPS\_ENTRY  
Exit point format . . . . . : ENTR0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . : \*NOMAX

```
Current number of exit programs . . . : 0
Preprocessing for add . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for remove . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *YES
Text description . . . . . : Network Print Server - entry

Exit point . . . . . : QIBM_QNPS_SPLF
Exit point format . . . . . : SPLF0100
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *NO
Maximum number of exit programs . . . : *NOMAX
Current number of exit programs . . . : 0
Preprocessing for add . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for remove . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *YES
Text description . . . . . : Network Print Server - spool file

Exit point . . . . . : QIBM_QNS_CRADDACT
Exit point format . . . . . : ADDA0100
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *YES
Maximum number of exit programs . . . : *NOMAX
Current number of exit programs . . . : 7
Preprocessing for add . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for remove . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *NO
Text description . . . . . : Add CRQ description activity

Exit point . . . . . : QIBM_QNS_CRADDACT
Exit point format . . . . . : ADDA0100
Exit program number . . . . . : 1
Exit program . . . . . : ADDCMDCRQA
  Library . . . . . : QSYS
Text description . . . . . : Run a command

Exit program data CCSID . . . . . : 37
```

```
Exit program data length . . . . . : 38
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  *CMD      SMU1696QSMUMSG    QSMU      2

Exit point . . . . . : QIBM_QNS_CRADDACT
Exit point format . . . . . : ADDA0100
Exit program number . . . . . : 2
Exit program . . . . . : ADDOBJCRQA
  Library . . . . . : QSYS
Text description . . . . . : Object distribution

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 38
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  *OBJ      SMU1697QSMUMSG    QSMU      2

Exit point . . . . . : QIBM_QNS_CRADDACT
Exit point format . . . . . : ADDA0100
Exit program number . . . . . : 3
Exit program . . . . . : ADDPTFCRQA
  Library . . . . . : QSYS
Text description . . . . . : PTF distribution

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 38
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  *PTF      SMU1698QSMUMSG    QSMU      2

Exit point . . . . . : QIBM_QNS_CRADDACT
Exit point format . . . . . : ADDA0100
Exit program number . . . . . : 4
Exit program . . . . . : ADDPRDCRQA
  Library . . . . . : QSYS
Text description . . . . . : Product distribution

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 38
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  *PRD      SMU169AQSMUMSG    QSMU      2

Exit point . . . . . : QIBM_QNS_CRADDACT
Exit point format . . . . . : ADDA0100
Exit program number . . . . . : 5
Exit program . . . . . : ADDRSCCRQA
  Library . . . . . : QSYS
Text description . . . . . : Resource activation

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 38
```

```
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  *RSC          SMU1699QSMUMSG      QSMU      2

Exit point . . . . . : QIBM_QNS_CRADDACT
Exit point format . . . . . : ADDA0100
Exit program number . . . . . : 6
Exit program . . . . . : ADDCRQA
  Library . . . . . : QSYS
Text description . . . . . : Change management

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 38
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  *CHGMT        SMU169BQSMUMSG      QSMU      2

Exit point . . . . . : QIBM_QNS_CRADDACT
Exit point format . . . . . : ADDA0100
Exit program number . . . . . : 7
Exit program . . . . . : ADDLICCRQA
  Library . . . . . : QSYS
Text description . . . . . : License key distribution

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 38
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  *LIC          SMU168FQSMUMSG      QSMU      2

Exit point . . . . . : QIBM_QNS_CRCHGACT
Exit point format . . . . . : CHGA0100
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *YES
Maximum number of exit programs . . . : *NOMAX
Current number of exit programs . . . : 7
Preprocessing for add . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for remove . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *NO
Text description . . . . . : Change CRQ description activity

Exit point . . . . . : QIBM_QNS_CRCHGACT
Exit point format . . . . . : CHGA0100
Exit program number . . . . . : 1
Exit program . . . . . : CHGCMDCRQA
  Library . . . . . : QSYS
```

```
Text description . . . . . : Run a command

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 38
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  *CMD      SMU1696QSMUMSG      QSMU      2

Exit point . . . . . : QIBM_QNS_CRCHGACT
Exit point format . . . . . : CHGA0100
Exit program number . . . . . : 2
Exit program . . . . . : CHGOBJCRQA
  Library . . . . . : QSYS
Text description . . . . . : Object distribution

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 38
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  *OBJ      SMU1697QSMUMSG      QSMU      2

Exit point . . . . . : QIBM_QNS_CRCHGACT
Exit point format . . . . . : CHGA0100
Exit program number . . . . . : 3
Exit program . . . . . : CHGPTFCRQA
  Library . . . . . : QSYS
Text description . . . . . : PTF distribution

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 38
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  *PTF      SMU1698QSMUMSG      QSMU      2

Exit point . . . . . : QIBM_QNS_CRCHGACT
Exit point format . . . . . : CHGA0100
Exit program number . . . . . : 4
Exit program . . . . . : CHGPRDCRQA
  Library . . . . . : QSYS
Text description . . . . . : Product distribution

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 38
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  *PRD      SMU169AQSMUMSG      QSMU      2

Exit point . . . . . : QIBM_QNS_CRCHGACT
Exit point format . . . . . : CHGA0100
Exit program number . . . . . : 5
Exit program . . . . . : CHGRSCCRQA
  Library . . . . . : QSYS
```

Text description . . . . . : Resource activation

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 38  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
\*RSC SMU1699QSMUMSG QSMU 2

Exit point . . . . . : QIBM\_QNS\_CRCHGACT  
Exit point format . . . . . : CHGA0100  
Exit program number . . . . . : 6  
Exit program . . . . . : CHGCRQA  
Library . . . . . : QSYS  
Text description . . . . . : Change management

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 38  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
\*CHGMT SMU169BQSMUMSG QSMU 2

Exit point . . . . . : QIBM\_QNS\_CRCHGACT  
Exit point format . . . . . : CHGA0100  
Exit program number . . . . . : 7  
Exit program . . . . . : CHGLICCRQA  
Library . . . . . : QSYS  
Text description . . . . . : License key distribution

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 38  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
\*LIC SMU168FQSMUMSG QSMU 2

Exit point . . . . . : QIBM\_QNS\_CRDLTSBMCRQ  
Exit point format . . . . . : DLTA0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*YES  
Maximum number of exit programs . . . : \*NOMAX  
Current number of exit programs . . . : 1  
Preprocessing for add . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Preprocessing for remove . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : Delete submitted CRQ

Exit point . . . . . : QIBM\_QNS\_CRDLTSBMCRQ  
Exit point format . . . . . : DLTA0100



Exit program number . . . . . : 1  
Exit program . . . . . : QNSSDTRC  
Library . . . . . : QSMU  
Text description . . . . . : Run a command

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 38  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
\*CMD SMU1696QSMUMSG QSMU 1

Exit point . . . . . : QIBM\_QNS\_CRDSPACT  
Exit point format . . . . . : DSPA0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*YES  
Maximum number of exit programs . . . . : \*NOMAX  
Current number of exit programs . . . . : 7  
Preprocessing for add . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Preprocessing for remove . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : Display CRQ description activity

Exit point . . . . . : QIBM\_QNS\_CRDSPACT  
Exit point format . . . . . : DSPA0100  
Exit program number . . . . . : 1  
Exit program . . . . . : QNSSDDCA  
Library . . . . . : QSMU  
Text description . . . . . : Run a command

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 38  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
\*CMD SMU1696QSMUMSG QSMU 1

Exit point . . . . . : QIBM\_QNS\_CRDSPACT  
Exit point format . . . . . : DSPA0100  
Exit program number . . . . . : 2  
Exit program . . . . . : QNSSDDDA  
Library . . . . . : QSMU  
Text description . . . . . : Object distribution

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 38  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :

\*OBJ SMU1697QSMUMSG QSMU 1

Exit point . . . . . : QIBM\_QNS\_CRDSPACT  
Exit point format . . . . . : DSPA0100  
Exit program number . . . . . : 3  
Exit program . . . . . : QNSSDDDA  
Library . . . . . : QSMU  
Text description . . . . . : PTF distribution

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 38  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :

\*PTF SMU1698QSMUMSG QSMU 1

Exit point . . . . . : QIBM\_QNS\_CRDSPACT  
Exit point format . . . . . : DSPA0100  
Exit program number . . . . . : 4  
Exit program . . . . . : QNSSDDDA  
Library . . . . . : QSMU  
Text description . . . . . : Product distribution

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 38  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :

\*PRD SMU169AQSMUMSG QSMU 1

Exit point . . . . . : QIBM\_QNS\_CRDSPACT  
Exit point format . . . . . : DSPA0100  
Exit program number . . . . . : 5  
Exit program . . . . . : QNSSDDDA  
Library . . . . . : QSMU  
Text description . . . . . : Resource activation

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 38  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :

\*RSC SMU1699QSMUMSG QSMU 1

Exit point . . . . . : QIBM\_QNS\_CRDSPACT  
Exit point format . . . . . : DSPA0100  
Exit program number . . . . . : 6  
Exit program . . . . . : QNSSDDDA  
Library . . . . . : QSMU  
Text description . . . . . : Change management

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 38  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :

\*CHGMT SMU169BQSMUMSG QSMU 1

Exit point . . . . . : QIBM\_QNS\_CRDSPACT  
Exit point format . . . . . : DSPA0100  
Exit program number . . . . . : 7  
Exit program . . . . . : QNSSDDDA  
Library . . . . . : QSMU  
Text description . . . . . : License key distribution

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 38  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :

\*LIC SMU168FQSMUMSG QSMU 1

Exit point . . . . . : QIBM\_QNS\_CREXCACT  
Exit point format . . . . . : EXCA0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*YES  
Maximum number of exit programs . . . . : \*NOMAX  
Current number of exit programs . . . . : 7  
Preprocessing for add . . . . . : \*NONE

Library . . . . . :  
Format . . . . . :

Preprocessing for remove . . . . . : \*NONE

Library . . . . . :  
Format . . . . . :

Preprocessing for retrieve . . . . . : \*NONE

Library . . . . . :  
Format . . . . . :

Allow change . . . . . : \*NO

Text description . . . . . : Run CRQ activity

Exit point . . . . . : QIBM\_QNS\_CREXCACT  
Exit point format . . . . . : EXCA0100  
Exit program number . . . . . : 1  
Exit program . . . . . : QNSSDECA  
Library . . . . . : QSMU  
Text description . . . . . : Run a command

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 38  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :

\*CMD SMU1696QSMUMSG QSMU 1

Exit point . . . . . : QIBM\_QNS\_CREXCACT  
Exit point format . . . . . : EXCA0100  
Exit program number . . . . . : 2  
Exit program . . . . . : QNSSDEDA  
Library . . . . . : QSMU  
Text description . . . . . : Object distribution

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 38

```
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  *OBJ      SMU1697QSMUMSG    QSMU      1

Exit point . . . . . : QIBM_QNS_CREXCACT
Exit point format . . . . . : EXCA0100
Exit program number . . . . . : 3
Exit program . . . . . : QNSSDEDA
  Library . . . . . : QSMU
Text description . . . . . : PTF distribution

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 38
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  *PTF      SMU1698QSMUMSG    QSMU      1

Exit point . . . . . : QIBM_QNS_CREXCACT
Exit point format . . . . . : EXCA0100
Exit program number . . . . . : 4
Exit program . . . . . : QNSSDEDA
  Library . . . . . : QSMU
Text description . . . . . : Product distribution

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 38
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  *PRD      SMU169AQSMUMSG    QSMU      1

Exit point . . . . . : QIBM_QNS_CREXCACT
Exit point format . . . . . : EXCA0100
Exit program number . . . . . : 5
Exit program . . . . . : QNSSDEDA
  Library . . . . . : QSMU
Text description . . . . . : Resource activation

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 38
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  *RSC      SMU1699QSMUMSG    QSMU      1

Exit point . . . . . : QIBM_QNS_CREXCACT
Exit point format . . . . . : EXCA0100
Exit program number . . . . . : 6
Exit program . . . . . : QNSSDEDA
  Library . . . . . : QSMU
Text description . . . . . : Change management

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 38
Threadsafe . . . . . : *UNKNOWN
```

```
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  *CHGMGT SMU169BQSMUMSG QSMU 1

Exit point . . . . . : QIBM_QNS_CREXCACT
Exit point format . . . . . : EXCA0100
Exit program number . . . . . : 7
Exit program . . . . . : QNSSDEDA
  Library . . . . . : QSMU
Text description . . . . . : License key distribution

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 38
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  *LIC SMU168FQSMUMSG QSMU 1

Exit point . . . . . : QIBM_QNS_SDDSTAUTH
Exit point format . . . . . : AUTH0100
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *YES
Maximum number of exit programs . . . : *NOMAX
Current number of exit programs . . . : 0
Preprocessing for add . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for remove . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *NO
Text description . . . . . : Run a command

Exit point . . . . . : QIBM_QNS_SDDSTNTFY
Exit point format . . . . . : NTFY0100
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *YES
Maximum number of exit programs . . . : *NOMAX
Current number of exit programs . . . : 0
Preprocessing for add . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for remove . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *NO
Text description . . . . . : Run a command

Exit point . . . . . : QIBM_QOE_OV_USR_ADM
Exit point format . . . . . : UADM0100
Exit point registered . . . . . : *YES
```

Allow deregister . . . . .

Maximum number of exit programs . . . . .

Current number of exit programs . . . . .

Preprocessing for add . . . . .

Library . . . . .

Format . . . . .

Preprocessing for remove . . . . .

Library . . . . .

Format . . . . .

Preprocessing for retrieve . . . . .

Library . . . . .

Format . . . . .

Allow change . . . . .

Text description . . . . .

: \*NO

: \*NOMAX

: 0

: QOEUAADD

: QSYS

: ADDP0100

: QOEUARMV

: QSYS

: RMVP0100

: \*NONE

: \*YES

: OfficeVision/400 Administration

Exit point . . . . .

Exit point format . . . . .

Exit point registered . . . . .

Allow deregister . . . . .

Maximum number of exit programs . . . . .

Current number of exit programs . . . . .

Preprocessing for add . . . . .

Library . . . . .

Format . . . . .

Preprocessing for remove . . . . .

Library . . . . .

Format . . . . .

Preprocessing for retrieve . . . . .

Library . . . . .

Format . . . . .

Allow change . . . . .

Text description . . . . .

: QIBM\_QOE\_OV\_USR\_SND

: DOCI0900

: \*YES

: \*NO

: \*NOMAX

: 0

: QOEUSADD

: QSYS

: ADDP0100

: QOEUSRMV

: QSYS

: RMVP0100

: \*NONE

: \*YES

: OfficeVision/400 Mail Send Exit

Exit point . . . . .

Exit point format . . . . .

Exit point registered . . . . .

Allow deregister . . . . .

Maximum number of exit programs . . . . .

Current number of exit programs . . . . .

Preprocessing for add . . . . .

Library . . . . .

Format . . . . .

Preprocessing for remove . . . . .

Library . . . . .

Format . . . . .

Preprocessing for retrieve . . . . .

Library . . . . .

Format . . . . .

Allow change . . . . .

Text description . . . . .

: QIBM\_QOK\_NOTIFY

: VRFY0100

: \*YES

: \*NO

: \*NOMAX

: 0

: \*NONE

: \*NONE

: \*NONE

: \*NONE

: \*NO

: System Directory Notify Exit Point

Exit point . . . . .

Exit point format . . . . .

Exit point registered . . . . .

Allow deregister . . . . .

Maximum number of exit programs . . . . .

Current number of exit programs . . . . .

: QIBM\_QOK\_SUPPLIER

: SUPL0100

: \*YES

: \*NO

: \*NOMAX

: 0

```
Preprocessing for add . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for remove . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *NO
Text description . . . . . : System Directory Supplier Exit Point

Exit point . . . . . : QIBM_QOK_VERIFY
Exit point format . . . . . : VRFY0100
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *NO
Maximum number of exit programs . . . : *NOMAX
Current number of exit programs . . . : 0
Preprocessing for add . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for remove . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *NO
Text description . . . . . : System Directory Verify Exit Point

Exit point . . . . . : QIBM_QPA_DEVSEL
Exit point format . . . . . : PADS0100
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *NO
Maximum number of exit programs . . . : 1
Current number of exit programs . . . : 0
Preprocessing for add . . . . . : QPAPADFN
  Library . . . . . : QSYS
  Format . . . . . : ADDP0100
Preprocessing for remove . . . . . : QPAPADFN
  Library . . . . . : QSYS
  Format . . . . . : RMVP0100
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *NO
Text description . . . . . : Virtual Device Selection

Exit point . . . . . : QIBM_QPMW_ARM4_ADAP
Exit point format . . . . . : ADAP0100
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *NO
Maximum number of exit programs . . . : 1
Current number of exit programs . . . : 0
Preprocessing for add . . . . . : QPMWADAPRX
  Library . . . . . : QSYS
  Format . . . . . : ADDP0100
```

```
Preprocessing for remove . . . . . : QPMWADAPRX
  Library . . . . . : QSYS
  Format . . . . . : RMVP0100
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *NO
Text description . . . . . : ARM Adapter Exit Program

Exit point . . . . . : QIBM_QPQ_TRANSFORM
Exit point format . . . . . : XPDF0100
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *YES
Maximum number of exit programs . . . : *NOMAX
Current number of exit programs . . . : 1
Preprocessing for add . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for remove . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *YES
Text description . . . . . : IPDS to PDF transform Exit Point

Exit point . . . . . : QIBM_QPQ_TRANSFORM
Exit point format . . . . . : XPDF0100
Exit program number . . . . . : 9974
Exit program . . . . . : QIPSINIT
  Library . . . . . : QIPS
Text description . . . . . : IBM InfoprintServer IPDS to PDF T
ransform
Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 11
Threadsafe . . . . . : *NO
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  IPDS      PDF

Exit point . . . . . : QIBM_QPWFS_FILE_SERV
Exit point format . . . . . : PWFS0100
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *NO
Maximum number of exit programs . . . : 1
Current number of exit programs . . . : 0
Preprocessing for add . . . . . : QUSEPAUT
  Library . . . . . : QSYS
  Format . . . . . : ADDP0100
Preprocessing for remove . . . . . : QUSEPAUT
  Library . . . . . : QSYS
  Format . . . . . : RMVP0100
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *NO
```



```
Text description . . . . . : File Server

Exit point . . . . . : QIBM_QPWFS_FILE_SERV
Exit point format . . . . . : PWFS0200
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *NO
Maximum number of exit programs . . . . : 1
Current number of exit programs . . . . : 0
Preprocessing for add . . . . . : QUSEPAUT
  Library . . . . . : QSYS
  Format . . . . . : ADDP0100
Preprocessing for remove . . . . . : QUSEPAUT
  Library . . . . . : QSYS
  Format . . . . . : RMVP0100
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *NO
Text description . . . . . : File Server

Exit point . . . . . : QIBM_QP0L_SCAN_CLOSE
Exit point format . . . . . : SCCL0100
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *NO
Maximum number of exit programs . . . . : 50
Current number of exit programs . . . . : 0
Preprocessing for add . . . . . : QP0LEXIT
  Library . . . . . : QSYS
  Format . . . . . : ADDP0100
Preprocessing for remove . . . . . : QP0LEXIT
  Library . . . . . : QSYS
  Format . . . . . : RMVP0100
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *NO
Text description . . . . . : Integrated File System Scan on Close

Exit point . . . . . : QIBM_QP0L_SCAN_OPEN
Exit point format . . . . . : SCOP0100
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *NO
Maximum number of exit programs . . . . : 50
Current number of exit programs . . . . : 0
Preprocessing for add . . . . . : QP0LEXIT
  Library . . . . . : QSYS
  Format . . . . . : ADDP0100
Preprocessing for remove . . . . . : QP0LEXIT
  Library . . . . . : QSYS
  Format . . . . . : RMVP0100
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *NO
Text description . . . . . : Integrated File System Scan on Open
```

Exit point . . . . . : QIBM\_QQQ\_QUERY\_GOVR  
Exit point format . . . . . : QRYG0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . . : 8  
Current number of exit programs . . . . : 0  
Preprocessing for add . . . . . : QQQPREPEP  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QQQPREPEP  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : QUERY GOVERNOR

Exit point . . . . . : QIBM\_QRQ\_SQL  
Exit point format . . . . . : RSQL0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . . : 1  
Current number of exit programs . . . . : 0  
Preprocessing for add . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Preprocessing for remove . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*YES  
Text description . . . . . : Original Remote SQL Server

Exit point . . . . . : QIBM\_QSO\_ACCEPT  
Exit point format . . . . . : ACPT0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . . : \*NOMAX  
Current number of exit programs . . . . : 0  
Preprocessing for add . . . . . : QSOPREEXPT  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QSOPREEXPT  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : Exit point for APIs that accept sock  
et connections

Exit point . . . . . : QIBM\_QSO\_CONNECT  
Exit point format . . . . . : CONN0100

Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . : \*NOMAX  
Current number of exit programs . . . : 0  
Preprocessing for add . . . . . : QSOPREEXPT  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QSOPREEXPT  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : Exit point for sockets connect() API

Exit point . . . . . : QIBM\_QSO\_LISTEN  
Exit point format . . . . . : LSTN0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . : \*NOMAX  
Current number of exit programs . . . : 0  
Preprocessing for add . . . . . : QSOPREEXPT  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QSOPREEXPT  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : Exit point for sockets listen() API

Exit point . . . . . : QIBM\_QSP\_SECURITY  
Exit point format . . . . . : SPSY0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . : 10  
Current number of exit programs . . . : 0  
Preprocessing for add . . . . . : QUSEPAUT  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QUSEPAUT  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : Spooled file security exit point

Exit point . . . . . : QIBM\_QSP\_SECURITY  
Exit point format . . . . . : SPSY0200  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . : 10

Current number of exit programs . . . . :	0
Preprocessing for add . . . . . :	QUSEPAUT
Library . . . . . :	QSYS
Format . . . . . :	ADDP0100
Preprocessing for remove . . . . . :	QUSEPAUT
Library . . . . . :	QSYS
Format . . . . . :	RMVP0100
Preprocessing for retrieve . . . . . :	*NONE
Library . . . . . :	
Format . . . . . :	
Allow change . . . . . :	*NO
Text description . . . . . :	Spooled file security exit point
Exit point . . . . . :	QIBM_QSP_SPLF_LSTACT
Exit point format . . . . . :	LASP0100
Exit point registered . . . . . :	*YES
Allow deregister . . . . . :	*NO
Maximum number of exit programs . . . . :	*NOMAX
Current number of exit programs . . . . :	0
Preprocessing for add . . . . . :	QUILACHK
Library . . . . . :	QSYS
Format . . . . . :	ADDP0100
Preprocessing for remove . . . . . :	QUSEPAUT
Library . . . . . :	QSYS
Format . . . . . :	RMVP0100
Preprocessing for retrieve . . . . . :	*NONE
Library . . . . . :	
Format . . . . . :	
Allow change . . . . . :	*NO
Text description . . . . . :	User-defined spooled file list actio

ns

Exit point . . . . . :	QIBM_QSQ_CLI_CONNECT
Exit point format . . . . . :	CLIC0100
Exit point registered . . . . . :	*YES
Allow deregister . . . . . :	*NO
Maximum number of exit programs . . . . :	1
Current number of exit programs . . . . :	0
Preprocessing for add . . . . . :	*NONE
Library . . . . . :	
Format . . . . . :	
Preprocessing for remove . . . . . :	*NONE
Library . . . . . :	
Format . . . . . :	
Preprocessing for retrieve . . . . . :	*NONE
Library . . . . . :	
Format . . . . . :	
Allow change . . . . . :	*NO
Text description . . . . . :	

Exit point . . . . . :	QIBM_QSU_ALW_EDIT
Exit point format . . . . . :	EXTP0100
Exit point registered . . . . . :	*YES
Allow deregister . . . . . :	*YES
Maximum number of exit programs . . . . :	*NOMAX
Current number of exit programs . . . . :	0

```
Preprocessing for add . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for remove . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *NO
Text description . . . . . : EXIT POINT FOR SEU USER TO PREVENT E
DITING
```

```
Exit point . . . . . : QIBM_QSU_LCMD
Exit point format . . . . . : EXTP0100
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *YES
Maximum number of exit programs . . . : *NOMAX
Current number of exit programs . . . : 0
Preprocessing for add . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for remove . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *NO
Text description . . . . . : EXIT POINT FOR SEU USER DEFINE LINE
COMMANDS
```

```
Exit point . . . . . : QIBM_QSY_CERT_APPS
Exit point format . . . . . : CERT0100
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *NO
Maximum number of exit programs . . . : *NOMAX
Current number of exit programs . . . : 29
Preprocessing for add . . . . . : QSYPADAP
  Library . . . . . : QSYS
  Format . . . . . : ADDP0100
Preprocessing for remove . . . . . : QSYPRMAP
  Library . . . . . : QSYS
  Format . . . . . : RMVP0100
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *NO
Text description . . . . . : Applications using certificates
```

```
Exit point . . . . . : QIBM_QSY_CERT_APPS
Exit point format . . . . . : CERT0100
Exit program number . . . . . : 1
Exit program . . . . . : QZBSSSL
  Library . . . . . : QSYS
Text description . . . . . : Central Server
```

Exit program data CCSID . . . . . : 37

Exit program data length . . . . . : 1024

Threadsafe . . . . . : \*NO

Multithreaded job action . . . . . : \*MSG

Exit program data . . . . . :

QIBM\_OS400\_QZBS\_SVR\_CENTRAL

01\*NONE0002000

00\*PGM

0

0

Exit point . . . . . : QIBM\_QSY\_CERT\_APPS

Exit point format . . . . . : CERT0100

Exit program number . . . . . : 2

Exit program . . . . . : QZBSSSL

Library . . . . . : QSYS

Text description . . . . . : Database Server

Exit program data CCSID . . . . . : 37

Exit program data length . . . . . : 1024

Threadsafe . . . . . : \*NO

Multithreaded job action . . . . . : \*MSG

Exit program data . . . . . :

QIBM\_OS400\_QZBS\_SVR\_DATABASE

01\*NONE0002000

00\*PGM

0

0

Exit point . . . . . : QIBM\_QSY\_CERT\_APPS

Exit point format . . . . . : CERT0100

Exit program number . . . . . : 3

Exit program . . . . . : QZBSSSL

Library . . . . . : QSYS

Text description . . . . . : Data Queue Server

Exit program data CCSID . . . . . : 37

Exit program data length . . . . . : 1024

Threadsafe . . . . . : \*NO

Multithreaded job action . . . . . : \*MSG

Exit program data . . . . . :

QIBM\_OS400\_QZBS\_SVR\_DTAQ

01\*NONE0002000

00\*PGM

0

0

Exit point	. . . . .	:	QIBM_QSY_CERT_APPS
Exit point format	. . . . .	:	CERT0100
Exit program number	. . . . .	:	4
Exit program	. . . . .	:	QZBSSSL
Library	. . . . .	:	QSYS
Text description	. . . . .	:	Network Print Server

Exit program data CCSID . . . . . : 37

Exit program data length . . . . . : 1024

Threadsafe . . . . . : \*NO

Multithreaded job action . . . . . : \*MSG

Exit program data . . . . . :

QIBM\_OS400\_QZBS\_SVR\_NETPRT

01\*NONE0002000

00\*PGM

0

Exit point . . . . . : QIBM\_QSY\_CERT\_APPS

Exit point format . . . . . : CERT0100

Exit program number . . . . . : 5

Exit program . . . . . : QZBSSSL

Library . . . . . : QSYS

Text description . . . . . : Remote Command Server

Exit program data CCSID . . . . . : 37

Exit program data length . . . . . : 1024

Threadsafe . . . . . : \*NO

Multithreaded job action . . . . . : \*MSG

Exit program data . . . . . :

QIBM\_OS400\_QZBS\_SVR\_RMTCMD

01\*NONE0002000

00\*PGM

0

Exit point . . . . . : QIBM\_QSY\_CERT\_APPS

Exit point format . . . . . : CERT0100

Exit program number . . . . . : 6

Exit program . . . . . : QZBSSSL

Library . . . . . : QSYS

Text description . . . . . : Signon Server

Exit program data CCSID . . . . . : 37

Exit program data length . . . . . : 1024

Threadsafe . . . . . : \*NO

Multithreaded job action . . . . . : \*MSG

Exit program data . . . . . :

QIBM\_OS400\_QZBS\_SVR\_SIGNON

01\*NONE0002000

00\*PGM

0



Exit point	. . . . .	:	QIBM_QSY_CERT_APPS
Exit point format	. . . . .	:	CERT0100
Exit program number	. . . . .	:	7
Exit program	. . . . .	:	QTVSSL
Library	. . . . .	:	QSYS
Text description	. . . . .	:	IBM i TCP/IP Telnet Server

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QTV\_TELNET\_SERVER  
11\*NONE 00120 00  
0 0\*PGM

0

Exit point . . . . . : QIBM\_QSY\_CERT\_APPS  
Exit point format . . . . . : CERT0100  
Exit program number . . . . . : 8  
Exit program . . . . . : QTVSSL  
Library . . . . . : QSYS  
Text description . . . . . : IBM i TCP/IP Telnet Client

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QTV\_TELNET\_CLIENT  
12\*NONE 00020 00  
0 0\*PGM

0

Exit point . . . . . : QIBM\_QSY\_CERT\_APPS  
Exit point format . . . . . : CERT0100  
Exit program number . . . . . : 9  
Exit program . . . . . : QRWSSL  
Library . . . . . : QSYS  
Text description . . . . . : IBM i DDM/DRDA Server - TCP/IP

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_OS400\_QRW\_SVR\_DDM\_DRDA  
01\*NONE 00020 00  
0 0\*PGM

0

Exit point	.	.	.	.	.	.	.	.	.	.	.	.	.	.	:	QIBM_QSY_CERT_APPS
Exit point format	.	.	.	.	.	.	.	.	.	.	.	.	.	.	:	CERT0100
Exit program number	.	.	.	.	.	.	.	.	.	.	.	.	.	.	:	10
Exit program	.	.	.	.	.	.	.	.	.	.	.	.	.	.	:	QRWSSL
Library	.	.	.	.	.	.	.	.	.	.	.	.	.	.	:	QSYS
Text description	.	.	.	.	.	.	.	.	.	.	.	.	.	.	:	IBM i DDM/DRDA Client - TCP/IP

```
Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 1024
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  QIBM_OS400_QRW_CLT_DDM_DRDA
                                02*NONE      00020      00
                                0
                                0*PGM
                                0

Exit point . . . . . : QIBM_QSY_CERT_APPS
Exit point format . . . . . : CERT0100
Exit program number . . . . . : 11
Exit program . . . . . : QCSTDCMEX
  Library . . . . . : QSYS
Text description . . . . . : Cluster Security

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 1024
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  QIBM_QCST_CLUSTER_SECURITY
                                11*NONE      10120      00
                                0
                                0*PGM
                                0

Exit point . . . . . : QIBM_QSY_CERT_APPS
Exit point format . . . . . : CERT0100
Exit program number . . . . . : 12
Exit program . . . . . : QZBSSSL
  Library . . . . . : QSYS
Text description . . . . . : Host Servers

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 1024
Threadsafe . . . . . : *NO
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  QIBM_OS400_QZBS_SVR
                                01*NONE      00020      00
                                0
                                0*PGM
                                0
```

```

Exit point . . . . . : QIBM_QSY_CERT_APPS
Exit point format . . . . . : CERT0100
Exit program number . . . . . : 13
Exit program . . . . . : QZBSSSL
  Library . . . . . : QSYS
Text description . . . . . : File Server

```

```
Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 1024
Threadsafe . . . . . : *NO
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  QIBM_OS400_QZBS_SVR_FILE
    01*NONE      00020      00
      0          0*PGM
        0

Exit point . . . . . : QIBM_QSY_CERT_APPS
Exit point format . . . . . : CERT0100
Exit program number . . . . . : 14
Exit program . . . . . : QYPSSSL
  Library . . . . . : QSYS
Text description . . . . . : Management Central Server

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 1024
Threadsafe . . . . . : *YES
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  QIBM_OS400_QYPS_MGTCTRL_SVR
    01QYPSJSVR  00020      00
      0          0*PGM
        0

Exit point . . . . . : QIBM_QSY_CERT_APPS
Exit point format . . . . . : CERT0100
Exit program number . . . . . : 15
Exit program . . . . . : QGLDCERT
  Library . . . . . : QSYS
Text description . . . . . : IBM Tivoli Directory Server

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 1024
Threadsafe . . . . . : *NO
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  QIBM_GLD_DIRSRV_SERVER
    11QDIRSRV   00120      00
      0          0*PGM
        0
```

Exit point	. . . . .	:	QIBM_QSY_CERT_APPS
Exit point format	. . . . .	:	CERT0100
Exit program number	. . . . .	:	16
Exit program	. . . . .	:	QGLDCERT
Library	. . . . .	:	QSYS
Text description	. . . . .	:	IBM Directory Server publishing

```
Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 1024
Threadsafe . . . . . : *NO
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  QIBM_GLD_DIRSRV_PUBLISHING
      12QDIRSRV 00020 00
          0 0*PGM
              0

Exit point . . . . . : QIBM_QSY_CERT_APPS
Exit point format . . . . . : CERT0100
Exit program number . . . . . : 17
Exit program . . . . . : QGLDCERT
  Library . . . . . : QSYS
Text description . . . . . : IBM Directory Server client

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 1024
Threadsafe . . . . . : *NO
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  QIBM_GLD_DIRSRV_CLIENT
      12QDIRSRV 00020 00
          0 0*PGM
              0

Exit point . . . . . : QIBM_QSY_CERT_APPS
Exit point format . . . . . : CERT0100
Exit program number . . . . . : 18
Exit program . . . . . : QTOKDCME
  Library . . . . . : QSYS
Text description . . . . . : IBM i VPN Key Manager

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 1024
Threadsafe . . . . . : *NO
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  QIBM_QTOK_VPN_KEYMGR
      11*NONE 00120 00
          0 0*PGM
              0
```



Exit point	. . . . .	:	QIBM_QSY_CERT_APPS
Exit point format	. . . . .	:	CERT0100
Exit program number	. . . . .	:	19
Exit program	. . . . .	:	QSYEIMSSL
Library	. . . . .	:	QSYS
Text description	. . . . .	:	Enterprise Identity Mapping (EIM)

```
Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 1024
Threadsafe . . . . . : *YES
Multithreaded job action . . . . . : *RUN
Exit program data . . . . . :
  QIBM_QSY_EIM_CLIENT
                                02*NONE      00020      00
                                0              0*PGM
                                0
Exit point . . . . . : QIBM_QSY_CERT_APPS
Exit point format . . . . . : CERT0100
Exit program number . . . . . : 20
Exit program . . . . . : QJORJSSL
  Library . . . . . : QSYS
Text description . . . . . : IBM i Remote Journaling Target

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 1024
Threadsafe . . . . . : *NO
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  QIBM_QJO_RMT_JRN_TGT
                                01*NONE      00020      00
                                0              0*PGM
                                0
Exit point . . . . . : QIBM_QSY_CERT_APPS
Exit point format . . . . . : CERT0100
Exit program number . . . . . : 21
Exit program . . . . . : QJORJSSL
  Library . . . . . : QSYS
Text description . . . . . : IBM i Remote Journaling Source

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 1024
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *RUN
Exit program data . . . . . :
  QIBM_QJO_RMT_JRN_SRC
                                02*NONE      00020      00
                                0              0*PGM
                                0
```

Exit point . . . . . : QIBM\_QSY\_CERT\_APPS  
Exit point format . . . . . : CERT0100  
Exit program number . . . . . : 22  
Exit program . . . . . : QSY\_NOPGM  
Library . . . . . : QSY\_NOLIB  
Text description . . . . . : HTTP Server Monitor

Exit program data CCSID . . . . . : 37

Exit program data length . . . . . : 1024

Threadsafe . . . . . : \*UNKNOWN

Multithreaded job action . . . . . : \*MSG

Exit program data . . . . . :

QIBM\_QZHB\_HTTP\_SERVER\_MONITOR

11\*NONE0002000

00\*PGM

0

0

Exit point . . . . . : QIBM\_QSY\_CERT\_APPS

Exit point format . . . . . : CERT0100

Exit program number . . . . . : 23

Exit program . . . . . : QTMSCCHG

Library . . . . . : QTCP

Text description . . . . . : IBM i TCP/IP SMTP Server

Exit program data CCSID . . . . . : 37

Exit program data length . . . . . : 1024

Threadsafe . . . . . : \*YES

Multithreaded job action . . . . . : \*MSG

Exit program data . . . . . :

QIBM\_QTMS\_SMTP\_SERVER

11QTCP0012000

00\*PGM

0

0

Exit point . . . . . : QIBM\_QSY\_CERT\_APPS

Exit point format . . . . . : CERT0100

Exit program number . . . . . : 24

Exit program . . . . . : QTMSCCHG

Library . . . . . : QTCP

Text description . . . . . : IBM i TCP/IP SMTP Client

Exit program data CCSID . . . . . : 37

Exit program data length . . . . . : 1024

Threadsafe . . . . . : \*YES

Multithreaded job action . . . . . : \*MSG

Exit program data . . . . . :

QIBM\_QTMS\_SMTP\_CLIENT

12QTCP0002000

00\*PGM

0

0

Exit point . . . . . : QIBM\_QSY\_CERT\_APPS  
Exit point format . . . . . : CERT0100  
Exit program number . . . . . : 25  
Exit program . . . . . : QTMFCCHG  
Library . . . . . : QTCP  
Text description . . . . . : IBM i TCP/IP FTP Server

```
Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 1024
Threadsafe . . . . . : *YES
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  QIBM_QTMF_FTP_SERVER
      11QTCP      00120      00
      0
      0
      0*PGM
      0

Exit point . . . . . : QIBM_QSY_CERT_APPS
Exit point format . . . . . : CERT0100
Exit program number . . . . . : 26
Exit program . . . . . : QTMFCCHG
  Library . . . . . : QTCP
Text description . . . . . : IBM i TCP/IP FTP Client

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 1024
Threadsafe . . . . . : *YES
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  QIBM_QTMF_FTP_CLIENT
      12QTCP      00020      00
      0
      0
      0*PGM
      0

Exit point . . . . . : QIBM_QSY_CERT_APPS
Exit point format . . . . . : CERT0100
Exit program number . . . . . : 27
Exit program . . . . . : QTMMCCHG
  Library . . . . . : QTCP
Text description . . . . . : IBM i TCP/IP POP Server

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 1024
Threadsafe . . . . . : *YES
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  QIBM_QTMM_POP_SERVER
      11QTCP      00120      00
      0
      0
      0*PGM
      0
```

Exit point	. . . . .	:	QIBM_QSY_CERT_APPS
Exit point format	. . . . .	:	CERT0100
Exit program number	. . . . .	:	28
Exit program	. . . . .	:	QGLDCERT
Library	. . . . .	:	QSYS
Text description	. . . . .	:	

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*NO  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_DIRECTORY\_SERVER\_QUSRDIR  
11QDIRSRV 00120 00  
0 0\*PGM

0

Exit point . . . . . : QIBM\_QSY\_CERT\_APPS  
Exit point format . . . . . : CERT0100  
Exit program number . . . . . : 29  
Exit program . . . . . : QSOSMDCM  
Library . . . . . : QSYS  
Text description . . . . . : IBM i System Service

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*NO  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QSM\_SERVICE  
01\*NONE 00020 00  
0 0\*PGM

0

Exit point . . . . . : QIBM\_QSY\_CHG\_PROFILE  
Exit point format . . . . . : CHGP0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . : \*NOMAX  
Current number of exit programs . . . : 1  
Preprocessing for add . . . . . : QSYPREAD  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QSYPRERM  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : Change User Profile - after change

Exit point . . . . . : QIBM\_QSY\_CHG\_PROFILE  
Exit point format . . . . . : CHGP0100  
Exit program number . . . . . : 2147483647  
Exit program . . . . . : QGLDPUEXIT  
Library . . . . . : QSYS  
Text description . . . . . : IBM Tivoli Directory Server

Exit program data CCSID . . . . . : 37



Exit program data length . . . . . : 11  
Threadsafe . . . . . : \*YES  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QGLD\_0

Exit point . . . . . : QIBM\_QSY\_CHG\_PROFILE  
Exit point format . . . . . : CHGP0200  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . : \*NOMAX  
Current number of exit programs . . . : 0  
Preprocessing for add . . . . . : QSYPREAD  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QSYPRERM  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : Change User Profile - before change

Exit point . . . . . : QIBM\_QSY\_CHK\_PASSWRD  
Exit point format . . . . . : CHKP0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . : \*NOMAX  
Current number of exit programs . . . : 0  
Preprocessing for add . . . . . : QSYPREAD  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QSYPRERM  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : Check Password

Exit point . . . . . : QIBM\_QSY\_CRT\_PROFILE  
Exit point format . . . . . : CRTP0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . : \*NOMAX  
Current number of exit programs . . . : 1  
Preprocessing for add . . . . . : QSYPREAD  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QSYPRERM  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :

```
Allow change . . . . . : *NO
Text description . . . . . : Create User Profile

Exit point . . . . . : QIBM_QSY_CRT_PROFILE
Exit point format . . . . . : CRTP0100
Exit program number . . . . . : 2147483647
Exit program . . . . . : QGLDPUEXIT
  Library . . . . . : QSYS
Text description . . . . . : IBM Tivoli Directory Server

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 11
Threadsafe . . . . . : *YES
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  QIBM_QGLD_0

Exit point . . . . . : QIBM_QSY_DLT_PROFILE
Exit point format . . . . . : DLTP0100
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *NO
Maximum number of exit programs . . . . . : *NOMAX
Current number of exit programs . . . . . : 5
Preprocessing for add . . . . . : QSYPREAD
  Library . . . . . : QSYS
  Format . . . . . : ADDP0100
Preprocessing for remove . . . . . : QSYPRERM
  Library . . . . . : QSYS
  Format . . . . . : RMVP0100
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *NO
Text description . . . . . : Delete User Profile - after delete

Exit point . . . . . : QIBM_QSY_DLT_PROFILE
Exit point format . . . . . : DLTP0100
Exit program number . . . . . : 5555
Exit program . . . . . : QYPSUSRPEX
  Library . . . . . : QSYS
Text description . . . . . :

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 0
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :

Exit point . . . . . : QIBM_QSY_DLT_PROFILE
Exit point format . . . . . : DLTP0100
Exit program number . . . . . : 27694187
Exit program . . . . . : QHXHDLTU
  Library . . . . . : QIWA2
Text description . . . . . : *BLANK

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 0
```

```
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :

Exit point . . . . . : QIBM_QSY_DLT_PROFILE
Exit point format . . . . . : DLTP0100
Exit program number . . . . . : 2147483645
Exit program . . . . . : QTMSDLTP
  Library . . . . . : QTCP
Text description . . . . . : SMTP User Exit Program

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 0
Threadsafe . . . . . : *NO
Multithreaded job action . . . . . : *NORUN
Exit program data . . . . . :

Exit point . . . . . : QIBM_QSY_DLT_PROFILE
Exit point format . . . . . : DLTP0100
Exit program number . . . . . : 2147483646
Exit program . . . . . : QGLDPUEXIT
  Library . . . . . : QSYS
Text description . . . . . : IBM Tivoli Directory Server

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 11
Threadsafe . . . . . : *YES
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  QIBM_QGLD_0

Exit point . . . . . : QIBM_QSY_DLT_PROFILE
Exit point format . . . . . : DLTP0100
Exit program number . . . . . : 2147483647
Exit program . . . . . : QTMSDLTP
  Library . . . . . : QTCP
Text description . . . . . : SMTP User Exit Program

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 0
Threadsafe . . . . . : *NO
Multithreaded job action . . . . . : *NORUN
Exit program data . . . . . :

Exit point . . . . . : QIBM_QSY_DLT_PROFILE
Exit point format . . . . . : DLTP0200
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *NO
Maximum number of exit programs . . . : *NOMAX
Current number of exit programs . . . : 0
Preprocessing for add . . . . . : QSYPREAD
  Library . . . . . : QSYS
  Format . . . . . : ADDP0100
Preprocessing for remove . . . . . : QSYPRERM
  Library . . . . . : QSYS
  Format . . . . . : RMVP0100
```

Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : Delete User Profile - before delete

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . : \*NOMAX  
Current number of exit programs . . . : 139

Preprocessing for add . . . . . : QSYPADFN  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QSYPRMFN  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100

Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : Host Functions

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 1  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_BASE\_OPERATING\_SYSTEM 1 \*NONE  
QCPFMSG QSYS CPXC295

QCPFMSG QSYS CPXC295

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 2  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_SERVICE 2QIBM\_BASE\_OPERATING\_SYSTEM \*NONE  
QCPFMSG QSYS CPX222E

QCPFMSG QSYS CPX222F

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 3  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QYAS\_SERVICE\_DISKMGMT 3QIBM\_BASE\_OPERATING\_SYSTEM QIBM\_SERVICE  
QCPFMSG QSYS CPXBA20

QCPFMSG QSYS CPXBA21

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 4  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_SERVICE\_TRACE 3QIBM\_BASE\_OPERATING\_SYSTEM QIBM\_SERVICE  
QCPFMSG QSYS CPX35BA

QCPFMSG QSYS CPX35BB

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 5  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QSY\_DIGITAL\_CERT\_MGR 1 \*NONE  
QCPFMSG QSYS CPX223A

QCPFMSG QSYS CPX223A

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 6  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :  
  
Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QSY\_SYSTEM\_CERT\_STORE 3QIBM\_QSY\_DIGITAL\_CERT\_MGR \*NONE  
QCPFMSG QSYS CPX223D

QCPFMSG QSYS CPX223E

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 7  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :  
  
Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QSY\_OBJECT\_SIGNING\_APPS 2QIBM\_QSY\_DIGITAL\_CERT\_MGR \*NONE  
QCPFMSG QSYS CPX223B

QCPFMSG QSYS CPX223C

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 8  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :  
  
Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QCST\_SERVICE\_CLUSTMGMT 2QIBM\_BASE\_OPERATING\_SYSTEM QIBM\_SERVICE  
QCPFMSG QSYS CPXBDC4

QCPFMSG QSYS CPXBDC5

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 9  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QYLP\_SERVICE\_LPARMGMT 2QIBM\_BASE\_OPERATING\_SYSTEM QIBM\_SERVICE  
QCPFMSG QSYS CPXBA05

QCPFMSG QSYS CPXBA06

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 10  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_SERVICE\_DUMP 3QIBM\_BASE\_OPERATING\_SYSTEM QIBM\_SERVICE  
QCPFMSG QSYS CPX39BA

QCPFMSG QSYS CPX39BB

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 11  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_DIRSRV\_ADMIN 3QIBM\_BASE\_OPERATING\_SYSTEM \*NONE  
QGLDMSG QSYS GLD0601

QGLDMSG QSYS GLD0602

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 12  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :  
  
Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QYPS\_MGTCTRL 1 \*NONE  
QCPFMSG QSYS CPXB904

QCPFMSG QSYS CPXB905

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 13  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :  
  
Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QYPS\_MGTCTRL\_SUPER\_USER 3QIBM\_QYPS\_MGTCTRL \*NONE  
QCPFMSG QSYS CPXB902

QCPFMSG QSYS CPXB903

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 14  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :  
  
Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_SERVICE\_THREAD 3QIBM\_BASE\_OPERATING\_SYSTEM QIBM\_SERVICE  
QCPFMSG QSYS CPXB430

QCPFMSG QSYS CPXB431



Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 15  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_ALLOBJ 2QIBM\_BASE\_OPERATING\_SYSTEM \*NONE  
QCPFMSG QSYS CPX9804

QCPFMSG QSYS CPX9805

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 16  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_ACCESS\_ALLOBJ\_JOBLOG 3QIBM\_BASE\_OPERATING\_SYSTEM QIBM\_ALLOBJ  
QCPFMSG QSYS CPX2431

QCPFMSG QSYS CPX2432

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 17  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_DB 2QIBM\_BASE\_OPERATING\_SYSTEM \*NONE  
QCPFMSG QSYS CPX5C55

QCPFMSG QSYS CPX5C56

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 18  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_DB\_SQLADM 3QIBM\_BASE\_OPERATING\_SYSTEM QIBM\_DB  
QCPFMSG QSYS CPX5C51

QCPFMSG QSYS CPX5C52

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 19  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_DB\_SYSMON 3QIBM\_BASE\_OPERATING\_SYSTEM QIBM\_DB  
QCPFMSG QSYS CPX5C53

QCPFMSG QSYS CPX5C54

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 20  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_DB\_SECADM 3QIBM\_BASE\_OPERATING\_SYSTEM QIBM\_DB  
QCPFMSG QSYS CPX5C57

QCPFMSG QSYS CPX5C58

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 21  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_DB\_DDMDRDA 3QIBM\_BASE\_OPERATING\_SYSTEM QIBM\_DB  
QCPFMSG QSYS CPX9150

QCPFMSG QSYS CPX9151

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 22  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_DB\_ZDA 3QIBM\_BASE\_OPERATING\_SYSTEM QIBM\_DB  
QIWSMSG QSYS PWS0022

QIWSMSG QSYS PWS0023

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 23  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_ALLOBJ\_TRACE\_ANY\_USER 3QIBM\_BASE\_OPERATING\_SYSTEM QIBM\_ALLOBJ  
QCPFMSG QSYS CPX35B0

QCPFMSG QSYS CPX35B1

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 24  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :  
  
Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QINAV\_NAVIGATOR\_WEB 1 \*NONE  
QCPFMSG QSYS CPX1BF0

QCPFMSG QSYS CPX1BF0

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 25  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :  
  
Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QINAV\_WEB\_FUNCTIONS 3QIBM\_QINAV\_NAVIGATOR\_WEB \*NONE  
QCPFMSG QSYS CPX1BF1

QCPFMSG QSYS CPX1BF2

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 26  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :  
  
Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QINAV\_WEB\_INTERFACE 3QIBM\_QINAV\_NAVIGATOR\_WEB \*NONE  
QCPFMSG QSYS CPX1BF3

QCPFMSG QSYS CPX1BF4

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 27  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_SERVICE\_JOB\_WATCHER 3QIBM\_BASE\_OPERATING\_SYSTEM QIBM\_SERVICE  
QCPFMSG QSYS CPX5B01JOB WATCHER

QCPFMSG QSYS CPX5B02JOB WATCHER PERFORMANCE TOOL

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 28  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_SERVICE\_DISK\_WATCHER 3QIBM\_BASE\_OPERATING\_SYSTEM QIBM\_SERVICE  
QCPFMSG QSYS CPXB511DISK WATCHER

QCPFMSG QSYS CPXB512DISK WATCHER PERFORMANCE TOOL

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 29  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_SERVICE\_WATCH 3QIBM\_BASE\_OPERATING\_SYSTEM QIBM\_SERVICE  
QCPFMSG QSYS CPX39BC

QCPFMSG QSYS CPX39BD

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 30  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_WATCH\_ANY\_JOB 3QIBM\_BASE\_OPERATING\_SYSTEM QIBM\_ALLOBJ  
QCPFMSG QSYS CPX39BE

QCPFMSG QSYS CPX39BF

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 31  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QINAV\_WEB\_CONFIGURE 3QIBM\_QINAV\_NAVIGATOR\_WEB \*NONE  
QCPFMSG QSYS CPX1BF5

QCPFMSG QSYS CPX1BF6

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 32  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QTMS\_TCPIP 1 \*NONE  
QTCPMSGF QTCP TCP3CE1

QTCPMSGF QTCP TCP3CF3

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 33  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QTMS\_SERVER\_REQ\_0 3QIBM\_QTMS\_TCPIP \*NONE  
QTCPSMGF QTCP TCP508B

QTCPSMGF QTCP TCP508C

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 34  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QTM\_TCPIP 1 \*NONE  
QTCPSMGF QTCP TCP3CE1

QTCPSMGF QTCP TCP3CF3

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 35  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QTMF\_FTP 2QIBM\_QTM\_TCPIP \*NONE  
QTCPSMGF QTCP TCP3CE2

QTCPSMGF QTCP TCP3CEF

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 36  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QTMF\_FTP\_CLIENT 2QIBM\_QTM\_TCPIP QIBM\_QTMF\_FTP  
QTCPSMGF QTCP TCP3CE3

QTCPSMGF QTCP TCP3CF4

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 37  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QTMF\_FTP\_SERVER 2QIBM\_QTM\_TCPIP QIBM\_QTMF\_FTP  
QTCPSMGF QTCP TCP3CE4

QTCPSMGF QTCP TCP3CF5

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 38  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QTMF\_FTP\_CLIENT\_REQ 2QIBM\_QTM\_TCPIP QIBM\_QTMF\_FTP\_C  
ENT QTCPSMGF QTCP TCP3CE7

QTCPSMGF QTCP TCP3CF8



Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 39  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QTMF\_FTP\_SERVER\_REQ 2QIBM\_QTM\_TCPIP QIBM\_QTMF\_FTP\_S  
VER QTCPMSGF QTCP TCP3CE8

QTCPMSGF QTCP TCP3CF9

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 40  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QTMF\_CLIENT\_REQ\_0 3QIBM\_QTM\_TCPIP QIBM\_QTMF\_FTP\_C  
ENT QTCPMSGF QTCP TCP3CE5

QTCPMSGF QTCP TCP3CF6

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 41  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QTMF\_CLIENT\_REQ\_3 3QIBM\_QTM\_TCPIP QIBM\_QTMF\_FTP\_C  
ENT\_REQ QTCPMSGF QTCP TCP3CE9

QTCPMSGF QTCP TCP3CFA

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 42  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QTMF\_CLIENT\_REQ\_6 3QIBM\_QTM\_TCPIP QIBM\_QTMF\_FTP\_C  
ENT\_REQ QTCPMSGF QTCP TCP3CEA

QTCPMSGF QTCP TCP3CFC

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 43  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QTMF\_CLIENT\_REQ\_7 3QIBM\_QTM\_TCPIP QIBM\_QTMF\_FTP\_C  
ENT\_REQ QTCPMSGF QTCP TCP3CEB

QTCPMSGF QTCP TCP3CFE

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 44  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QTMF\_CLIENT\_REQ\_9 3QIBM\_QTM\_TCPIP QIBM\_QTMF\_FTP\_C  
ENT\_REQ QTCPMSGF QTCP TCP3CEC

QTCPMSGF QTCP TCP3D01

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 45  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QTMF\_CLIENT\_REQ\_10 3QIBM\_QTM\_TCPIP QIBM\_QTMF\_FTP\_C  
ENT\_REQ QTCPMSGF QTCP TCP3D45  
QTCPMSGF QTCP TCP3D46

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 46  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QTMF\_SERVER\_REQ\_0 3QIBM\_QTM\_TCPIP QIBM\_QTMF\_FTP\_S  
VER QTCPMSGF QTCP TCP3CE6  
QTCPMSGF QTCP TCP3CF7

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 47  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QTMF\_SERVER\_REQ\_1 3QIBM\_QTM\_TCPIP QIBM\_QTMF\_FTP\_S  
VER\_REQ QTCPMSGF QTCP TCP3CED  
QTCPMSGF QTCP TCP3D03

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 48  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QTMF\_SERVER\_REQ\_2 3QIBM\_QTM\_TCPIP QIBM\_QTMF\_FTP\_S  
VER\_REQ QTCPMSGF QTCP TCP3CEE  
QTCPMSGF QTCP TCP3D04

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 49  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QTMF\_SERVER\_REQ\_3 3QIBM\_QTM\_TCPIP QIBM\_QTMF\_FTP\_S  
VER\_REQ QTCPMSGF QTCP TCP3CE9  
QTCPMSGF QTCP TCP3CFB

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 50  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QTMF\_SERVER\_REQ\_4 3QIBM\_QTM\_TCPIP QIBM\_QTMF\_FTP\_S  
VER\_REQ QTCPMSGF QTCP TCP3CF0  
QTCPMSGF QTCP TCP3D05

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 51  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QTMF\_SERVER\_REQ\_5 3QIBM\_QTM\_TCPIP QIBM\_QTMF\_FTP\_S  
VER\_REQ QTCPSMGF QTCP TCP3CF1  
QTCPSMGF QTCP TCP3D06

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 52  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QTMF\_SERVER\_REQ\_6 3QIBM\_QTM\_TCPIP QIBM\_QTMF\_FTP\_S  
VER\_REQ QTCPSMGF QTCP TCP3CEA  
QTCPSMGF QTCP TCP3D00

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 53  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QTMF\_SERVER\_REQ\_7 3QIBM\_QTM\_TCPIP QIBM\_QTMF\_FTP\_S  
VER\_REQ QTCPSMGF QTCP TCP3CEB  
QTCPSMGF QTCP TCP3CFD

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 54  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QTMF\_SERVER\_REQ\_8 3QIBM\_QTM\_TCPIP QIBM\_QTMF\_FTP\_S  
VER\_REQ QTCPMSGF QTCP TCP3CF2  
QTCPMSGF QTCP TCP3D07

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 55  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QTMF\_SERVER\_REQ\_9 3QIBM\_QTM\_TCPIP QIBM\_QTMF\_FTP\_S  
VER\_REQ QTCPMSGF QTCP TCP3CEC  
QTCPMSGF QTCP TCP3D02

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 56  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QTMF\_SERVER\_REQ\_10 3QIBM\_QTM\_TCPIP QIBM\_QTMF\_FTP\_S  
VER\_REQ QTCPMSGF QTCP TCP3D45  
QTCPMSGF QTCP TCP3D47

```
Exit point . . . . . : QIBM_QSY_HOSTFUNC
Exit point format . . . . . : FCNR0100
Exit program number . . . . . : 57
Exit program . . . . . : FUNCTION
  Library . . . . . : REGISTER
Text description . . . . . :

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 1024
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  QIBM_QYCM_CIMOM 1 *NONE
    QCIMMSG QUME CIM0202
      QCIMMSG QUME CIM0203

Exit point . . . . . : QIBM_QSY_HOSTFUNC
Exit point format . . . . . : FCNR0100
Exit program number . . . . . : 58
Exit program . . . . . : FUNCTION
  Library . . . . . : REGISTER
Text description . . . . . :

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 1024
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  QIBM_QYCM_CIMOM_CLASS_FUNC 2QIBM_QYCM_CIMOM *NONE
    QCIMMSG QUME CIM0204
      QCIMMSG QUME CIM0204

Exit point . . . . . : QIBM_QSY_HOSTFUNC
Exit point format . . . . . : FCNR0100
Exit program number . . . . . : 59
Exit program . . . . . : FUNCTION
  Library . . . . . : REGISTER
Text description . . . . . :

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 1024
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  QIBM_QYCM_CIMOM_QUAL_FUNC 2QIBM_QYCM_CIMOM *NONE
    QCIMMSG QUME CIM0205
      QCIMMSG QUME CIM0205
```

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 60  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QYCM\_CIMOM\_CREATE\_CLASS 3QIBM\_QYCM\_CIMOM QIBM\_QYCM\_CIMOM  
LASS\_FUNC QCIMMSG QUME CIM0206

QCIMMSG QUME CIM0207

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 61  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QYCM\_CIMOM\_DELETE\_CLASS 3QIBM\_QYCM\_CIMOM QIBM\_QYCM\_CIMOM  
LASS\_FUNC QCIMMSG QUME CIM0208

QCIMMSG QUME CIM0209

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 62  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QYCM\_CIMOM\_GET\_CLASS 3QIBM\_QYCM\_CIMOM QIBM\_QYCM\_CIMOM  
LASS\_FUNC QCIMMSG QUME CIM020A

QCIMMSG QUME CIM020B



Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 63  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG

Exit program data . . . . . :  
QIBM\_QYCM\_CIMOM\_ENUM\_CLASS\_NAM3QIBM\_QYCM\_CIMOM QIBM\_QYCM\_CIMOM  
LASS\_FUNC QCIMMSG QUME CIM020C

QCIMMSG QUME CIM020D

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 64  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG

Exit program data . . . . . :  
QIBM\_QYCM\_CIMOM\_ENUM\_CLASS 3QIBM\_QYCM\_CIMOM QIBM\_QYCM\_CIMOM  
LASS\_FUNC QCIMMSG QUME CIM020E

QCIMMSG QUME CIM020F

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 65  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG

Exit program data . . . . . :  
QIBM\_QYCM\_CIMOM\_MODIFY\_CLASS 3QIBM\_QYCM\_CIMOM QIBM\_QYCM\_CIMOM  
LASS\_FUNC QCIMMSG QUME CIM0210

QCIMMSG QUME CIM0211

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 66  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QYCM\_CIMOM\_DELETE\_QUAL 3QIBM\_QYCM\_CIMOM QIBM\_QYCM\_CIMOM  
UAL\_FUNC QCIMMSG QUME CIM0212

QCIMMSG QUME CIM0213

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 67  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QYCM\_CIMOM\_GET\_QUAL 3QIBM\_QYCM\_CIMOM QIBM\_QYCM\_CIMOM  
UAL\_FUNC QCIMMSG QUME CIM0214

QCIMMSG QUME CIM0215

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 68  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QYCM\_CIMOM\_ENUM\_QUAL 3QIBM\_QYCM\_CIMOM QIBM\_QYCM\_CIMOM  
UAL\_FUNC QCIMMSG QUME CIM0216

QCIMMSG QUME CIM0217

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 69  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QYCM\_CIMOM\_SET\_QUAL 3QIBM\_QYCM\_CIMOM QIBM\_QYCM\_CIMOM  
UAL\_FUNC QCIMMSG QUME CIM0218

QCIMMSG QUME CIM0219

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 70  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QUME\_CIMOM\_PROVIDER\_FUNC 2QIBM\_QYCM\_CIMOM \*NONE  
QCIMMSG QUME CIM0201

QCIMMSG QUME CIM0201

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 71  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_QUME\_CIMOM\_METRIC 3QIBM\_QYCM\_CIMOM QIBM\_QUME\_CIMOM  
ROVIDER\_FUNC QCIMMSG QUME CIM1102

QCIMMSG QUME CIM1103

```
Exit point . . . . . : QIBM_QSY_HOSTFUNC
Exit point format . . . . . : FCNR0100
Exit program number . . . . . : 72
Exit program . . . . . : FUNCTION
  Library . . . . . : REGISTER
Text description . . . . . :

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 1024
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  QIBM_Q1A_BRMS 1 *NONE
    Q1AMSGF QBRM BRM0C01
      Q1AMSGF QBRM BRM0C05

Exit point . . . . . : QIBM_QSY_HOSTFUNC
Exit point format . . . . . : FCNR0100
Exit program number . . . . . : 73
Exit program . . . . . : FUNCTION
  Library . . . . . : REGISTER
Text description . . . . . :

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 1024
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  QIBM_Q1A_ARC_ALL 2QIBM_Q1A_BRMS *NONE
    Q1AMSGF QBRM BRM0C13
      Q1AMSGF QBRM BRM0F28

Exit point . . . . . : QIBM_QSY_HOSTFUNC
Exit point format . . . . . : FCNR0100
Exit program number . . . . . : 74
Exit program . . . . . : FUNCTION
  Library . . . . . : REGISTER
Text description . . . . . :

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 1024
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  QIBM_Q1A_BKU_ALL 2QIBM_Q1A_BRMS *NONE
    Q1AMSGF QBRM BRM0C12
      Q1AMSGF QBRM BRM0F2F
```

```
Exit point . . . . . : QIBM_QSY_HOSTFUNC
Exit point format . . . . . : FCNR0100
Exit program number . . . . . : 75
Exit program . . . . . : FUNCTION
  Library . . . . . : REGISTER
Text description . . . . . :

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 1024
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  QIBM_Q1A_MGR_ALL          2QIBM_Q1A_BRMS          *NONE
    Q1AMSGF      QBRM      BRM0C20

    Q1AMSGF      QBRM      BRM0F36

Exit point . . . . . : QIBM_QSY_HOSTFUNC
Exit point format . . . . . : FCNR0100
Exit program number . . . . . : 76
Exit program . . . . . : FUNCTION
  Library . . . . . : REGISTER
Text description . . . . . :

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 1024
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  QIBM_Q1A_MED_ALL          2QIBM_Q1A_BRMS          *NONE
    Q1AMSGF      QBRM      BRM0F0A

    Q1AMSGF      QBRM      BRM0F3E

Exit point . . . . . : QIBM_QSY_HOSTFUNC
Exit point format . . . . . : FCNR0100
Exit program number . . . . . : 77
Exit program . . . . . : FUNCTION
  Library . . . . . : REGISTER
Text description . . . . . :

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 1024
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  QIBM_Q1A_MOV_ALL          2QIBM_Q1A_BRMS          *NONE
    Q1AMSGF      QBRM      BRM0F16

    Q1AMSGF      QBRM      BRM0F46
```

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC

Exit point format . . . . . : FCNR0100

Exit program number . . . . . : 78

Exit program . . . . . : FUNCTION

Library . . . . . : REGISTER

Text description . . . . . :

Exit program data CCSID . . . . . : 37

Exit program data length . . . . . : 1024

Threadsafe . . . . . : \*UNKNOWN

Multithreaded job action . . . . . : \*MSG

Exit program data . . . . . :

QIBM\_Q1A\_RCY\_ALL2QIBM\_Q1A\_BRMS\*NONE

Q1AMSGFQBRMBRM0C14

Q1AMSGFQBRMBRM0F4B

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC

Exit point format . . . . . : FCNR0100

Exit program number . . . . . : 79

Exit program . . . . . : FUNCTION

Library . . . . . : REGISTER

Text description . . . . . :

Exit program data CCSID . . . . . : 37

Exit program data length . . . . . : 1024

Threadsafe . . . . . : \*UNKNOWN

Multithreaded job action . . . . . : \*MSG

Exit program data . . . . . :

QIBM\_Q1A\_RTV\_ALL2QIBM\_Q1A\_BRMS\*NONE

Q1AMSGFQBRMBRM0F1B

Q1AMSGFQBRMBRM0F4E

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC

Exit point format . . . . . : FCNR0100

Exit program number . . . . . : 80

Exit program . . . . . : FUNCTION

Library . . . . . : REGISTER

Text description . . . . . :

Exit program data CCSID . . . . . : 37

Exit program data length . . . . . : 1024

Threadsafe . . . . . : \*UNKNOWN

Multithreaded job action . . . . . : \*MSG

Exit program data . . . . . :

QIBM\_Q1A\_SYS\_ALL2QIBM\_Q1A\_BRMS\*NONE

Q1AMSGFQBRMBRM0F1E

Q1AMSGFQBRMBRM0F51

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 81  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_ENT\_ALL 2QIBM\_Q1A\_BRMS \*NONE  
Q1AMSGF QBRM BRM0E01

Q1AMSGF QBRM BRM0E03

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 82  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_ARC 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_ARC\_AL  
Q1AMSGF QBRM BRM0F0B

Q1AMSGF QBRM BRM0F29

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 83  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_BKU 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_BKU\_AL  
Q1AMSGF QBRM BRM0F0C

Q1AMSGF QBRM BRM0F30

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 84  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_ARC\_PCY 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_ARC\_AL  
Q1AMSGF QBRM BRM0F04  
Q1AMSGF QBRM BRM0F2E

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 85  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_BKU\_PCY 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_BKU\_AL  
Q1AMSGF QBRM BRM0F07  
Q1AMSGF QBRM BRM0F2E

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 86  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_MGR 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_MGR\_AL  
Q1AMSGF QBRM BRM0F0D  
Q1AMSGF QBRM BRM0F37



Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 87  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_MGR\_PCY 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_MGR\_AL  
Q1AMSGF QBRM BRM0FA8  
Q1AMSGF QBRM BRM0F2E

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 88  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_MGR\_INF 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_MGR\_AL  
Q1AMSGF QBRM BRM0F09  
Q1AMSGF QBRM BRM0F3D

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 89  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_MED 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_MED\_AL  
Q1AMSGF QBRM BRM0F0E  
Q1AMSGF QBRM BRM0F3F

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 90  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_MED\_ADV 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_MED\_AL  
Q1AMSGF QBRM BRM0F26  
Q1AMSGF QBRM BRM0F40

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 91  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_MED\_INF 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_MED\_AL  
Q1AMSGF QBRM BRM0F11  
Q1AMSGF QBRM BRM0F43

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 92  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_MOV 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_MOV\_AL  
Q1AMSGF QBRM BRM0F17  
Q1AMSGF QBRM BRM0F47

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 93  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_MOV\_VFY 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_MOV\_AL  
Q1AMSGF QBRM BRM0F18  
Q1AMSGF QBRM BRM0F4A

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 94  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_RCY 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_RCY\_AL  
Q1AMSGF QBRM BRM0F1A  
Q1AMSGF QBRM BRM0F4C

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 95  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_RCY\_PCY 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_RCY\_AL  
Q1AMSGF QBRM BRM0F19  
Q1AMSGF QBRM BRM0F2E

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 96  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG

Exit program data . . . . . :  
QIBM\_Q1A\_RTV 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_RTV\_AL  
Q1AMSGF QBRM BRM0F1C  
Q1AMSGF QBRM BRM0F4F

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 97  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG

Exit program data . . . . . :  
QIBM\_Q1A\_RTV\_PCY 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_RTV\_AL  
Q1AMSGF QBRM BRM0F1D  
Q1AMSGF QBRM BRM0F2E

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 98  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG

Exit program data . . . . . :  
QIBM\_Q1A\_SYS 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_SYS\_AL  
Q1AMSGF QBRM BRM0F1F  
Q1AMSGF QBRM BRM0F52

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 99  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_SYS\_ASP 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_SYS\_AL  
Q1AMSGF QBRM BRM0F20  
Q1AMSGF QBRM BRM0F53

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 100  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_SYS\_DEV 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_SYS\_AL  
Q1AMSGF QBRM BRM0F21  
Q1AMSGF QBRM BRM0F54

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 101  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_INZBRM 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_SYS\_AL  
Q1AMSGF QBRM BRM0F22  
Q1AMSGF QBRM BRM0F55

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 102  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_SYS\_MNT 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_SYS\_AL  
Q1AMSGF QBRM BRM0C18  
Q1AMSGF QBRM BRM0F57

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 103  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_ENT 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_ENT\_AL  
Q1AMSGF QBRM BRM0E02  
Q1AMSGF QBRM BRM0E03

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 104  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_SYS\_PCY 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_SYS\_AL  
Q1AMSGF QBRM BRM0F25  
Q1AMSGF QBRM BRM0F2E

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 105  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_ARC\_CTLG 2QIBM\_Q1A\_BRMS QIBM\_Q1A\_ARC\_AL  
Q1AMSGF QBRM BRM0F01

Q1AMSGF QBRM BRM0F2A

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 106  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_ARC\_LIST 2QIBM\_Q1A\_BRMS QIBM\_Q1A\_ARC\_AL  
Q1AMSGF QBRM BRM0F03

Q1AMSGF QBRM BRM0F33

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 107  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_BKU\_CTLG 2QIBM\_Q1A\_BRMS QIBM\_Q1A\_BKU\_AL  
Q1AMSGF QBRM BRM0F05

Q1AMSGF QBRM BRM0F2A

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 108  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_BKU\_LIST 2QIBM\_Q1A\_BRMS QIBM\_Q1A\_BKU\_AL  
Q1AMSGF QBRM BRM0F06  
Q1AMSGF QBRM BRM0F33

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 109  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_MGR\_CTLG 2QIBM\_Q1A\_BRMS QIBM\_Q1A\_MGR\_AL  
Q1AMSGF QBRM BRM0F08  
Q1AMSGF QBRM BRM0F2A

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 110  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_MED\_CLS 2QIBM\_Q1A\_BRMS QIBM\_Q1A\_MED\_AL  
Q1AMSGF QBRM BRM0F0F  
Q1AMSGF QBRM BRM0F41



Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 111  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_MED\_PCY 2QIBM\_Q1A\_BRMS QIBM\_Q1A\_MED\_AL  
Q1AMSGF QBRM BRM0F12  
Q1AMSGF QBRM BRM0F2E

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 112  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_MOV\_PCY 2QIBM\_Q1A\_BRMS QIBM\_Q1A\_MOV\_AL  
Q1AMSGF QBRM BRM0F14  
Q1AMSGF QBRM BRM0F2E

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 113  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_MED\_CLS\_FMTOPTUDF 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_MED\_CL  
FMTOPTUDF  
Q1AMSGF QBRM BRM0F42

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 114  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_MED\_CLS\_SAVSYS 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_MED\_CL  
SAVSYS

Q1AMSGF QBRM BRM0F42

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 115  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_ARC\_CTLG\_BRM.ARCGRP 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_ARC\_CT  
\*ARCGRP

Q1AMSGF QBRM BRM0F2B

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 116  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_MED\_PCY\_FULLL 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_MED\_PC  
FULL

Q1AMSGF QBRM BRM0F45

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 117  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_MED\_PCY\_INCR 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_MED\_PC  
INCR

Q1AMSGF QBRM BRM0F45

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 118  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_MED\_PCY\_ARCHIVAL 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_MED\_PC  
ARCHIVAL

Q1AMSGF QBRM BRM0F45

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 119  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_MED\_PCY\_SAVSYS 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_MED\_PC  
SAVSYS

Q1AMSGF QBRM BRM0F45

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 120  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_MED\_PCY\_FMTOPTUDF 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_MED\_PC  
FMTOPTUDF

Q1AMSGF QBRM BRM0F45

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 121  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_MOV\_PCY\_OFFSITE 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_MOV\_PC  
OFFSITE

Q1AMSGF QBRM BRM0F45

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 122  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_MGR\_CTLG\_BRM.MGRGRP 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_MGR\_CT  
\*MGRGRP

Q1AMSGF QBRM BRM0F2B

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 123  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_MED\_PCY\_SAVF 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_MED\_PC  
SAVF

Q1AMSGF QBRM BRM0F45

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 124  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_MED\_PCY\_SYSTEM 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_MED\_PC  
SYSTEM

Q1AMSGF QBRM BRM0F45

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 125  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_BKU\_CTLG\_BRM.SYSTEM 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_BKU\_CT  
\*SYSTEM

Q1AMSGF QBRM BRM0F2B

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 126  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_BKU\_CTLG\_BRMS.SYSGRP 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_BKU\_CT  
\*SYSGRP

Q1AMSGF QBRM BRM0F2B

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 127  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_BKU\_CTLG\_BRMS.BKUGRP 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_BKU\_CT  
\*BKUGRP

Q1AMSGF QBRM BRM0F2B

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 128  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_BKU\_LIST\_QALLSPLF 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_BKU\_LI  
QALLSPLF

Q1AMSGF QBRM BRM0F2D

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 129  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG

Exit program data . . . . . :  
QIBM\_Q1A\_BKU\_LIST\_QIBMLINK 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_BKU\_LI  
QIBMLINK

Q1AMSGF QBRM BRM0F2D

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 130  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG

Exit program data . . . . . :  
QIBM\_Q1A\_BKU\_LIST\_QALLUSRLNK 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_BKU\_LI  
QALLUSRLNK

Q1AMSGF QBRM BRM0F2D

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 131  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG

Exit program data . . . . . :  
QIBM\_Q1A\_BKU\_LIST\_QLNKOMT 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_BKU\_LI  
QLNKOMT

Q1AMSGF QBRM BRM0F2D

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 132  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_MGR\_LIST 2QIBM\_Q1A\_BRMS QIBM\_Q1A\_MGR\_AL  
Q1AMSGF QBRM BRM0C24  
Q1AMSGF QBRM BRM0F33

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 133  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_MED\_CLS\_VRTUDF 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_MED\_CL  
VRTUDF  
Q1AMSGF QBRM BRM0F42

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 134  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_MED\_CLS\_VRT32K 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_MED\_CL  
VRT32K  
Q1AMSGF QBRM BRM0F42



Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 135  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_MED\_CLS\_VRT64K 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_MED\_CL  
VRT64K

Q1AMSGF QBRM BRM0F42

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 136  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_MED\_CLS\_VRT240K 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_MED\_CL  
VRT240K

Q1AMSGF QBRM BRM0F42

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 137  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_MED\_CLS\_VRT256K 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_MED\_CL  
VRT256K

Q1AMSGF QBRM BRM0F42

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 138  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_MED\_PCY\_VIRTUAL 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_MED\_PC  
VIRTUAL

Q1AMSGF QBRM BRM0F45

Exit point . . . . . : QIBM\_QSY\_HOSTFUNC  
Exit point format . . . . . : FCNR0100  
Exit program number . . . . . : 139  
Exit program . . . . . : FUNCTION  
Library . . . . . : REGISTER  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 1024  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
QIBM\_Q1A\_MED\_PCY\_VRTUDF 3QIBM\_Q1A\_BRMS QIBM\_Q1A\_MED\_PC  
VRTUDF

Q1AMSGF QBRM BRM0F45

Exit point . . . . . : QIBM\_QSY\_OPNAVCENTRL  
Exit point format . . . . . : FCNR0200  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . : \*NOMAX  
Current number of exit programs . . . : 0  
Preprocessing for add . . . . . : QSYPADFN  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QSYPRMFN  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : Central Navigator Functions

Exit point . . . . . : QIBM\_QSY\_OPNAVCLIENT  
Exit point format . . . . . : FCNR0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . : \*NOMAX

Current number of exit programs . . . : 0  
Preprocessing for add . . . . . : QSYPADFN  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QSYPRMFN  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : Local Navigator Functions

Exit point . . . . . : QIBM\_QSY\_OTHERCENTRL  
Exit point format . . . . . : FCNR0200  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . : \*NOMAX  
Current number of exit programs . . . : 0  
Preprocessing for add . . . . . : QSYPADFN  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QSYPRMFN  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : Central Other Client Functions

Exit point . . . . . : QIBM\_QSY\_OTHERCLIENT  
Exit point format . . . . . : FCNR0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . : \*NOMAX  
Current number of exit programs . . . : 0  
Preprocessing for add . . . . . : QSYPADFN  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QSYPRMFN  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : Local Other Client Functions

Exit point . . . . . : QIBM\_QSY\_RST\_PROFILE  
Exit point format . . . . . : RSTP0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . : 20  
Current number of exit programs . . . : 0

```
Preprocessing for add . . . . . : QSYPREAD
  Library . . . . . : QSYS
  Format . . . . . : ADDP0100
Preprocessing for remove . . . . . : QSYPRERM
  Library . . . . . : QSYS
  Format . . . . . : RMVP0100
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *NO
Text description . . . . . : Restore User Profile

Exit point . . . . . : QIBM_QSY_VLD_PASSWRD
Exit point format . . . . . : VLDP0100
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *NO
Maximum number of exit programs . . . : *NOMAX
Current number of exit programs . . . : 0
Preprocessing for add . . . . . : QSYPREAD
  Library . . . . . : QSYS
  Format . . . . . : ADDP0100
Preprocessing for remove . . . . . : QSYPRERM
  Library . . . . . : QSYS
  Format . . . . . : RMVP0100
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *NO
Text description . . . . . : Validate Password CHGPWD, QSYCHGPW

Exit point . . . . . : QIBM_QSY_VLD_PASSWRD
Exit point format . . . . . : VLDP0200
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *NO
Maximum number of exit programs . . . : *NOMAX
Current number of exit programs . . . : 0
Preprocessing for add . . . . . : QSYPREAD
  Library . . . . . : QSYS
  Format . . . . . : ADDP0100
Preprocessing for remove . . . . . : QSYPRERM
  Library . . . . . : QSYS
  Format . . . . . : RMVP0100
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *NO
Text description . . . . . : Validate Password CRTUSRPRF, CHGUSRP
RF

Exit point . . . . . : QIBM_QTA_STOR_EX400
Exit point format . . . . . : EX400200
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *NO
Maximum number of exit programs . . . : 1
Current number of exit programs . . . : 0
```

```
Preprocessing for add . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for remove . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *NO
Text description . . . . . :

Exit point . . . . . : QIBM_QTA_STOR_EX400
Exit point format . . . . . : EX400300
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *NO
Maximum number of exit programs . . . : 10
Current number of exit programs . . . : 1
Preprocessing for add . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for remove . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *NO
Text description . . . . . :

Exit point . . . . . : QIBM_QTA_STOR_EX400
Exit point format . . . . . : EX400300
Exit program number . . . . . : 10
Exit program . . . . . : Q1ACSX
  Library . . . . . : QBRM
Text description . . . . . :

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 0
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :

Exit point . . . . . : QIBM_QTA_TAPE_TMS
Exit point format . . . . . : TMS00200
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *NO
Maximum number of exit programs . . . : 1
Current number of exit programs . . . : 1
Preprocessing for add . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for remove . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
```

```
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *NO
Text description . . . . . :

Exit point . . . . . : QIBM_QTA_TAPE_TMS
Exit point format . . . . . : TMS00200
Exit program number . . . . . : 1
Exit program . . . . . : Q1ARTMS
  Library . . . . . : QBRM
Text description . . . . . :

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 0
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :

Exit point . . . . . : QIBM_QTF_TRANSFER
Exit point format . . . . . : TRAN0100
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *NO
Maximum number of exit programs . . . : 1
Current number of exit programs . . . : 0
Preprocessing for add . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for remove . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *YES
Text description . . . . . : Original File Transfer Function

Exit point . . . . . : QIBM_QTG_DEVINIT
Exit point format . . . . . : INIT0100
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *NO
Maximum number of exit programs . . . : 1
Current number of exit programs . . . : 0
Preprocessing for add . . . . . : QTVADDP
  Library . . . . . : QSYS
  Format . . . . . : ADDP0100
Preprocessing for remove . . . . . : QTVRMVP
  Library . . . . . : QSYS
  Format . . . . . : RMVP0100
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *NO
Text description . . . . . : Telnet Device Initialization

Exit point . . . . . : QIBM_QTG_DEVTERM
Exit point format . . . . . : TERM0100
```

Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . : 1  
Current number of exit programs . . . : 0  
Preprocessing for add . . . . . : QTVADDP  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QTVRMVP  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : Telnet Device Termination

Exit point . . . . . : QIBM\_QTMF\_CLIENT\_REQ  
Exit point format . . . . . : VLRQ0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*YES  
Maximum number of exit programs . . . : 1  
Current number of exit programs . . . : 0  
Preprocessing for add . . . . . : QTMFADDP  
Library . . . . . : QTCP  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QTMFRMVP  
Library . . . . . : QTCP  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : FTP Client Request Validation

Exit point . . . . . : QIBM\_QTMF\_SERVER\_REQ  
Exit point format . . . . . : VLRQ0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*YES  
Maximum number of exit programs . . . : 1  
Current number of exit programs . . . : 0  
Preprocessing for add . . . . . : QTMFADDP  
Library . . . . . : QTCP  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QTMFRMVP  
Library . . . . . : QTCP  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : FTP Server Request Validation

Exit point . . . . . : QIBM\_QTMF\_SVR\_LOGON  
Exit point format . . . . . : TCPL0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*YES  
Maximum number of exit programs . . . : 1

```
Current number of exit programs . . . : 0
Preprocessing for add . . . . . : QTMFADDP
  Library . . . . . : QTCP
  Format . . . . . : ADDP0100
Preprocessing for remove . . . . . : QTMFRMVP
  Library . . . . . : QTCP
  Format . . . . . : RMVP0100
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *NO
Text description . . . . . : FTP Server Logon

Exit point . . . . . : QIBM_QTMF_SVR_LOGON
Exit point format . . . . . : TCPL0200
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *YES
Maximum number of exit programs . . . : 1
Current number of exit programs . . . : 0
Preprocessing for add . . . . . : QTMFADDP
  Library . . . . . : QTCP
  Format . . . . . : ADDP0100
Preprocessing for remove . . . . . : QTMFRMVP
  Library . . . . . : QTCP
  Format . . . . . : RMVP0100
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *NO
Text description . . . . . : FTP Server Logon

Exit point . . . . . : QIBM_QTMF_SVR_LOGON
Exit point format . . . . . : TCPL0300
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *YES
Maximum number of exit programs . . . : 1
Current number of exit programs . . . : 0
Preprocessing for add . . . . . : QTMFADDP
  Library . . . . . : QTCP
  Format . . . . . : ADDP0100
Preprocessing for remove . . . . . : QTMFRMVP
  Library . . . . . : QTCP
  Format . . . . . : RMVP0100
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *NO
Text description . . . . . : FTP Server Logon

Exit point . . . . . : QIBM_QTMX_SERVER_REQ
Exit point format . . . . . : VLRQ0100
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *YES
Maximum number of exit programs . . . : 1
Current number of exit programs . . . : 0
```



Preprocessing for add . . . . . : QTMXADDP  
Library . . . . . : QTCP  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QTMXRMVP  
Library . . . . . : QTCP  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : REXEC Server Request Validation

Exit point . . . . . : QIBM\_QTMX\_SVR\_LOGON  
Exit point format . . . . . : TCPL0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*YES  
Maximum number of exit programs . . . . : 1  
Current number of exit programs . . . . : 0  
Preprocessing for add . . . . . : QTMXADDP  
Library . . . . . : QTCP  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QTMXRMVP  
Library . . . . . : QTCP  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : REXEC Server Logon

Exit point . . . . . : QIBM\_QTMX\_SVR\_LOGON  
Exit point format . . . . . : TCPL0300  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*YES  
Maximum number of exit programs . . . . : 1  
Current number of exit programs . . . . : 0  
Preprocessing for add . . . . . : QTMXADDP  
Library . . . . . : QTCP  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QTMXRMVP  
Library . . . . . : QTCP  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : REXEC Server Logon

Exit point . . . . . : QIBM\_QTMX\_SVR\_SELECT  
Exit point format . . . . . : RXCS0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*YES  
Maximum number of exit programs . . . . : 1  
Current number of exit programs . . . . : 0  
Preprocessing for add . . . . . : QTMXADDP  
Library . . . . . : QTCP  
Format . . . . . : ADDP0100

Preprocessing for remove . . . . . : QTMXRMVP  
Library . . . . . : QTCP  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : REXEC Server Command Processing Sele  
ction

Exit point . . . . . : QIBM\_QTOD\_DHCP\_ABND  
Exit point format . . . . . : DHCA0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*YES  
Maximum number of exit programs . . . : \*NOMAX  
Current number of exit programs . . . : 0  
Preprocessing for add . . . . . : QTODDXAD  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QTODDXRM  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*YES  
Text description . . . . . : DHCP Address Binding Notify

Exit point . . . . . : QIBM\_QTOD\_DHCP\_ARLS  
Exit point format . . . . . : DHCR0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*YES  
Maximum number of exit programs . . . : \*NOMAX  
Current number of exit programs . . . : 0  
Preprocessing for add . . . . . : QTODDXAD  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QTODDXRM  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*YES  
Text description . . . . . : DHCP Address Release Notify

Exit point . . . . . : QIBM\_QTOD\_DHCP\_REQ  
Exit point format . . . . . : DHCV0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*YES  
Maximum number of exit programs . . . : 1  
Current number of exit programs . . . : 0  
Preprocessing for add . . . . . : QTODDXAD  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100

```
Preprocessing for remove . . . . . : QTODDXRM
  Library . . . . . : QSYS
  Format . . . . . : RMVP0100
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *NO
Text description . . . . . : DHCP Request Packet Validation

Exit point . . . . . : QIBM_QTOD_SERVER_REQ
Exit point format . . . . . : VLRQ0100
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *YES
Maximum number of exit programs . . . : 1
Current number of exit programs . . . : 0
Preprocessing for add . . . . . : QTODADDP
  Library . . . . . : QSYS
  Format . . . . . : ADDP0100
Preprocessing for remove . . . . . : QTODRMVP
  Library . . . . . : QSYS
  Format . . . . . : RMVP0100
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *YES
Text description . . . . . : TFTP Server Request Validation

Exit point . . . . . : QIBM_QVP_PRINTERS
Exit point format . . . . . : PRNT0100
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *NO
Maximum number of exit programs . . . : 1
Current number of exit programs . . . : 0
Preprocessing for add . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for remove . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *YES
Text description . . . . . : Original Virtual Print Server

Exit point . . . . . : QIBM_QWC_JOBITPPGM
Exit point format . . . . . : JITP0100
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *NO
Maximum number of exit programs . . . : *NOMAX
Current number of exit programs . . . : 0
Preprocessing for add . . . . . : QWCPDAUT
  Library . . . . . : QSYS
  Format . . . . . : ADDP0100
Preprocessing for remove . . . . . : QWCPDAUT
  Library . . . . . : QSYS
  Format . . . . . : RMVP0100
```

```
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *NO
Text description . . . . . : Job interrupt program exit point

Exit point . . . . . : QIBM_QWC_PRERESTRICT
Exit point format . . . . . : PRER0100
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *NO
Maximum number of exit programs . . . : *NOMAX
Current number of exit programs . . . : 1
Preprocessing for add . . . . . : QWCPDAUT
  Library . . . . . : QSYS
  Format . . . . . : ADDP0100
Preprocessing for remove . . . . . : QWCPDAUT
  Library . . . . . : QSYS
  Format . . . . . : RMVP0100
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *NO
Text description . . . . . : ENDSYS ENDSBS *ALL pre restricted st
ate processing
```

```
Exit point . . . . . : QIBM_QWC_PRERESTRICT
Exit point format . . . . . : PRER0100
Exit program number . . . . . : 1
Exit program . . . . . : QHNA PRST
  Library . . . . . : QSYS
Text description . . . . . : NWSD PRE-RESTRICTED STATE EXIT PG
```

M

```
Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 0
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
```

```
Exit point . . . . . : QIBM_QWC_PWRDWN SYS
Exit point format . . . . . : PWRD0100
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *NO
Maximum number of exit programs . . . : 1
Current number of exit programs . . . : 0
Preprocessing for add . . . . . : QWCPDAUT
  Library . . . . . : QSYS
  Format . . . . . : ADDP0100
Preprocessing for remove . . . . . : QWCPDAUT
  Library . . . . . : QSYS
  Format . . . . . : RMVP0100
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *NO
Text description . . . . . : Prepower down system exit point
```

Exit point . . . . . : QIBM\_QWC\_PWRDWN SYS  
Exit point format . . . . . : PWRD0200  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . . . : \*NOMAX  
Current number of exit programs . . . . . : 0  
Preprocessing for add . . . . . : QWCPDAUT  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QWCPDAUT  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : Prepower down system exit point

Exit point . . . . . : QIBM\_QWC\_QSTGLOWACN  
Exit point format . . . . . : STGL0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . . . : \*NOMAX  
Current number of exit programs . . . . . : 0  
Preprocessing for add . . . . . : QWCPDAUT  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QWCPDAUT  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : Auxiliary storage lower limit action

Exit point . . . . . : QIBM\_QWC\_RESUME  
Exit point format . . . . . : RSMS0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . . . : \*NOMAX  
Current number of exit programs . . . . . : 0  
Preprocessing for add . . . . . : QWCPDAUT  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QWCPDAUT  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : Resume system

Exit point . . . . . : QIBM\_QWC\_SUSPEND  
Exit point format . . . . . : SSPS0100  
Exit point registered . . . . . : \*YES

Allow deregister . . . . .	:	*NO
Maximum number of exit programs . . . . .	:	*NOMAX
Current number of exit programs . . . . .	:	0
Preprocessing for add . . . . .	:	QWCPDAUT
Library . . . . .	:	QSYS
Format . . . . .	:	ADDP0100
Preprocessing for remove . . . . .	:	QWCPDAUT
Library . . . . .	:	QSYS
Format . . . . .	:	RMVP0100
Preprocessing for retrieve . . . . .	:	*NONE
Library . . . . .	:	
Format . . . . .	:	
Allow change . . . . .	:	*NO
Text description . . . . .	:	Suspend system
Exit point . . . . .	:	QIBM_QWT_JOBNOTIFY
Exit point format . . . . .	:	NTFY0100
Exit point registered . . . . .	:	*YES
Allow deregister . . . . .	:	*NO
Maximum number of exit programs . . . . .	:	*NOMAX
Current number of exit programs . . . . .	:	0
Preprocessing for add . . . . .	:	QWTARJTN
Library . . . . .	:	QSYS
Format . . . . .	:	ADDP0100
Preprocessing for remove . . . . .	:	QWTARJTN
Library . . . . .	:	QSYS
Format . . . . .	:	RMVP0100
Preprocessing for retrieve . . . . .	:	*NONE
Library . . . . .	:	
Format . . . . .	:	
Allow change . . . . .	:	*NO
Text description . . . . .	:	Job Notification
Exit point . . . . .	:	QIBM_QWT_PREATTNPGMS
Exit point format . . . . .	:	ATTN0100
Exit point registered . . . . .	:	*YES
Allow deregister . . . . .	:	*NO
Maximum number of exit programs . . . . .	:	8
Current number of exit programs . . . . .	:	0
Preprocessing for add . . . . .	:	QWTATNAD
Library . . . . .	:	QSYS
Format . . . . .	:	ADDP0100
Preprocessing for remove . . . . .	:	QWTATNAD
Library . . . . .	:	QSYS
Format . . . . .	:	RMVP0100
Preprocessing for retrieve . . . . .	:	*NONE
Library . . . . .	:	
Format . . . . .	:	
Allow change . . . . .	:	*NO
Text description . . . . .	:	Preattention program exit point
Exit point . . . . .	:	QIBM_QWT_SYSREQPGMS
Exit point format . . . . .	:	SREQ0100
Exit point registered . . . . .	:	*YES
Allow deregister . . . . .	:	*NO
Maximum number of exit programs . . . . .	:	8
Current number of exit programs . . . . .	:	0

Preprocessing for add . . . . . : QWTATNAD  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QWTATNAD  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : Presystem request pgm exit point

Exit point . . . . . : QIBM\_QYIV\_INVGTRSRV  
Exit point format . . . . . : GTRS0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . . : \*NOMAX  
Current number of exit programs . . . . : 0  
Preprocessing for add . . . . . : QYIVADDEXT  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QYIVRMVEXT  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : Inventory gathering services

Exit point . . . . . : QIBM\_QYIV\_INVPRCSRV  
Exit point format . . . . . : PRCS0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . . : \*NOMAX  
Current number of exit programs . . . . : 0  
Preprocessing for add . . . . . : QYIVADDEXT  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QYIVRMVEXT  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : Inventory processing services

Exit point . . . . . : QIBM\_QYME\_MONITOR  
Exit point format . . . . . : MONT0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*YES  
Maximum number of exit programs . . . . : \*NOMAX  
Current number of exit programs . . . . : 0  
Preprocessing for add . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :

Preprocessing for remove . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*YES  
Text description . . . . . : Management Central threshold command

s

Exit point . . . . . : QIBM\_QZCA\_ADDC  
Exit point format . . . . . : ZCAA0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*YES  
Maximum number of exit programs . . . : 1  
Current number of exit programs . . . : 0  
Preprocessing for add . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Preprocessing for remove . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*YES  
Text description . . . . . : Add Client exit point

Exit point . . . . . : QIBM\_QZCA\_REFC  
Exit point format . . . . . : ZCAF0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*YES  
Maximum number of exit programs . . . : 1  
Current number of exit programs . . . : 0  
Preprocessing for add . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Preprocessing for remove . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*YES  
Text description . . . . . : Refresh Client Information exit poin

t

Exit point . . . . . : QIBM\_QZCA\_RMVC  
Exit point format . . . . . : ZCAR0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*YES  
Maximum number of exit programs . . . : 1  
Current number of exit programs . . . : 0  
Preprocessing for add . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :



```
Preprocessing for remove . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *YES
Text description . . . . . : Remove Client exit point

Exit point . . . . . : QIBM_QZCA_SNMPTRAP
Exit point format . . . . . : ZCAT0100
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *YES
Maximum number of exit programs . . . : *NOMAX
Current number of exit programs . . . : 0
Preprocessing for add . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for remove . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *YES
Text description . . . . . : SNMP trap routing exit point

Exit point . . . . . : QIBM_QZCA_UPDC
Exit point format . . . . . : ZCAU0100
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *YES
Maximum number of exit programs . . . : 1
Current number of exit programs . . . : 0
Preprocessing for add . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for remove . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *YES
Text description . . . . . : Update Client Information exit point

Exit point . . . . . : QIBM_QZDA_INIT
Exit point format . . . . . : ZDAI0100
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *NO
Maximum number of exit programs . . . : 1
Current number of exit programs . . . : 0
Preprocessing for add . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for remove . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
```

```
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *YES
Text description . . . . . : Database Server - entry

Exit point . . . . . : QIBM_QZDA_NDB1
Exit point format . . . . . : ZDAD0100
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *NO
Maximum number of exit programs . . . : 1
Current number of exit programs . . . : 0
Preprocessing for add . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for remove . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *YES
Text description . . . . . : Database Server - data base access

Exit point . . . . . : QIBM_QZDA_NDB1
Exit point format . . . . . : ZDAD0200
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *NO
Maximum number of exit programs . . . : 1
Current number of exit programs . . . : 0
Preprocessing for add . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for remove . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *YES
Text description . . . . . : Database Server - data base access

Exit point . . . . . : QIBM_QZDA_ROI1
Exit point format . . . . . : ZDAR0100
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *NO
Maximum number of exit programs . . . : 1
Current number of exit programs . . . : 0
Preprocessing for add . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for remove . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
```

```
Allow change . . . . . : *YES
Text description . . . . . : Database Server - object information

Exit point . . . . . : QIBM_QZDA_ROI1
Exit point format . . . . . : ZDAR0200
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *NO
Maximum number of exit programs . . . : 1
Current number of exit programs . . . : 0
Preprocessing for add . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for remove . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *YES
Text description . . . . . : Database Server - object information

Exit point . . . . . : QIBM_QZDA_SQL1
Exit point format . . . . . : ZDAQ0100
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *NO
Maximum number of exit programs . . . : 1
Current number of exit programs . . . : 0
Preprocessing for add . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for remove . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *YES
Text description . . . . . : Database Server - SQL access

Exit point . . . . . : QIBM_QZDA_SQL2
Exit point format . . . . . : ZDAQ0200
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *NO
Maximum number of exit programs . . . : 1
Current number of exit programs . . . : 0
Preprocessing for add . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for remove . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *YES
Text description . . . . . : Database Server - SQL access
```

Exit point . . . . . : QIBM\_QZHQ\_DATA\_QUEUE  
Exit point format . . . . . : ZHQ00100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . . : 1  
Current number of exit programs . . . . : 0  
Preprocessing for add . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Preprocessing for remove . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*YES  
Text description . . . . . : Data Queue Server

Exit point . . . . . : QIBM\_QZMFMSF\_ACT  
Exit point format . . . . . : MSFF0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . . : 1024  
Current number of exit programs . . . . : 1  
Preprocessing for add . . . . . : QZMFCAXP  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QZMFCAXR  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : MSF Accounting Exit

Exit point . . . . . : QIBM\_QZMFMSF\_ACT  
Exit point format . . . . . : MSFF0100  
Exit program number . . . . . : 1000  
Exit program . . . . . : QZDSNPAC  
Library . . . . . : QSYS  
Text description . . . . . : SNADS Accounting

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 28  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
SPCL010002A102A202A302A402A5

Exit point . . . . . : QIBM\_QZMFMSF\_ADR\_RSL  
Exit point format . . . . . : MSFF0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . . : 1024  
Current number of exit programs . . . . : 3

```
Preprocessing for add . . . . . : QZMFCAXP
  Library . . . . . : QSYS
  Format . . . . . : ADDP0100
Preprocessing for remove . . . . . : QZMFCAXR
  Library . . . . . : QSYS
  Format . . . . . : RMVP0100
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *NO
Text description . . . . . : MSF Address Resolution

Exit point . . . . . : QIBM_QZMFMSF_ADR_RSL
Exit point format . . . . . : MSFF0100
Exit program number . . . . . : 1000
Exit program . . . . . : QZDSNPAD
  Library . . . . . : QSYS
Text description . . . . . : SNADS Address Resolution

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 28
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  SPCL010001A101A201A301C001AT

Exit point . . . . . : QIBM_QZMFMSF_ADR_RSL
Exit point format . . . . . : MSFF0100
Exit program number . . . . . : 1300
Exit program . . . . . : QTMMADRS
  Library . . . . . : QTCP
Text description . . . . . : TC1 Address Resolution

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 16
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  SPCL010001B001B1

Exit point . . . . . : QIBM_QZMFMSF_ADR_RSL
Exit point format . . . . . : MSFF0100
Exit program number . . . . . : 2000
Exit program . . . . . : QZMFSNPA
  Library . . . . . : QSYS
Text description . . . . . : Preferred Address Selector

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 12
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  SPCL01009999

Exit point . . . . . : QIBM_QZMFMSF_ATT_CNV
Exit point format . . . . . : MSFF0100
Exit point registered . . . . . : *YES
```

```
Allow deregister . . . . . : *NO
Maximum number of exit programs . . . : 1024
Current number of exit programs . . . : 2
Preprocessing for add . . . . . : QZMFCAXP
  Library . . . . . : QSYS
  Format . . . . . : ADDP0100
Preprocessing for remove . . . . . : QZMFCAXR
  Library . . . . . : QSYS
  Format . . . . . : RMVP0100
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *NO
Text description . . . . . : MSF Attachment Conversion

Exit point . . . . . : QIBM_QZMFMSF_ATT_CNV
Exit point format . . . . . : MSFF0100
Exit program number . . . . . : 1300
Exit program . . . . . : QTMMATCV
  Library . . . . . : QTCP
Text description . . . . . : TC1 Attachment Conversion

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 20
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  SPCL010002AF02A102AN

Exit point . . . . . : QIBM_QZMFMSF_ATT_CNV
Exit point format . . . . . : MSFF0100
Exit program number . . . . . : 1600
Exit program . . . . . : QTMMTUNL
  Library . . . . . : QTCP
Text description . . . . . : TC1 Attachment Conversion2

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 24
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  SPCL010002AF02AT02AM02AU

Exit point . . . . . : QIBM_QZMFMSF_ATT_MGT
Exit point format . . . . . : MSFF0100
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *NO
Maximum number of exit programs . . . : 1024
Current number of exit programs . . . : 2
Preprocessing for add . . . . . : QZMFCAXP
  Library . . . . . : QSYS
  Format . . . . . : ADDP0100
Preprocessing for remove . . . . . : QZMFCAXR
  Library . . . . . : QSYS
  Format . . . . . : RMVP0100
```

```
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *NO
Text description . . . . . : MSF Attachment Management

Exit point . . . . . : QIBM_QZMFMSF_ATT_MGT
Exit point format . . . . . : MSFF0100
Exit program number . . . . . : 1000
Exit program . . . . . : QZDSNPAM
  Library . . . . . : QSYS
Text description . . . . . : SNADS Attachment Management

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 12
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  SPCL01009999

Exit point . . . . . : QIBM_QZMFMSF_ATT_MGT
Exit point format . . . . . : MSFF0100
Exit program number . . . . . : 1300
Exit program . . . . . : QTMMATTM
  Library . . . . . : QTCP
Text description . . . . . : TC1 Attachment Management

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 12
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  SPCL01009999

Exit point . . . . . : QIBM_QZMFMSF_ENL_PSS
Exit point format . . . . . : MSFF0100
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *NO
Maximum number of exit programs . . . : 1024
Current number of exit programs . . . : 1
Preprocessing for add . . . . . : QZMFCAXP
  Library . . . . . : QSYS
  Format . . . . . : ADDP0100
Preprocessing for remove . . . . . : QZMFCAXR
  Library . . . . . : QSYS
  Format . . . . . : RMVP0100
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *NO
Text description . . . . . : MSF Envelope Processing

Exit point . . . . . : QIBM_QZMFMSF_ENL_PSS
Exit point format . . . . . : MSFF0100
Exit program number . . . . . : 1300
Exit program . . . . . : QTMMENV
  Library . . . . . : QTCP
```

Text description . . . . . : TC1 Envelope Processing

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 16  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
SPCL010002AF02AN

Exit point . . . . . : QIBM\_QZMFMSF\_LCL\_DEL  
Exit point format . . . . . : MSFF0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . : 1024  
Current number of exit programs . . . : 4  
Preprocessing for add . . . . . : QZMFCAXP  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QZMFCAXR  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : MSF Local Delivery

Exit point . . . . . : QIBM\_QZMFMSF\_LCL\_DEL  
Exit point format . . . . . : MSFF0100  
Exit program number . . . . . : 1000  
Exit program . . . . . : QZDSNPLD  
Library . . . . . : QSYS  
Text description . . . . . : SNADS Local Delivery

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 24  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
SPCL010002A102A202A302A4

Exit point . . . . . : QIBM\_QZMFMSF\_LCL\_DEL  
Exit point format . . . . . : MSFF0100  
Exit program number . . . . . : 1300  
Exit program . . . . . : QTMMMLCLD  
Library . . . . . : QTCP  
Text description . . . . . : TC1 Local Delivery

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 12  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
SPCL010002AF

Exit point . . . . . : QIBM\_QZMFMSF\_LCL\_DEL  
Exit point format . . . . . : MSFF0100



Exit program number . . . . . : 1600  
Exit program . . . . . : QTMMPARS  
Library . . . . . : QTCP  
Text description . . . . . : TC1 MIME Parse

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 12  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
SPCL010002B1

Exit point . . . . . : QIBM\_QZMFMSF\_LCL\_DEL  
Exit point format . . . . . : MSFF0100  
Exit program number . . . . . : 4000  
Exit program . . . . . : QS2SNPLD  
Library . . . . . : QSYS  
Text description . . . . . : MSS SNADS Local Delivery

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 12  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
SPCL010002A5

Exit point . . . . . : QIBM\_QZMFMSF\_LST\_EXP  
Exit point format . . . . . : MSFF0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . . : 1024  
Current number of exit programs . . . . : 2  
Preprocessing for add . . . . . : QZMFCAXP  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QZMFCAXR  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : MSF List Expansion

Exit point . . . . . : QIBM\_QZMFMSF\_LST\_EXP  
Exit point format . . . . . : MSFF0100  
Exit program number . . . . . : 1000  
Exit program . . . . . : QZDSNPLE  
Library . . . . . : QSYS  
Text description . . . . . : SNADS List Expansion

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 12  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :

SPCL010001C0

Exit point . . . . . : QIBM\_QZMFMSF\_LST\_EXP  
Exit point format . . . . . : MSFF0100  
Exit program number . . . . . : 2000  
Exit program . . . . . : QZMFCTXT  
Library . . . . . : QSYS  
Text description . . . . . : Context address switcher

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 12  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :

SPCL010001CX

Exit point . . . . . : QIBM\_QZMFMSF\_MSG\_FWD  
Exit point format . . . . . : MSFF0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . . : 1024  
Current number of exit programs . . . . : 3  
Preprocessing for add . . . . . : QZMFCAXP  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QZMFCAXR  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : MSF Message Forwarding

Exit point . . . . . : QIBM\_QZMFMSF\_MSG\_FWD  
Exit point format . . . . . : MSFF0100  
Exit program number . . . . . : 200  
Exit program . . . . . : QTMSFWD  
Library . . . . . : QTCP  
Text description . . . . . :

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 12  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :

SPCL010002AF

Exit point . . . . . : QIBM\_QZMFMSF\_MSG\_FWD  
Exit point format . . . . . : MSFF0100  
Exit program number . . . . . : 1000  
Exit program . . . . . : QZDSNPMF  
Library . . . . . : QSYS  
Text description . . . . . : SNADS Message Forwarding

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 24

Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
SPCL010002A102A202A302A4

Exit point . . . . . : QIBM\_QZMFMSF\_MSG\_FWD  
Exit point format . . . . . : MSFF0100  
Exit program number . . . . . : 4000  
Exit program . . . . . : QS2SNPMF  
Library . . . . . : QSYS  
Text description . . . . . : MSS SNADS Message Forwarding

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 12  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
SPCL010002A5

Exit point . . . . . : QIBM\_QZMFMSF\_NON\_DEL  
Exit point format . . . . . : MSFF0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . : 1024  
Current number of exit programs . . . : 3  
Preprocessing for add . . . . . : QZMFCAXP  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QZMFCAXR  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : MSF Non Delivery

Exit point . . . . . : QIBM\_QZMFMSF\_NON\_DEL  
Exit point format . . . . . : MSFF0100  
Exit program number . . . . . : 1000  
Exit program . . . . . : QZDSNPND  
Library . . . . . : QSYS  
Text description . . . . . : SNADS Non Delivery

Exit program data CCSID . . . . . : 37  
Exit program data length . . . . . : 24  
Threadsafe . . . . . : \*UNKNOWN  
Multithreaded job action . . . . . : \*MSG  
Exit program data . . . . . :  
SPCL010002A102A202A302A4

Exit point . . . . . : QIBM\_QZMFMSF\_NON\_DEL  
Exit point format . . . . . : MSFF0100  
Exit program number . . . . . : 1300  
Exit program . . . . . : QTMMNDEL  
Library . . . . . : QTCP

```
Text description . . . . . : TC1 Nondelivery

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 20
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  SPCL010002AF02B19998

Exit point . . . . . : QIBM_QZMFMSF_NON_DEL
Exit point format . . . . . : MSFF0100
Exit program number . . . . . : 4000
Exit program . . . . . : QS2SNPND
  Library . . . . . : QSYS
Text description . . . . . : MSS SNADS Non Delivery

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 12
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  SPCL010002A5

Exit point . . . . . : QIBM_QZMFMSF_SEC_AUT
Exit point format . . . . . : MSFF0100
Exit point registered . . . . . : *YES
Allow deregister . . . . . : *NO
Maximum number of exit programs . . . : 1024
Current number of exit programs . . . : 1
Preprocessing for add . . . . . : QZMFCAXP
  Library . . . . . : QSYS
  Format . . . . . : ADDP0100
Preprocessing for remove . . . . . : QZMFCAXR
  Library . . . . . : QSYS
  Format . . . . . : RMVP0100
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *NO
Text description . . . . . : MSF Security and Authority

Exit point . . . . . : QIBM_QZMFMSF_SEC_AUT
Exit point format . . . . . : MSFF0100
Exit program number . . . . . : 1300
Exit program . . . . . : QTMSSCAT
  Library . . . . . : QTCP
Text description . . . . . : TC1 Security

Exit program data CCSID . . . . . : 37
Exit program data length . . . . . : 20
Threadsafe . . . . . : *UNKNOWN
Multithreaded job action . . . . . : *MSG
Exit program data . . . . . :
  SPCL010002AF02B102AN

Exit point . . . . . : QIBM_QZMFMSF_TRK_CHG
Exit point format . . . . . : MSFF0100
```

Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . : 1  
Current number of exit programs . . . : 0  
Preprocessing for add . . . . . : QZMFCAXT  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QZMFCAXR  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*YES  
Text description . . . . . : MSF Track Mail Message Changes

Exit point . . . . . : QIBM\_QZMFMSF\_VLD\_TYP  
Exit point format . . . . . : MSFF0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . : \*NOMAX  
Current number of exit programs . . . : 0  
Preprocessing for add . . . . . : QZMFCAXT  
Library . . . . . : QSYS  
Format . . . . . : ADDP0100  
Preprocessing for remove . . . . . : QZMFCAXR  
Library . . . . . : QSYS  
Format . . . . . : RMVP0100  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*NO  
Text description . . . . . : MSF Validate Type

Exit point . . . . . : QIBM\_QZRC\_RMT  
Exit point format . . . . . : CZRC0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . : 1  
Current number of exit programs . . . : 0  
Preprocessing for add . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Preprocessing for remove . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Preprocessing for retrieve . . . . . : \*NONE  
Library . . . . . :  
Format . . . . . :  
Allow change . . . . . : \*YES  
Text description . . . . . : Remote Command/Program Call

Exit point . . . . . : QIBM\_QZSC\_LM  
Exit point format . . . . . : ZSCL0100  
Exit point registered . . . . . : \*YES  
Allow deregister . . . . . : \*NO  
Maximum number of exit programs . . . : 1

Current number of exit programs . . . . :	0
Preprocessing for add . . . . . :	*NONE
Library . . . . . :	
Format . . . . . :	
Preprocessing for remove . . . . . :	*NONE
Library . . . . . :	
Format . . . . . :	
Preprocessing for retrieve . . . . . :	*NONE
Library . . . . . :	
Format . . . . . :	
Allow change . . . . . :	*YES
Text description . . . . . :	Central Server - license mgmt
Exit point . . . . . :	QIBM_QZSC_NLS
Exit point format . . . . . :	ZSCN0100
Exit point registered . . . . . :	*YES
Allow deregister . . . . . :	*NO
Maximum number of exit programs . . . . :	1
Current number of exit programs . . . . :	0
Preprocessing for add . . . . . :	*NONE
Library . . . . . :	
Format . . . . . :	
Preprocessing for remove . . . . . :	*NONE
Library . . . . . :	
Format . . . . . :	
Preprocessing for retrieve . . . . . :	*NONE
Library . . . . . :	
Format . . . . . :	
Allow change . . . . . :	*YES
Text description . . . . . :	Central Server - conversion map
Exit point . . . . . :	QIBM_QZSC_SM
Exit point format . . . . . :	ZSCS0100
Exit point registered . . . . . :	*YES
Allow deregister . . . . . :	*NO
Maximum number of exit programs . . . . :	1
Current number of exit programs . . . . :	0
Preprocessing for add . . . . . :	*NONE
Library . . . . . :	
Format . . . . . :	
Preprocessing for remove . . . . . :	*NONE
Library . . . . . :	
Format . . . . . :	
Preprocessing for retrieve . . . . . :	*NONE
Library . . . . . :	
Format . . . . . :	
Allow change . . . . . :	*YES
Text description . . . . . :	Central Server - client mgmt
Exit point . . . . . :	QIBM_QZSO_SIGNONSRV
Exit point format . . . . . :	ZSOY0100
Exit point registered . . . . . :	*YES
Allow deregister . . . . . :	*NO
Maximum number of exit programs . . . . :	1
Current number of exit programs . . . . :	0

```
Preprocessing for add . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for remove . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Preprocessing for retrieve . . . . . : *NONE
  Library . . . . . :
  Format . . . . . :
Allow change . . . . . : *YES
Text description . . . . . : TCP Signon Server
```

\* \* \* \* \* E N D O F L I S T I N G \* \* \* \* \*